

no 6457.1



1951-53

Given By

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS


BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1952

PREPARED AND DISTRIBUTED BY

EDWARD J. CRONIN

Secretary of the Commonwealth



The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1952

PREPARED AND DISTRIBUTED BY


EDWARD J. CRONIN

SECRETARY OF THE COMMONWEALTH

EDITED BY

ARTHUR J. HASSETT

STATE REGISTRAR OF VITAL STATISTICS



CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1952.

MORTALITY STATISTICS.

	PAGE
INTRODUCTION	
General mortality	3-11
Death registration	3-6
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Occupations	4
Death rates and their comparability	4
Allocation	4
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5, 6
Marital condition	6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Cause of death	7-11
Sources of error in mortality statistics	7
Principal causes of death	7-11
Deaths investigated by medical examiners	12, 13
Source of data	12
Number of deaths investigated	12
Autopsies	12
Cause of death	12, 13
STATISTICAL TABLES	14-267
General mortality	14-251
TABLE 1.—Registered and allocated deaths in cities and towns, by sex, population, and death rates in each county, city and town: 1952	14-11
TABLE 2.—Deaths by sex and age, in each county; and in municipalities having over 10,000 inhabitants: 1952	20-23
TABLE 3.—Mortality of males and females: 1928 to 1952	26
TABLE 4.—Deaths at specified ages: census years 1925 to 1950	31
TABLE 5.—Per cent of deaths at specified ages—both sexes: 1928 to 1952	31
TABLE 6.—Male deaths per 1,000 female deaths at specified ages: 1949 to 1952	31
TABLE 7.—Deaths of males and females at specified ages: 1943 to 1952	32
TABLE 8.—Deaths by sex, age, and marital condition: 1952	33
TABLE 9.—Deaths in counties, and in cities having over 50,000 inhabitants, by months: 1952	33
TABLE 10.—Deaths, live births, deaths under 1 year, deaths under 1 month and rates per 1,000 population and per 1,000 live births: 1900 to 1952	34
TABLE 11.—Deaths allocated from each cause and class of causes, according to the detailed International List by months and sex: 1952	35-64
TABLE 12.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1952	66-125
TABLE 13.—Deaths of residents out of State dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1952	126-147
TABLE 14.—Deaths of residents of Massachusetts dying out of State, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1952	148-163
TABLE 15.—Deaths from important causes in each county and municipality: 1952	164-190
TABLE 16.—Registered deaths from important violent causes by place of occurrence: 1952	192-201
TABLE 17.—Accidental deaths, according to type of accident, by months and sex: 1952	202, 203
TABLE 18.—Accidental deaths, according to type of accident by age and sex: 1952	204, 205
TABLE 19.—Deaths allocated from important causes by occupations: 1952	206-237
TABLE 20.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1946 to 1952	238-239
TABLE 21.—Deaths and death rates per 100,000 population from important causes: 1900 to 1952	240, 241
TABLE 22.—Deaths produced by external causes: 1913 to 1952	242
TABLE 23.—Death rates per 100,000 population based on annual average number of deaths for the five year period of which the census year is the median year: census years 1915 to 1950	242
Infant mortality	243-251
TABLE 24.—Deaths under 4 weeks of age; also under 1 year of age, by sex, in the State and each municipality: 1952	243-245
TABLE 25.—Infant and maternal deaths and death rates, for the State and counties: 1952	245
TABLE 26.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1950: 1945 to 1952	246
TABLE 27.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1950: 1952	247
TABLE 28.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1936 to 1952	248
TABLE 29.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1927 to 1952	248

STATISTICAL TABLES—Concluded.

Infant mortality—concluded.

TABLE 30.—Infant deaths per 1,000 live births, by causes: 1945 to 1952 248

TABLE 31.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1945 to 1952 249

TABLE 32.—Deaths from important causes for certain subdivisions of the first year of life, for the State: 1952 250

TABLE 33.—Deaths from important causes for certain subdivisions of the first year of life, for Boston: 1952 251

Deaths from special causes 252-254

TABLE 34.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1950: 1952 252

TABLE 35.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1950: 1952 253, 254
254, 255

Maternal mortality

TABLE 36.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1928 to 1952 254

TABLE 37.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1928 to 1952 255

Deaths investigated by medical examiners 256-267

TABLE 38.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1952 256-265

TABLE 39.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes: 1952 266, 267

TABLE 40.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1943 to 1952 266, 267

BIRTH STATISTICS.

INTRODUCTION 268-271

Birth registration 268

Importance of birth records 268, 269

Adoptions 269

Records impounded 270

Treatment of infants' eyes after birth 270

Allocation 270

Live births 270

Birth rate 270

Changes in birth rate 270

Stillbirths 270, 271

Birth rates, highest 271

Sex proportion at birth 271

Plural births 271

Natural increase 272-285

STATISTICAL TABLES

TABLE 41.—Registered and allocated live births in cities and towns by sex; and birth rates per 1,000 population, in each county, city and town: 1952 272-276

TABLE 42.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants: 1952 277

TABLE 43.—Plural births and stillbirths, by sex, in each county and municipality: 1952 278-282

TABLE 44.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1950: 1900 to 1952 283

TABLE 45.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population; and by sex and sex proportions: 1900 to 1952 284

TABLE 46.—Plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births: 1900 to 1952 285

MARRIAGE STATISTICS.

INTRODUCTION 286, 287

Marriage registration 286

Source of data 286

Decrease of marriages 286

Solemnization 286, 287

Accuracy 287

Purpose, marriage requirements 288-298

STATISTICAL TABLES

TABLE 47.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1952 288-292

TABLE 48.—Marriages by sex, age, and marital condition: 1952 293

TABLE 49.—Marriages by months, in counties, and in cities having over 50,000 inhabitants in 1950: 1952 293

TABLE 50.—Marriages in each county, by sex and age: 1952 294, 295

TABLE 51.—Marriages, by sex and age: 1952 296

TABLE 52.—First marriages, by sex and age: 1952 296

TABLE 53.—First marriage of grooms and remarriages of brides, by age: 1952 296

TABLE 54.—Remarriages of grooms and first marriages of brides, by age: 1952 297

TABLE 55.—Remarriages of both parties, by age: 1952 297

TABLE 56.—First marriages and remarriages: 1952 297

TABLE 57.—Marriages, marriage rates, and nativity of persons married: 1928 to 1952 298

TABLE 58.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1950: 1928 to 1952 298

		DIVORCE STATISTICS.	PAGE
INTRODUCTION			299, 300
Causes for divorce			299
Source of data			299
Applications for divorce			299
Contested cases			299
Number of divorces			299
Divorce rates			299, 300
Party to which granted			300
Divorces classified by causes			300
Annulled cases			300
Duration of marriages			300
STATISTICAL TABLES			301-319
TABLE 59.	Labels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1952		301
A.	Barnstable County		302
B.	Berkshire County		303
C.	Bristol County		304
D.	Dukes County		305
E.	Essex County		306
F.	Franklin County		307
G.	Hampden County		308
H.	Hampshire County		309
I.	Middlesex County		310
J.	Nantucket County		311
K.	Norfolk County		312
L.	Plymouth County		313
M.	Suffolk County		314
N.	Worcester County		315
TABLE 60.	Number and per cent of divorces granted to husbands and to wives: 1928 to 1952		316
TABLE 61.	Divorces granted, number and per cent increase in each five-year period over preceding five-year census period: 1925 to 1949		316
TABLE 62.	Comparison of increase in divorces and divorce rates with increase in population: 1925 to 1950		316
TABLE 63.	Divorce rates based on total population and on married population: census years, 1925 to 1950		316
TABLE 64.	Annual average number of divorces in the State and in each county: census years, 1930 to 1950		317
TABLE 65.	Divorces granted for specified causes for 25 years: 1928 to 1952		317
TABLE 66.	Statutory causes for divorce: 1928 to 1952		317
TABLE 67.	Applications for divorce: 1928 to 1952		318
TABLE 68.	Divorces granted, classified by cause and party to which granted: 1952		318
TABLE 69.	Labels for divorce granted and not granted, contested and not contested classified by party to which granted: 1952		318
TABLE 70.	Number of years libellants were married at time of application for divorce: 1928 to 1952		319
POPULATION STATISTICS.			
Introductory			320
Estimated population			320
STATISTICAL TABLES			321, 322
TABLE 71.	Census population of municipalities having over 15,000 inhabitants in 1950: 1925 to 1950		321
TABLE 72.	Estimated population by age and sex: July 1, 1952		322
APPENDIX.			
International classification of causes of death			323-335
1. Detailed International List			323-334
2. Abbreviated List			335

LETTER OF SUBMITTAL

THE COMMONWEALTH OF MASSACHUSETTS,
OFFICE OF THE SECRETARY,
DIVISION OF VITAL STATISTICS.

Boston, April 2, 1953.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, Section 47, of the General Laws, the one hundredth and eleventh annual report on statistics of births, marriages, divorces and deaths in Massachusetts, for the calendar year 1952. Deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

EDWARD J. CRONIN,
Secretary of the Commonwealth



Editorial Review of the Vital Statistics of Massachusetts, 1952

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

MORTALITY STATISTICS

	PAGE
Introduction	3-13
General mortality	3-6
Death registration	3
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Occupations	4
Death rates and their comparability	4
Allocation	5
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5, 6
Marital condition	6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Causes of death	7-12
Sources of error in mortality statistics	7
Principal causes of death	7-12
Deaths investigated by medical examiners	12, 13
Source of data	12
Number of deaths investigated	12
Autopsies	12
Cause of death	12, 13
Statistical tables	14-267

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required registration of births, marriages and deaths; in 1842 statutes required copies to be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1952 inclusive, 4,482,139 copies of deaths have been received, filed, and tabulated in the Division of Vital Statistics. The original records are on file in the cities, towns and States in which the events occurred and copies in the city and town given as the residence of the deceased at the time of death. Chapter 439, Acts of 1945, provides that in cases of burial of war veterans in a city or town other than the place of death or residence, a copy of the death certificate shall also be filed with the Clerk of the place of burial.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate with the local Board of Health.

The responsibility for seeing that a certificate is properly made out and filed rests with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons. Chapter 604, Acts of 1949, relates to the burial or other disposition of the bodies of veterans.

Occupations. — Great interest is shown in the study of occupations in connection with cause of death due to the fact that many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks. Table 19 has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes; and, since large numbers of women have entered the industrial field during the last decade, the Table shows sex as well.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after an absence from Massachusetts of more than one year, are considered as non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. Also, those deaths due to violence have been allocated to the place of occurrence (see Table 16, page 192). The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was a decrease in the mortality of 1952 as compared with that of 1951, the number of deaths occurring in the State during the calendar year 1952 being 52,620, a decrease as compared with 1951 of 952. Based on the estimated population of July 1, 1952, of 4,774,616, these deaths correspond to a rate of 11.0 per 1,000 population. The rate for 1951 was 11.3. Deaths of residents of Massachusetts numbered 51,980 in 1952, resulting in a death rate of 10.9 per 1,000 inhabitants.

During the ten-year periods, from 1933 to 1942, inclusive, the average death rate of the Commonwealth was 11.7, and from 1943 to 1952, inclusive, 11.4.

Sex. — Of the 52,620 deaths in 1952, 28,193, or 53.6 per cent, were males, the percentage in 1951 being 53.2. The proportion of males in the living population, as shown by the United States Census of 1950, was 48.4 per cent. Expressed as a ratio, there were 1,154 deaths of males per 1,000 deaths of females in 1952, as compared with 1,136 in 1951, 1,147 in 1950, 1,141 in 1949 and 1,139 in 1948. Of the 51,980 residents of the State who died in 1952, 27,851, or 53.6 per cent, were males.

Table 3 on page 30, shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 51,980 deaths in 1952 of residents of the State, 2,472, or 4.8 per cent were of infants under 1 year of age. The rates for infant deaths in previous years were 4.1 per cent in 1951 and an average of 4.8 per cent for the five years from 1947 to 1951, 5.2 per cent for the five years from 1942 to 1946 and 4.9 per cent for the five years from 1937 to 1941. A more detailed discussion of infant mortality may be found on pages 6 and 7.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, because of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,472 decedents under 1 year of age in 1952, 1,429, or 57.8 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males including the reputed centenarians, numbering 40, of whom 3 were males and 37 were females. The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1949-1952 are shown in Table 6, on page 31.

Among the 27,851 male decedents in 1952, 1,429, or 5.1 per cent, were under 1 year of age; among the 24,129 female decedents, 1,043, or 4.3 per cent, were under 1 year of age; and among the decedents of both sexes, 4.8 per cent were under 1 year of age (see Table 7, page 32).

Marital Condition. — Not quite one-half (46.3 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1952 were married, 16 per cent were single, 35.2 per cent were widowed, 2.3 per cent were divorced and .2 per cent were unknown. Among the male decedents 58.2 per cent were married, 15.2 per cent were single, 23.6 per cent were widowed, 2.8 per cent were divorced and .2 per cent were unknown. Among the female decedents 32.8 per cent were married, 16.9 per cent were single, 48.5 per cent were widowed, 1.7 per cent were divorced, and .1 per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 8, on page 33 shows the number of deaths of males and females 15 years of age and over by marital condition.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in March (5,106) and the next largest number in January (4,681) and April (4,652). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1952 was 142. The months showing the highest average for the year were March (165), April (155), and January (151). Table 9, on page 33, shows the number of deaths in each month of 1952, in counties, and in cities having over 50,000 inhabitants in 1950.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1952 was 23.8 per 1,000 live births. With the exception of 1952, this rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 28 on page 248, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1943 to 1952, there has been an increase of 21.1 per cent in the number of live births registered. In 1952 deaths of Boston residents under 1 year of age numbered 437 or 26.0 per 1,000 live births. The rates for previous years were 25.5 in 1951, 25.4 in 1950, 25.5 in 1949 and 34.3 in 1948. In the ten years from 1943 to 1952 there has been an increase of 2,897 in the number of live births registered. For the remainder of the State, the number of births registered increased 22.8 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 51.6 per 1,000 live births in 1933 to 23.4 in 1952, as compared with a decrease in Boston from 58.9 in 1933 to 26.0 in 1952. (See Table 28, on page 248.)

Deaths under four weeks and also under one year of age in each municipality are shown in Table 24, on pages 243 to 245.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1950 are shown for the years 1945 to 1952 in Table 26, on page 246.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1952, 1,740 deaths occurred in the first week, constituting 70.4 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (39.1 per cent) was higher than on any other day. In the first four weeks of life there were 1,918 deaths, or 77.6 per cent of all infant deaths.

In the first three months there were 2,145 deaths, or 86.8 per cent of all infant deaths. Ninety-three and seven-tenths per cent of the infant deaths occurred in the first half of the year.

Almost nine-tenths, 89.6 per cent, of the 1,740 babies who died less than one week after birth, died of immaturity, postnatal asphyxia and atelectasis, malformations, or injuries received at birth. Of the 1,871 babies who died from these causes before reaching the age of 1 year, 47.9 per cent died in less than one day, 83.3 per cent died in less than one week, and 88.9 per cent died in less than four weeks.

Diseases of the digestive system, formerly important factors in causing infant deaths, claimed 54, or 2.2 per cent of the babies who died before reaching 1 year of age. Fifty-five and six-tenths per cent of these deaths were from diarrhea and enteritis which has shown a remarkable decrease since 1900.

The largest number of deaths of infants is due to developmental and wasting diseases, and the figures indicate a reduction in infant mortality due to these causes, — from 26.3 deaths per 1,000 live births in 1928 to 11.5 in 1952. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased since 1948 when there were 154 infant deaths from this cause, 106 in 1949, 86 in 1950, 72 in 1951 and 71 in 1952. The principal causes of infant deaths for the years 1945 to 1952 are shown in Table 30, page 248.

Causes of Death.

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death. Beginning with 1949, the 1948 or sixth revision of the Manual of International List of Causes of Death was used in the assignment of causes of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 900 or more titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1952 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the Expert Committee of the World Health Organization, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of the underlying cause of death as stated by the certifying physician, except in instances where the order of entries on the medical certificate is obviously erroneous. The medical certificate, recently adopted, permits the certifying physician or surgeon to signify more clearly the order of events leading up to death. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — Nearly three-fourths of the 51,980 resident deaths reported in 1952 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis), pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 82.4 per cent of the deaths for the year. There

were 52,620 registered deaths in 1952, the allocated rate being 10.9 and the registered rate, 11.0. Table 21 on pages 240 and 241 shows the number of residents of the State who died from these causes.

Heart Disease, as usual was the leading cause of resident deaths in 1952, the total number being 22,434, corresponding to a rate of 469.9 per 100,000 population as compared with 22,930 deaths, or 484.0 per 100,000 in 1951. Deaths from heart disease, reported as having occurred in Massachusetts numbered 22,528, or 471.8 per 100,000 population.

Cancer and other Malignant Neoplasms. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 8,710, the rate being 182.4 per 100,000 population, with cancers of the digestive organs and peritoneum claiming 40.7 per cent of these deaths, cancer of the genito-urinary organs 18.8 per cent; respiratory system 10.7 per cent; breast 10.2 per cent; hematopoietic and lymphatic tissues 7.4 per cent; buccal cavity and pharynx 2.9 per cent; and 9.3 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.6 in 1910 to 183.1 in 1948, an all-time high, with the first decreases during the last twenty-five years, 171.6, 170.6, 180.9, 182.9 and 182.4 occurring in 1945, 1946 and 1949 to 1952 respectively. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 42.8; genito-urinary organs 16.8; respiratory system 17.5; breast .1; hematopoietic and lymphatic tissues 8.5; buccal cavity and pharynx 4.6 and other or unspecified organs 9.7. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 38.6; genito-urinary organs 20.9; respiratory system 3.9; breast 20.4; hematopoietic and lymphatic tissues 6.3; buccal cavity and pharynx 1.1 and other or unspecified organs 8.8.

Of cancer of the digestive organs and peritoneum, cancer of the stomach claimed the largest number of males, 14.4 per cent, while cancer of the intestines claimed 18.3 of the females. Among the deaths from cancer of the genito-urinary organs, 26 per cent were of the prostate gland and 27.4 per cent were of the uterus. More than four-fifths of the deaths from cancer of the lungs and bronchus were of males, 80.6 per cent, while 19.4 per cent were of females. In the buccal cavity group cancer of the pharynx was responsible for 35.7 per cent of the male deaths and for 4.8 per cent of the female deaths. More than one-half, 54.9 per cent of the deaths from cancer of the skin were of males; while 45.1 per cent were females. Of the resident deaths from cancer slightly more than one-half, 50.4 per cent were of males.

Registered deaths from cancer showed an increase of 39 and a total of 8,968 in 1952, corresponding to a death rate of 187.8 as compared with 188.5 in 1951.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis were the causes of 5,579 deaths of residents, or 116.8 per 100,000 population. The death rate from these diseases has increased somewhat, being 105.8 in 1948, 113.4 in 1949, 115.5 in 1950 and 119.5 in 1951. These diseases caused 5,631 registered deaths, corresponding to a rate of 117.9 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 1,182 resident deaths in 1952, or 24.8 per 100,000 population, as compared with 1,271 deaths, or 26.8 per 100,000 population in 1951. It also was responsible for 1,191 deaths occurring in the State with a rate of 24.9 per 100,000 population.

Nephritis, all forms, was the cause of 702 deaths of Massachusetts residents in 1952, corresponding to a rate of 14.7 per 100,000 population, as compared with 15.4 in 1951, 15.6 in 1950, 18.4 in 1949, 40.4 in 1948 and an average rate of 51.4 for the five years from 1943 to 1947. The great decrease in these deaths is accounted for by the fact that, under the new classification of causes of death, some forms of nephritis are now included with diseases of the circulatory system. Deaths recorded in the State from nephritis, numbered 712 or 14.9 per 100,000 population.

Tuberculosis in its various forms claimed 703 victims in 1952, of whom 660 died from tuberculosis of the respiratory system. Deaths due to the latter cause constituted 1.3 per cent of all resident deaths during the year, the rate being 13.8 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, this disease has fluctuated during recent years, there being an increase of .6 in 1940, .8 in 1941 and .5 in 1946 over the preceding years respectively. Tuberculosis (all forms) was responsible for 727 deaths registered in Massachusetts including 682 deaths from tuberculosis of the respiratory system. The rates for the latter disease were 1.3 per cent of all deaths during the year and 14.3 per 100,000 population.

Diabetes was the cause of 1,041 deaths of Massachusetts residents in 1952, a decrease of 19 from those reported in 1951 and was responsible for a rate of 21.8 per 100,000 population. The rate from this disease has shown a steady increase from 20.0 to 37.9 per 100,000 population for the twenty-five years from 1926 to 1950, but since the latter year, has decreased, as may be seen from the following rates: 1951, 22.4; 1950, 22.2; 1949, 23.8; 1948, 37.2 and 1947, 35.8. Nearly two-thirds, 63.3 per cent, of the resident deaths from diabetes were of females, with the age period 65 to 74 years having the greatest number, 25 per cent; of the males 12.1 per cent were in the same age periods. This disease attacked persons 50 years of age and over most severely and these age groups claimed 92.9 per cent of diabetic deaths, 64.4 per cent being females and 35.6 per cent males. Deaths from diabetes reported as having occurred in the State numbered 1,051 or 22.0 per 100,000 population.

Congenital Debility and Malformations, including immaturity, caused 1,297 resident deaths in 1952, corresponding to a rate of 27.2 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2) to 24.4 in 1951. There were 1,365 registered deaths from these diseases resulting in a rate of 28.6 per 100,000 population.

Alcoholism and Cirrhosis of the Liver (specified as alcoholic, etc.) were responsible for 808 resident deaths in 1952, corresponding to a rate of 16.9 per 100,000 population. Of these 61 were due to alcoholism which is a decrease of 23 from those reported in 1951, corresponding to a rate of 1.3 per 100,000 population. These diseases caused 823 deaths in Massachusetts with a rate of 17.2 per 100,000 population. Alcoholism claimed 59 of these, or 1.2 per 100,000 population.

Maternal Mortality. — Deaths from puerperal causes of residents of the State in 1952 totaled 56 corresponding to a rate of 5.4 per 10,000 confinements. This rate was an increase over 1951, the rate being 3.5 and 5.3 for 1950.

Puerperal septicemia was responsible for 10 resident deaths not including 2 due to abortion with septic conditions, the rates for this cause in 1952 being 1.0 per 10,000 confinements. In 1951 the rate was .5 and in 1950, .6. Of the deaths from these causes 1 was from 20 to 29 years of age, 7 from 30 to 39 years of age, and 2 from 40 to 49 years of age.

Diarrhea and Enteritis caused 82 deaths of residents in 1952, or 1.7 per 100,000 population. Forty-three and nine-tenths per cent of the total number of deaths charged to these causes in 1952 were of infants under 2 years of age. The rates from this cause for all ages were 4.2 in 1948, 2.0 in 1949, 1.8 in 1950 and 1.4 in 1951. During 1952 registered deaths totalled 82 from these causes, or 1.7 per 100,000 population. The number of infants under 2 years of age was 36 or 43.9 per cent of the total number claimed by these diseases.

Principal Communicable Causes. — The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 28 deaths of Massachusetts residents, or .6 per 100,000 inhabitants, as compared with 1.2 in 1947 and 1948, .6 in 1949 and 1950, and 1.8 in 1951. The number of registered deaths was 27 or .6 per 100,000 population in 1952. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated between .6 in 1949 and 27.9 in 1929.

Whooping Cough, one of the principal epidemic maladies of childhood, was responsible for 5 deaths of both adults and children, the number of registered deaths being the same or .1 per 100,000 population. This is an increase of 2 deaths over those reported in 1951.

Measles, another childhood disease, caused 17 resident deaths in 1952, or four-tenths of one per 100,000 population. This rate was .1 in 1951, less than one-tenth of one in 1950, .3 in 1949 and .4 in 1948. The total number and rate for deaths occurring in Massachusetts were 16 or .3 per 100,000 population.

Scarlet Fever. — There was 1 death from scarlet fever in 1952. The rates have changed from year to year during the period 1927 to 1952, the highest being 3.4 in 1927 and the lowest, less than one-tenth of one in 1946, 1948, 1949 and 1952. There was 1 registered death from this cause in 1952.

Diphtheria and Croup — which are classed together in the statistics, but practically all of which are diphtheria — have shown a decided decrease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. For the first time, there were no deaths from these diseases in 1952. This rate was .2 in 1951 and 1950, .9 in 1949, .6 in 1948 and .3 in 1947. There were no registered deaths from these causes in 1952.

Epidemic Cerebrospinal Meningitis claimed 27 victims in 1952, as compared with 12 in 1951, 14 in 1950, 9 in 1949 and 16 in 1948. The rate for this cause was .6 per 100 000 population. This disease was responsible for 26 registered deaths with a rate of .5 per 100,000 population.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1952 and 1951 being 2, 7 in 1950, 6 in 1949 and 1948. The registered deaths were the same in 1952.

Dysentery caused 17 resident deaths in 1952, and the number of registered deaths was the same. There were 12 in 1951, 4 in 1950, 5 in 1949 and 20 in 1948. The increase was due to a sporadic outbreak of the disease throughout the year 1948.

Typhoid Fever has shown a steady decline since 1910, having dropped from 12.2 in that year to less than one-tenth of one per 100,000 in 1946. This decline is greater, relatively, than that shown for any other important cause of death. There were no deaths due to typhoid fever in 1952 as compared with 2 in 1951, none in 1950, 3 in 1949 and 2 in 1948. There were no registered deaths in 1952 from this cause.

Acute Poliomyelitis has shown an increase for 1952, the number of deaths being 17, or .4 per 100,000 population, as compared with .2 in 1951 and 1950, 1.1 in 1949 and .1 in 1948. Deaths reported as having occurred in the State were 23 or .5 per 100,000 population.

There were no deaths from Smallpox in 1952.

Violent and Accidental Deaths. — Death rates from violence during the past five years per 100,000 population were 69.3 in 1948, 66.0 in 1949, 64.5 in 1950, 64.7 in 1951 and 61.0 in 1952. The death rate from violence was 61.5 per 100,000 population for registered deaths in 1952.

Resident deaths due to Railroad Accidents and Injuries totalled 27 in 1952, and corresponded to a rate of .6 per 100,000 population. The rates for the previous years were .8 in 1948 and .6 in 1949, 1950 and 1951. Registered deaths had 26 with a rate of .5 in 1952.

Resident deaths resulting from Streetcar Accidents and Injuries numbered 1 or less than one-tenth of one per 100,000 population. The registered deaths had the same total and rate in 1952.

Motor-Vehicle Traffic Accidents caused 515 deaths of residents in 1952, including 8 deaths from motor vehicle and railroad collisions and no deaths from motor vehicle and streetcar collisions. The rate was 10.8 per 100,000 population, as compared with 11.6 in 1951, 12.2 in 1950, 10.4 in 1949 and 9.9 in 1948. These accidents caused 535 deaths registered in Massachusetts in 1952 or 11.2 per 100,000 population. Of these, 8 deaths were from motor vehicle and railroad collisions and no deaths from motor vehicle and streetcar collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — There were 20 deaths from this cause in 1952. In 1951 there were 6 deaths; in 1950, none; in 1949, 29 and in 1948, 55. There were 19 deaths occurring in the State from this cause in 1952. The highest temperature recorded in 1952 was 100 degrees on June 26 and July 23. The highest temperature recorded at the Weather Bureau of the United States Department of Commerce since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents in 1952 numbered 11 or .2 per 100,000 population. The corresponding figures for previous years were .6 in 1948 and 1949 and .5 in 1950 and 1951. Deaths registered in Massachusetts were the same in 1952.

The number of Suicides of Massachusetts residents in 1952 was 419, or 8.8 per 100,000 population. The rates since 1947 have been: 1948, 10.4, 1949, 11.2, 1950, 10.7, and 1951, 9.8. Reported deaths from suicide in 1952 numbered 430 or 9.0 per 100,000 population.

Resident deaths caused by firearms numbered 113 in 1952, corresponding to a rate of 2.4 per 100,000 population. Of these deaths 83 were suicides, 15 were homicides, and 10 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1952 were 113. These deaths included 89 suicides, 14 homicides, and 10 accidents.

Resident deaths from Homicide numbered 47 in 1952, or 1.0 per 100,000 population. The rates for homicide in recent years are 1.1 in 1948, 1.0 in 1949, 1.3 in 1950 and 1.0 in 1951. There were 46 registered deaths from homicide in 1952 with a rate of 1.0 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 11, on pages 35 to 64. The causes denoted by decimals, shown separately, Table 11, are a part of the total cause shown in the International List. Ages, grouped in five-year periods, are shown in Table 12, on pages 66 to 125. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 13 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 14. In Table 15, on pages 164 to 190, the deaths are shown for 58 causes and groups of causes for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1946 to 1952 are shown for the 50 causes and groups of causes in the Abbre-

viated International List in Table 20, on pages 238 and 239. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 240 to 255.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include deaths caused by the action of chemical, thermal, or electrical agents, or following abortion, or from diseases resulting from injury or infection related to occupation, or suddenly when not disabled by recognizable disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1952 was 12,109, or 23.0 per cent of the total number of deaths which occurred during the year, as compared with 12,156 deaths in 1951 when the rate was 22.7 per cent. Almost two-thirds (63.8 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 2,580, or 21.3 per cent, were reported as due to violence, while among the deaths returned to the registrars, 2,920 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1952 was in Middlesex County, 2,464, as compared with 2,035 in Suffolk County. Of the deaths investigated in Middlesex County, 495, or 20.1 per cent, were reported as due to violence (see Table 39, pages 266 and 267).

Autopsies. — Autopsies were made in 1,087, or 9.0 per cent of the cases investigated by the medical examiners in 1952, as compared with 7.7 per cent in 1951, 8.7 per cent in 1950 and 8.8 per cent in 1949.

The highest proportion of autopsies was in Suffolk County where 21.9 per cent of the views were autopsied, there being 19.3 per cent in 1951. Table 40, on pages 266 and 267 shows the number of views and the number of autopsies in each county in each year from 1943 to 1952, and the number and per cent of views autopsied for the ten-year period, 1943 to 1952.

Cause of Death. — Over two-thirds (68.5 per cent) of the deaths viewed by medical examiners in 1952 were from causes not due to violence, 21.3 per cent were due to violence, and .7 per cent were stillbirths. One thousand, one hundred and fifty-two or 9.5 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 8,296, of which 8,148 were from natural causes and 64 were due to alcoholism.

Deaths due to violence numbered 2,580, of which 2,114 were due to accident and poisoning, 421 were suicides, and 45 were homicides.

Of the 2,114 deaths due to accident and poisoning, 897 were due to falls, 477 were due to automobile accidents, 6 of which were railroad and automobile collisions, 161 resulted from drowning, 19 were due to railroad accidents, and 668 to other causes. There were no streetcar and automobile collisions.

Suicides numbered 421, or 16.3 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 81, and by hanging or strangulation, 131, constituted over one-half (50.4 per cent), of the total number.

The number of suicides by firearms was 92, by poisons, 42; by drowning, 39; and other methods, 36. Over three-fourths (76.5 per cent) of the suicides were males.

Of the 421 persons committing suicide, 93 were 50 to 59 years of age, 76 were 60 to 69 years of age, 70 were 40 to 49 years of age, 67 were 30 to 39 years of age, 47 were 20 to 29 years of age, 56 were over 70 years of age, and 12 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 72; and from 60 to 69 years of age, 61; and among the female suicides the largest numbers were from 50 to 59 years of age, 21; and 40 to 49 years of age, 19. The most common method of committing suicide was by hanging or strangulation, 131.

Homicides numbered 45, of which 4 were by poisoning, 12 by firearms, 9 by cutting or piercing instruments, 18 by other means, 1 by intervention of police, and 1 case of infanticide. Of the 45 homicides, 24 or 53.3 per cent were males.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

COUNTIES AND MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1952.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
The State.	52,620	28,193	24,427	11.0	51,980	27,851	24,129	10.9	4,774,616
COUNTIES.									
Barnstable	656	368	288	13.4	659	353	306	13.5	48,941
Berkshire	1,432	758	674	10.6	1,452	763	689	10.7	135,371
Bristol	4,230	2,194	2,036	11.0	4,219	2,219	2,000	10.9	385,379
Dukes	91	53	38	16.2	83	45	38	14.7	5,633
Essex	5,875	3,067	2,808	11.1	6,134	3,248	2,886	11.6	528,246
Franklin	546	299	247	10.2	620	361	259	11.6	53,487
Hampden	3,821	2,070	1,751	10.2	3,870	2,103	1,767	10.3	376,036
Hampshire	1,035	536	499	11.4	879	439	440	9.7	91,000
Middlesex	10,407	5,408	4,999	9.6	11,267	5,932	5,335	10.4	1,085,536
Nantucket	49	27	22	14.0	48	27	21	13.7	3,501
Norfolk	3,638	1,848	1,790	8.9	4,027	2,115	1,912	9.9	407,413
Plymouth	2,162	1,202	960	11.1	2,413	1,353	1,060	12.4	194,111
Suffolk	12,662	7,138	5,524	14.0	10,591	5,773	4,818	11.7	904,125
Worcester	6,016	3,225	2,791	10.8	5,718	3,120	2,598	10.3	555,837
MUNICIPALITIES									
Abington	46	25	21	6.1	84	44	40	11.2	7,480
Acton	21	13	8	5.7	39	23	16	10.6	3,688
Acushnet	75	38	37	16.9	36	19	17	8.1	4,444
Adams	138	70	68	11.5	136	69	67	11.3	12,034
Agawam	37	26	11	3.5	80	49	31	7.5	10,680
Alford	2	1	1	9.4	2	1	1	9.4	212
Amesbury	141	76	65	13.0	138	70	68	12.7	10,851
Amherst	48	21	27	4.1	88	47	41	7.4	11,840
Andover	82	39	43	6.5	147	82	65	11.6	12,695
Arlington	341	163	178	7.5	427	220	207	9.4	45,273
Ashburnham	24	12	12	8.9	31	17	14	11.6	2,683
Ashby	7	6	1	4.5	18	15	3	11.5	1,567
Ashfield	11	4	7	11.0	14	9	5	14.0	1,001
Ashland	45	24	21	12.1	37	24	13	9.9	3,731
Athol	117	59	58	10.1	120	64	56	10.3	11,634
ATTLEBORO	345	192	153	14.3	261	142	119	10.8	24,109
Auburn	37	18	19	4.0	67	35	32	7.2	9,320
Avon	11	5	6	4.0	31	20	11	11.3	2,746
Ayer	55	22	33	8.9	43	17	26	6.9	6,199
Barnstable	245	149	96	22.4	139	79	60	12.7	10,961
Barre	24	13	11	7.0	34	25	9	10.0	3,406
Becket	5	3	2	6.4	11	7	4	14.1	779
Bedford	46	43	3	8.3	29	23	6	5.2	5,540
Belchertown	46	26	20	9.8	36	19	17	7.7	4,700
Bellingham	14	7	7	3.2	32	16	16	7.4	4,343
Belmont	159	78	81	5.8	302	160	142	11.0	27,484
Berkley	8	4	4	6.1	18	11	7	13.8	1,305
Berlin	4	1	3	2.9	17	9	8	12.1	1,402
Bernardston	1	-	1	.9	7	4	3	6.1	1,141
BEVERLY	358	185	173	12.1	330	168	162	11.2	29,541
Billerica	79	38	41	6.7	111	61	50	9.4	11,766
Blackstone	31	16	15	6.1	64	42	22	12.7	5,048
Blandford	2	2	-	3.2	9	4	5	14.4	624
Bolton	8	8	-	7.9	14	9	5	13.9	1,009
BOSTON	11,671	6,514	5,157	14.4	9,612	5,218	4,394	11.9	807,870
Bourne	116	68	48	23.0	52	29	23	10.3	5,040
Boxborough	1	-	1	2.2	6	3	3	12.9	464
Boxford	11	8	3	11.6	9	6	3	9.5	949
Boylston	24	16	8	13.5	13	6	7	7.3	1,780
Braintree	176	83	93	7.1	245	132	113	9.9	24,696
Brewster	10	5	5	9.9	14	8	6	13.8	1,014
Bridgewater	72	55	17	7.5	73	36	37	7.6	9,649
Brimfield	5	3	2	4.1	8	4	4	6.6	1,209
BROCKTON	980	543	437	15.6	894	512	382	14.2	62,969
Brookfield	23	11	12	14.4	20	9	11	12.5	1,594
Brookline	520	213	307	8.8	695	332	363	11.7	59,340
Buckland	14	9	5	8.6	14	10	4	8.6	1,629
Burlington	9	7	2	2.6	27	19	8	7.8	3,455
CAMBRIDGE	1,519	782	737	12.4	1,298	656	642	10.6	122,837

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1952.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Canton	41	27	14	5.3	83	50	33	10.8	7,707
Carlisle	16	9	7	17.8	7	4	3	7.8	901
Carver	8	4	4	5.1	15	10	5	9.6	1,557
Charlemont	5	3	2	5.7	8	5	3	9.1	879
Charlton	25	15	10	7.6	38	20	18	11.6	3,269
Chatham	22	16	6	8.7	38	20	18	15.0	2,537
Chelmsford	52	30	22	5.4	100	57	43	10.3	9,688
CHELSEA	558	426	132	14.3	414	253	161	10.6	38,912
Cheshire	15	8	7	7.2	19	9	10	9.1	2,095
Chester	12	6	6	9.3	17	9	8	13.2	1,292
Chesterfield	1	-	1	1.9	6	2	4	11.5	523
CHICOPEE	303	163	140	6.0	414	232	182	8.1	50,916
Chilmark	2	2	-	10.9	5	1	4	27.3	183
Clarksburg	4	3	1	2.3	14	9	5	8.2	1,703
Clinton	171	92	79	13.9	144	76	68	11.7	12,287
Cohasset	54	30	24	14.0	48	27	21	12.4	3,865
Colrain	8	6	2	5.2	14	11	3	9.1	1,546
Concord	113	61	52	12.9	88	38	50	10.1	8,751
Conway	2	-	2	2.3	11	5	6	12.6	875
Cummington	5	2	3	8.1	7	3	4	11.3	620
Dalton	37	16	21	7.6	45	24	21	9.2	4,893
Danvers	404	192	212	25.2	156	81	75	9.7	16,025
Dartmouth	92	44	48	8.0	122	68	54	10.6	11,500
Dedham	144	73	71	7.5	197	103	94	10.3	19,161
Deerfield	18	12	6	5.7	34	21	13	10.8	3,160
Dennis	33	18	15	12.7	49	30	19	18.8	2,606
Dighton	13	5	8	4.4	23	12	11	7.8	2,950
Douglas	10	4	6	3.8	19	8	11	7.2	2,624
Dover	9	6	3	5.0	12	7	5	6.7	1,802
Dracut	25	15	10	2.8	65	34	31	7.3	8,947
Dudley	30	16	14	5.6	55	31	24	10.2	5,394
Dunstable	2	1	1	3.7	7	2	5	12.8	547
Duxbury	24	18	6	7.1	44	23	21	13.1	3,358
East Bridgewater	21	12	9	4.6	40	25	15	8.8	4,549
East Brookfield	4	3	1	3.1	13	6	7	10.0	1,296
E. Longmeadow	46	19	27	8.8	50	22	28	9.6	5,205
Eastham	9	5	4	9.9	14	8	6	15.3	913
Easthampton	43	23	20	4.0	111	65	46	10.3	10,774
Easton	49	29	20	7.6	75	40	35	11.7	6,437
Edgartown	11	8	3	7.3	18	10	8	11.9	1,508
Egremont	4	-	4	5.1	7	2	5	9.0	780
Erving	13	7	6	9.8	13	9	4	9.8	1,322
Essex	12	8	4	6.4	23	15	8	12.3	1,864
EVERETT	301	161	140	6.5	480	260	220	10.4	45,982
Fairhaven	88	47	41	6.7	137	69	68	10.5	13,085
FALL RIVER	1,392	703	689	12.4	1,218	622	596	10.9	111,963
Falmouth	47	28	19	5.2	80	35	45	8.8	9,062
FITCHBURG	470	247	223	11.0	458	245	213	10.7	42,878
Florida	3	3	-	6.3	4	2	2	8.4	479
Foxborough	154	80	74	21.4	75	39	36	10.4	7,192
Framingham	482	337	145	16.5	287	155	132	9.9	29,134
Franklin	61	37	24	7.4	89	51	38	10.9	8,199
Freetown	16	10	6	7.3	27	17	10	12.3	2,190
GARDNER	307	166	141	15.7	184	111	73	9.4	19,581
Gay Head	-	-	-	-	-	-	-	-	88
Georgetown	19	12	7	7.5	41	22	19	16.2	2,528
Gill	4	2	2	3.7	14	9	5	12.8	1,094
GLOUCESTER	321	170	151	12.6	325	164	161	12.8	25,378
Goshen	3	3	-	8.6	5	3	2	14.4	348
Gosnold	2	1	1	35.7	1	-	1	17.9	56
Grafton	187	94	93	22.1	78	38	40	9.2	8,468
Granby	7	4	3	3.5	11	6	5	5.4	2,020
Granville	4	2	2	5.2	7	5	2	9.1	767
Great Barrington	110	62	48	16.0	68	35	33	9.9	6,882
Greenfield	213	114	99	12.0	191	105	86	10.8	17,697
Groton	31	12	19	10.4	23	8	15	7.8	2,967
Groveland	13	7	6	5.4	26	12	14	10.9	2,387
Hadley	19	4	15	7.1	21	9	12	7.9	2,666
Halifax	9	6	3	9.3	9	5	4	9.3	971
Hamilton	15	8	7	5.2	27	15	12	9.3	2,905
Hampden	9	5	4	6.5	19	16	3	13.8	1,377

¹ Cities are printed in small capitals.

² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1952.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Hancock	1	1	-	2.1	5	4	1	10.7	469
Hanover	20	12	8	5.7	37	20	17	10.6	3,498
Hanson	44	29	15	12.8	39	22	17	11.4	3,428
Hardwick	11	7	4	4.6	28	18	10	11.7	2,401
Harvard	6	5	1	1.3	18	9	9	4.0	4,463
Harwich	26	16	10	9.7	56	28	28	20.9	2,676
Hatfield	8	3	5	3.7	18	8	10	8.3	2,179
HAVERHILL	615	339	276	13.0	610	332	278	12.9	47,374
Heath	-	-	-	-	-	-	-	-	244
Heath	5	3	2	16.4	6	3	3	19.7	305
Hingham	62	29	33	5.5	98	55	43	8.7	11,266
Hinsdale	11	8	3	6.7	21	14	7	12.9	1,633
Holbrook	43	25	18	10.3	43	21	22	10.3	4,166
Holden	52	31	21	8.1	45	27	18	7.0	6,428
Holland	-	-	-	-	1	1	-	2.5	404
Holliston	27	16	11	6.9	46	30	16	11.8	3,906
HOLYOKE	705	391	314	12.8	667	369	298	12.2	54,878
Hopedale	25	16	9	7.0	39	23	16	11.0	3,559
Hopkinton	18	9	9	4.9	47	25	22	12.8	3,664
Hubbardston	9	4	5	7.8	15	7	8	12.9	1,161
Hudson	69	38	31	8.4	108	62	46	13.1	8,236
Hull	33	18	15	9.0	48	28	20	13.1	3,652
Huntington	7	2	5	5.6	14	7	7	11.1	1,257
Ipswich	88	40	48	12.5	72	34	38	10.3	7,012
Kingston	20	11	9	5.5	36	20	16	9.9	3,625
Lakeville	18	11	7	8.5	19	11	8	9.0	2,121
Lancaster	26	14	12	7.0	32	18	14	8.6	3,734
Lanesborough	6	4	2	2.7	19	9	10	8.6	2,215
LAWRENCE	877	477	400	10.9	960	521	439	11.9	80,536
Lee	33	17	16	6.7	56	30	26	11.3	4,941
Leicester	20	11	9	3.2	46	25	21	7.3	6,296
Lenox	37	10	27	9.8	42	20	22	11.1	3,773
LEOMINSTER	210	114	96	8.6	243	137	106	9.9	24,475
Leverett	3	2	1	3.7	7	5	2	8.6	815
Lexington	223	111	112	12.2	150	79	71	8.2	18,230
Leyden	2	2	-	6.5	3	3	-	9.8	306
Lincoln	13	5	8	5.1	30	14	16	11.7	2,555
Littleton	14	10	4	5.6	25	14	11	10.0	2,502
Longmeadow	27	15	12	4.0	69	40	29	10.3	6,670
LOWELL	1,241	649	592	12.8	1,153	619	534	11.9	97,249
Ludlow	57	36	21	6.5	71	45	26	8.1	8,768
Lunenburg	14	9	5	3.3	39	20	19	9.1	4,279
LYNN	1,110	564	546	11.1	1,243	642	601	12.4	100,043
Lynnfield	17	7	10	4.0	31	17	14	7.3	4,255
MALDEN	613	291	322	10.2	648	316	332	10.8	60,188
Manchester	17	10	7	5.8	42	21	21	14.3	2,938
Mansfield	29	18	11	4.0	68	47	21	9.3	7,291
Marblehead	93	54	39	6.5	153	82	71	10.7	14,328
Marion	10	6	4	4.3	25	16	9	10.8	2,305
MARLBOROUGH	199	95	104	12.5	208	98	110	13.1	15,884
Marshfield	34	21	13	9.8	56	31	25	16.2	3,458
Mashpee	1	-	1	2.3	6	4	2	13.7	438
Mattapoisett	20	9	11	8.3	32	17	15	13.3	2,402
Maynard	49	30	19	7.0	76	51	25	10.9	7,003
Medfield	162	67	95	35.4	36	23	13	7.9	4,576
MEDFORD	455	211	244	6.8	671	376	295	10.1	66,752
Medway	21	7	14	5.5	43	18	25	11.2	3,851
MELROSE	320	146	174	11.7	295	149	146	10.8	27,347
Mendon	9	6	3	5.3	17	10	7	10.0	1,699
Merrimac	8	6	2	2.8	21	15	6	7.2	2,898
Methuen	299	146	153	12.0	278	154	124	11.1	24,993
Middleborough	127	75	52	12.2	121	67	54	11.6	10,409
Middlefield	1	1	-	3.1	3	2	1	9.3	322
Middleton	40	26	14	13.2	28	13	15	9.2	3,033
Milford	172	89	83	11.1	135	72	63	8.7	15,442
Millbury	56	34	22	6.5	98	61	37	11.3	8,640
Millis	13	8	5	5.0	23	13	10	8.8	2,605
Millville	7	-	7	4.1	14	5	9	8.3	1,692
Milton	210	106	104	9.0	261	145	116	11.2	23,230
Monroe	-	-	-	-	-	-	-	-	174
Monson	87	47	40	14.0	59	28	31	9.5	6,233

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1952.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Montague	135	75	60	17.2	96	56	40	12.2	7,862
Monterey	3	3	-	8.2	7	5	2	19.1	367
Montgomery	1	-	1	6.4	2	-	2	12.7	157
Mt. Washington	-	-	-	-	-	-	-	-	34
Nahant	40	15	25	14.1	42	23	19	14.8	2,843
Nantucket	49	27	22	14.0	48	27	21	13.7	3,501
Natick	183	90	93	8.7	212	101	111	10.0	21,117
Needham	118	61	57	6.9	165	89	76	9.6	17,175
New Ashford	-	-	-	-	1	-	1	8.5	118
New Bedford	1,186	622	564	10.9	1,267	661	606	11.6	109,189
New Braintree	-	-	-	-	2	1	1	4.2	478
New Marlborough	5	5	-	5.1	10	7	3	10.1	989
New Salem	6	2	4	15.3	10	6	4	25.5	392
Newbury	20	12	8	9.7	28	16	12	13.6	2,064
NEWBURYPORT	219	115	104	15.5	179	93	86	12.6	14,158
NEWTON	719	326	393	8.5	829	419	410	9.8	84,577
Norfolk	135	79	56	48.5	22	13	9	7.9	2,784
NORTH ADAMS	285	136	149	13.2	288	133	155	13.4	21,567
North Andover	57	28	29	6.6	82	41	41	9.5	8,673
No. Attleborough	61	32	29	4.9	136	75	61	10.9	12,467
No. Brookfield	21	17	4	6.1	41	29	12	11.8	3,471
North Reading	26	16	10	5.5	47	29	18	9.9	4,735
NORTHAMPTON	674	362	312	22.5	304	135	169	10.1	30,021
Northborough	20	8	12	6.1	33	20	13	10.1	3,282
Northbridge	96	46	50	9.1	99	49	50	9.4	10,529
Northfield	26	19	7	11.3	37	22	15	16.1	2,296
Norton	32	18	14	6.9	53	32	21	11.4	4,636
Norwell	20	7	13	7.5	33	16	17	12.4	2,652
Norwood	249	139	110	14.7	159	84	75	9.4	16,905
Oak Bluffs	54	30	24	35.5	28	15	13	18.4	1,521
Oakham	8	4	4	17.6	14	9	5	30.8	455
Orange	31	14	17	5.2	76	41	35	12.8	5,944
Orleans	14	5	9	7.6	27	10	17	14.7	1,839
Otis	5	3	2	13.9	4	4	-	11.1	359
Oxford	22	13	9	3.6	43	22	21	7.0	6,118
Palmer	114	61	53	11.9	106	56	50	11.0	9,614
Paxton	2	2	-	1.8	8	5	3	7.1	1,119
PEABODY	214	127	87	9.4	255	147	108	11.2	22,833
Pelham	2	1	1	3.5	5	3	2	8.6	579
Pembroke	35	14	21	12.6	31	20	11	11.2	2,770
Pepperell	39	18	21	11.0	48	28	20	13.6	3,538
Peru	2	1	1	14.0	3	2	1	21.0	143
Petersham	6	3	3	7.4	12	7	5	14.7	814
Phillipston	4	2	2	6.0	5	2	3	7.5	665
PITTSFIELD	624	342	282	11.5	536	286	250	9.9	54,102
Plainfield	1	1	-	4.4	3	2	1	13.2	228
Plainville	27	11	16	11.9	26	15	11	11.4	2,277
Plymouth	204	114	90	14.9	179	97	82	13.0	13,717
Plympton	3	2	1	4.1	1	5	2	9.7	724
Princeton	13	6	7	11.7	7	7	4	9.9	1,112
Provincetown	45	18	27	11.8	62	29	33	16.2	3,822
QUINCY	741	394	347	8.7	813	439	374	9.5	85,638
Randolph	49	28	21	4.7	90	50	40	8.6	10,521
Raynham	11	9	2	4.5	27	15	12	10.9	2,469
Reading	117	55	62	8.0	145	77	68	9.9	14,671
Rehoboth	16	10	6	4.1	36	21	15	9.3	3,871
REVERE	252	124	128	6.8	332	189	143	8.9	37,267
Richmond	2	2	-	2.6	7	5	2	9.2	761
Rochester	11	5	6	8.3	13	8	5	9.8	1,328
Rockland	64	30	34	7.0	121	72	49	13.2	9,151
Rockport	43	19	24	9.8	63	35	28	14.4	4,372
Rowe	-	-	-	-	-	-	-	-	199
Rowley	5	4	1	2.8	16	8	8	8.8	1,815
Royalston	3	1	2	3.6	5	2	3	6.0	838
Russell	5	3	2	3.9	12	6	6	9.2	1,298
Rutland	84	72	12	25.9	16	8	8	4.9	3,243
SALEM	501	250	251	11.9	423	213	210	10.1	42,021
Salisbury	17	14	3	6.1	34	23	11	12.3	2,765
Sandisfield	9	6	3	20.6	10	6	4	22.9	437
Sandwich	28	10	18	10.5	27	16	11	10.2	2,658
Saugus	137	66	71	7.8	174	92	82	9.9	17,607
Savoy	2	1	1	6.9	5	4	1	17.2	291

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

Table 1

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1952.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Scituate	32	17	15	5.0	76	43	33	11.8	6,430
Seekonk	43	21	22	6.8	54	28	26	8.5	6,318
Sharon	22	12	10	4.3	47	29	18	9.2	5,089
Sheffield	16	6	10	7.1	24	12	12	10.7	2,247
Shelburne	21	9	12	11.8	29	17	12	16.3	1,780
Sherborn	8	6	2	6.2	12	9	3	9.3	1,295
Shirley	41	28	13	8.9	35	23	12	7.6	4,630
Shrewsbury	47	24	23	4.2	79	41	38	7.0	11,260
Shutesbury	1	-	1	4.7	2	1	1	9.4	213
Somerset	47	30	17	5.2	76	47	29	8.4	9,037
SOMERVILLE	806	404	402	7.9	1,107	582	525	10.8	102,376
South Hadley	40	16	24	3.7	100	46	54	9.2	10,863
Southampton	8	3	5	5.4	18	10	8	12.1	1,493
Southborough	18	11	7	6.3	24	14	10	8.4	2,867
Southbridge	166	89	77	9.4	165	90	75	9.3	17,079
Southwick	10	6	4	3.2	21	14	7	6.7	3,153
Spencer	59	30	29	8.3	70	41	29	9.8	7,107
SPRINGFIELD	1,959	1,041	918	11.9	1,780	938	842	10.8	165,294
Sterling	8	5	3	3.5	17	8	9	7.5	2,273
Stockbridge	19	15	4	7.9	22	12	10	9.1	2,408
Stoneham	198	100	98	14.4	132	66	66	9.6	13,766
Stoughton	89	45	44	7.6	110	56	54	9.4	11,711
Stow	27	16	11	15.0	25	15	10	13.9	1,803
Sturbridge	21	10	11	7.1	34	17	17	11.6	2,938
Sudbury	26	18	8	9.4	26	18	8	9.4	2,774
Sunderland	12	6	6	13.3	13	7	6	14.4	905
Sutton	12	5	7	3.8	25	15	10	7.9	3,182
Swampscott	57	30	27	4.9	119	61	58	10.1	11,744
Swansea	53	28	25	8.3	83	40	43	13.0	6,378
TAUNTON	633	313	320	15.6	442	222	220	10.9	40,601
Templeton	20	8	12	4.2	48	19	29	10.0	4,784
Tewksbury	27	16	11	3.5	53	34	19	6.8	7,761
State Infirmary	273	198	75	-	-	-	-	-	-
Tisbury	22	12	10	11.4	29	19	10	15.0	1,930
Tolland	1	-	1	9.3	1	-	1	9.3	107
Topsfield	6	2	4	4.1	21	9	12	14.4	1,459
Townsend	11	8	3	3.7	33	20	13	11.1	2,970
Truro	4	1	3	5.8	13	8	5	18.9	688
Tyngsborough	14	7	7	6.5	27	10	17	12.5	2,162
Tyringham	2	1	1	8.5	5	3	2	21.3	235
Upton	10	5	5	3.7	36	22	14	13.2	2,736
Uxbridge	38	22	16	5.3	67	42	25	9.4	7,140
Wakefield	103	52	51	5.1	187	101	86	9.2	20,348
Wales	1	1	-	1.9	4	3	1	7.6	524
Walpole	42	27	15	4.4	82	52	30	8.6	9,487
WALTHAM	558	293	265	11.5	479	240	239	9.8	48,722
Ware	108	58	50	14.4	93	53	40	12.4	7,517
Wareham	133	80	53	17.0	114	71	43	14.5	7,842
Warren	23	17	6	6.8	39	30	9	11.5	3,406
Warwick	6	3	3	14.0	10	5	5	23.3	429
Washington	5	2	3	17.8	2	1	1	7.1	281
Watertown	175	83	92	4.6	376	198	178	10.0	37,738
Wayland	38	12	26	8.2	48	25	23	10.4	4,612
Webster	98	52	46	7.4	144	74	70	10.9	13,194
Wellesley	71	31	40	3.3	166	73	93	7.6	21,760
Wellfleet	12	6	6	10.2	25	12	13	21.3	1,176
Wendell	2	2	-	5.8	4	3	1	11.7	342
Wenham	10	5	5	5.8	19	10	9	10.9	1,738
West Boylston	14	8	6	5.1	20	10	10	7.3	2,730
West Bridgewater	26	12	14	6.1	46	22	24	10.8	4,250
West Brookfield	8	3	5	4.6	16	8	8	9.3	1,727
West Newbury	9	6	3	5.6	19	11	8	11.7	1,621
West Springfield	78	33	45	3.7	185	96	89	8.7	21,196
West Stockbridge	7	7	-	5.9	14	10	4	11.8	1,189
West Tisbury	-	-	-	-	2	-	2	5.8	347
Westborough	241	103	138	31.7	58	25	33	7.6	7,591
WESTFIELD	334	195	139	15.6	255	147	108	11.9	21,450
Westford	27	17	10	6.2	48	28	20	11.0	4,365
Westhampton	1	-	1	2.2	3	-	3	6.6	452
Westminster	16	12	4	5.5	31	20	11	10.7	2,901
Weston	18	10	8	3.4	43	32	11	8.1	5,332
Westport	41	21	20	8.0	60	31	29	11.7	5,139

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES ¹	REGISTERED.								ALLOCATED.				Population Estimated July 1, 1952.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.					
		Male.	Female.			Male.	Female.						
Westwood . . .	26	15	11	4.1	50	23	27	7.8	6,402				
Weymouth . . .	356	192	164	10.3	332	171	161	9.6	34,682				
Whately . . .	7	5	2	7.5	7	4	3	7.5	939				
Whitman . . .	86	37	49	10.1	123	57	66	14.4	8,550				
Wilbraham . . .	24	15	9	5.7	33	19	14	7.8	4,220				
Williamsburg . . .	10	5	5	4.7	27	14	13	12.6	2,136				
Williamstown . . .	40	22	18	6.1	63	37	26	9.6	6,583				
Wilmington . . .	38	24	14	5.0	72	42	30	9.5	7,550				
Winchendon . . .	61	35	26	9.3	68	39	29	10.3	6,585				
Winchester . . .	167	78	89	10.7	183	91	92	11.7	15,612				
Windsor . . .	-	-	-	-	2	1	1	5.4	372				
Winthrop . . .	181	74	107	9.0	233	113	120	11.6	20,076				
WOBURN . . .	223	120	103	10.8	249	132	117	12.1	20,645				
WORCESTER . . .	2,764	1,481	1,283	13.4	2,350	1,261	1,089	11.4	205,671				
Worthington . . .	3	1	2	6.5	6	5	1	13.0	462				
Wrentham . . .	80	40	40	14.5	52	24	28	9.4	5,503				
Yarmouth . . .	44	23	21	12.5	57	37	20	16.2	3,511				

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Line No.	Table 2 STATE, COUNTIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND IN											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	The State.	51,980	2,887	2,472	172	97	72	74	225	137	186	259	366
2	Males	27,851	1,659	1,429	102	49	38	41	135	86	117	167	232
3	Females	24,129	1,228	1,043	70	48	34	33	90	51	69	92	134
4	BARNSTABLE.	659											
5	Males	353	24	19	2	1	2	-	1	2	2	2	-
6	Females	306	19	15	1	1	2	-	2	2	-	-	1
7	BERKSHIRE.	1,452											
8	Males	763	44	39	1	-	2	2	3	1	5	6	5
9	Females	689	41	35	2	1	2	1	6	1	2	3	4
10	BRISTOL.	4,219											
11	Males	2,219	137	116	8	3	6	4	15	12	5	17	20
12	Females	2,000	106	94	6	1	2	3	5	8	12	10	12
13	DUKES.	83											
14	Males	45	-	-	-	-	-	-	-	-	-	1	-
15	Females	38	3	3	-	-	-	-	-	-	-	-	-
16	ESSEX.	6,134											
17	Males	3,248	167	149	8	2	2	6	9	10	11	15	26
18	Females	2,886	137	119	8	7	2	1	15	4	6	8	17
19	FRANKLIN.	620											
20	Males	361	19	15	1	1	-	2	4	-	3	3	4
21	Females	259	12	10	2	-	-	-	-	-	-	-	-
22	HAMPDEN.	3,870											
23	Males	2,103	136	114	9	6	2	5	8	6	6	16	20
24	Females	1,767	100	86	4	6	4	-	10	5	8	5	13
25	HAMPSHIRE.	879											
26	Males	439	29	25	-	1	1	2	-	1	1	2	6
27	Females	440	23	22	1	-	-	-	1	-	1	3	1
28	MIDDLESEX.	11,267											
29	Males	5,932	385	338	21	13	8	5	35	16	27	31	54
30	Females	5,335	263	215	16	11	13	8	26	9	13	23	31
31	NANTUCKET.	48											
32	Males	27	-	-	-	-	-	-	-	1	-	-	-
33	Females	21	-	-	-	-	-	-	-	-	-	-	-
34	NORFOLK.	4,027											
35	Males	2,115	131	112	11	-	6	2	9	11	8	11	7
36	Females	1,912	107	95	5	4	2	1	6	5	8	9	8
37	PLYMOUTH.	2,413											
38	Males	1,353	78	63	10	2	1	2	4	-	5	7	12
39	Females	1,060	37	37	-	-	-	-	2	2	1	4	5
40	SUFFOLK.	10,591											
41	Males	5,773	299	266	12	9	8	4	30	17	24	38	50
42	Females	4,818	254	208	16	12	4	14	12	10	10	21	28
43	WORCESTER.	5,718											
44	Males	3,120	210	173	19	11	-	7	17	9	20	18	28
45	Females	2,598	126	104	9	5	3	5	5	5	8	6	14
46	MUNICIPALITIES AND SEX.												
48	ADAMS (TOWN).	136											
49	Males	69	3	3	-	-	-	-	-	-	-	-	1
50	Females	67	5	4	-	-	1	-	1	-	-	-	-
51	AGAWAM (TOWN).	80											
52	Males	49	2	1	-	-	-	1	-	-	-	-	-
53	Females	31	1	1	-	-	-	-	1	-	-	-	1
54	AMESBURY (TOWN).	138											
55	Males	70	5	5	-	-	-	-	-	1	-	-	1
56	Females	68	1	1	-	-	-	-	-	-	-	-	1
57	AMHERST (TOWN).	88											
58	Males	47	2	2	-	-	-	-	-	1	-	-	-
59	Females	41	1	1	-	-	-	-	-	-	-	-	1
60	ANDOVER (TOWN).	147											
61	Males	82	6	6	-	-	-	-	-	-	-	2	-
62	Females	65	3	3	-	-	-	-	1	-	-	-	-

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1952.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un-known.
1	513	728	1,189	1,771	2,663	4,042	5,311	6,397	7,007	7,157	5,997	3,387	1,402	316	40	-
2	273	409	722	1,090	1,725	2,613	3,249	3,735	3,579	3,490	2,637	1,362	474	94	3	-
3	240	319	467	681	938	1,429	2,062	2,662	3,428	3,667	3,360	2,025	928	222	37	-
4																
5																
6	2	5	4	13	14	35	44	38	36	55	41	26	9	-	-	-
7	3	1	6	4	11	11	23	38	34	49	54	30	13	4	1	-
8																
9	9	14	22	36	49	62	88	103	88	102	72	36	14	4	-	-
10	13	6	7	16	28	42	43	83	105	103	102	54	21	7	2	-
11																
12	27	29	56	76	141	186	260	302	288	292	201	118	28	9	-	-
13	23	25	41	63	65	117	195	219	291	297	275	154	66	14	2	-
14																
15	-	2	1	2	3	3	3	5	6	10	5	3	-	1	-	-
16	-	-	-	1	-	1	5	4	10	3	6	5	-	-	-	-
17																
18	27	41	77	114	174	296	400	431	425	408	365	176	66	10	-	-
19	26	30	48	68	98	186	240	319	384	447	434	261	128	26	4	-
20																
21	4	6	12	8	21	26	22	42	61	44	42	26	13	1	-	-
22	4	2	1	6	10	22	23	25	41	36	31	30	13	3	-	-
23																
24	20	38	47	75	132	216	278	277	278	253	179	85	22	11	-	-
25	16	28	24	45	68	106	166	221	267	252	221	128	65	16	3	-
26																
27	6	6	14	14	14	46	43	55	67	60	42	21	10	2	-	-
28	4	5	3	8	17	26	27	47	70	72	77	33	17	5	-	-
29																
30	46	68	148	235	384	542	654	773	768	727	575	316	127	20	1	-
31	37	74	106	164	198	315	442	549	711	848	754	472	233	61	6	-
32																
33	-	1	-	1	2	4	3	4	5	2	3	-	1	-	-	-
34	1	-	1	1	3	-	3	-	3	2	3	2	1	1	-	-
35																
36	17	26	61	78	135	209	215	266	268	269	230	122	36	6	-	-
37	21	31	37	52	75	109	135	178	267	307	278	173	81	19	6	-
38																
39	15	21	36	38	73	94	152	185	197	164	148	82	34	8	-	-
40	8	12	16	26	45	56	85	121	142	165	146	107	59	16	5	-
41																
42	68	112	179	280	391	630	715	829	702	701	425	209	58	15	1	-
43	54	75	122	155	219	281	449	562	728	682	631	359	133	25	8	-
44																
45	32	40	65	120	192	264	372	425	390	403	309	142	56	7	1	-
46	30	30	55	72	101	157	226	296	375	404	348	217	98	25	-	-
47																
48																
49	-	1	1	2	6	5	8	15	4	9	7	5	2	-	-	-
50	-	1	1	-	2	4	6	7	10	5	14	7	4	-	-	-
51																
52	-	-	2	2	1	9	8	7	6	6	5	1	-	-	-	-
53	-	-	1	2	4	4	3	3	2	4	4	1	-	-	-	-
54																
55	-	1	-	-	5	6	8	8	10	7	12	5	7	1	-	-
56	1	1	1	7	2	3	3	6	11	10	9	7	3	1	1	-
57																
58	1	1	1	1	1	5	2	10	7	7	3	2	3	-	-	-
59	-	1	1	-	2	2	1	2	3	6	13	4	3	1	-	-
60																
61	2	-	-	3	4	5	17	5	9	11	12	2	3	1	-	-
62	-	-	3	1	1	4	1	4	12	12	11	4	8	-	-	-

2 Age at last birthday.

ALLOCATED DEATHS,¹ BY SEX AND AGE,² IN EACH COUNTY AND IN

Line No.	Table 2 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND IN											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	ARLINGTON (TOWN).	427											
2	Males	220	14	13	-	1	-	-	-	-	-	1	3
3	Females	207	8	8	-	-	-	-	-	3	1	1	-
4	ATHOL (TOWN).	120											
5	Males	64	6	6	-	-	-	-	-	-	1	-	2
6	Females	56	-	-	-	-	-	-	-	-	-	1	-
7	ATTLEBORO.	261											
8	Males	142	10	9	-	-	1	-	-	-	-	-	1
9	Females	119	5	5	-	-	-	1	1	1	1	-	-
10	BARNSTABLE (TOWN).	139											
11	Males	79	7	4	2	-	-	1	-	-	-	-	-
12	Females	60	6	5	-	-	-	-	-	-	-	-	1
13	BELMONT (TOWN).	302											
14	Males	160	9	7	1	1	-	-	1	1	-	1	2
15	Females	142	3	3	-	-	-	-	-	-	-	1	-
16	BEVERLY.	330											
17	Males	168	7	7	-	-	-	-	1	1	-	1	1
18	Females	162	8	8	-	-	-	-	-	1	-	1	1
19	BILLERICA (TOWN).	111											
20	Males	61	7	4	2	1	-	-	-	-	-	-	2
21	Females	50	2	2	-	-	-	-	1	-	1	1	-
22	BOSTON.	9,612											
23	Males	5,218	277	247	12	8	7	3	27	16	19	35	46
24	Females	4,394	231	190	14	12	2	13	10	9	10	20	25
25	BRAINTREE (TOWN).	245											
26	Males	132	8	6	2	-	-	-	1	-	-	-	-
27	Females	113	5	5	-	-	-	-	-	-	1	-	1
28	BROCKTON.	894											
29	Males	512	23	20	3	-	-	-	1	-	1	1	4
30	Females	382	14	14	-	-	-	-	-	-	-	-	1
31	BROOKLINE (TOWN).	695											
32	Males	332	19	15	2	-	2	-	-	1	1	3	2
33	Females	363	11	9	1	-	-	1	1	2	-	1	-
34	CAMBRIDGE.	1,298											
35	Males	656	39	35	2	1	-	1	1	2	3	5	6
36	Females	642	34	26	1	3	2	2	1	1	1	5	4
37	CHELSEA.	414											
38	Males	253	7	6	-	-	1	-	1	-	1	-	3
39	Females	161	7	5	-	-	-	1	2	-	-	-	1
40	CHICOPEE.	414											
41	Males	232	18	16	-	-	1	1	1	2	-	1	9
42	Females	182	11	7	1	2	1	-	1	1	-	-	-
43	CLINTON (TOWN).	144											
44	Males	76	2	2	-	-	-	-	-	-	-	-	1
45	Females	68	6	6	-	-	-	-	-	-	-	-	1
46	DANVERS (TOWN).	156											
47	Males	81	2	2	-	-	-	-	-	-	-	-	2
48	Females	75	2	2	-	-	-	-	-	-	-	-	-
49	DARTMOUTH (TOWN).	122											
50	Males	68	3	2	-	-	1	-	1	-	-	-	1
51	Females	54	4	3	1	-	-	-	-	-	-	1	-
52	DEDHAM (TOWN).	197											
53	Males	103	5	5	-	-	-	-	-	4	-	-	1
54	Females	94	9	9	-	-	-	-	2	-	-	-	-
55	EASTHAMPTON (TOWN).	111											
56	Males	65	2	2	-	-	-	-	-	-	-	1	1
57	Females	46	2	2	-	-	-	-	-	-	1	-	-
58	EVERETT.	480											
59	Males	260	11	11	-	-	-	-	1	-	-	1	4
60	Females	220	10	9	-	-	-	-	1	1	1	-	3
61	FAIRHAVEN (TOWN).	137											
62	Males	69	3	3	-	-	-	-	-	-	-	1	-
63	Females	68	2	2	-	-	-	-	2	-	1	-	-

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1952.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un- known.
1																
2	3	-	4	9	13	24	30	22	28	29	22	11	6	-	-	-
3	1	3	6	6	10	11	17	17	27	38	22	26	6	1	-	-
4	-	-	-	1	2	6	5	11	8	9	10	2	1	-	-	-
5	-	-	-	1	2	3	6	7	7	11	10	5	2	-	-	-
6	-	-	-	1	2	3	9	15	19	16	15	8	3	2	-	-
7	-	1	3	7	9	15	19	16	17	15	15	8	3	2	-	-
8	1	2	1	2	5	9	13	13	15	18	17	10	4	1	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	2	-	1	2	4	10	7	6	3	10	13	8	5	-	-	-
11	2	-	2	1	-	2	6	10	8	7	5	7	2	1	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1	4	2	6	12	17	19	23	15	16	20	6	5	-	-	-
14	-	-	4	3	3	9	9	17	18	22	25	21	6	1	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	1	2	4	4	9	13	21	16	23	30	19	12	2	1	-	-
17	3	2	-	1	4	9	11	16	28	19	21	26	9	2	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	1	2	3	-	7	10	6	6	9	7	1	-	-	-
20	-	-	1	1	4	2	1	5	8	7	9	5	2	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	64	100	163	261	361	569	630	746	625	628	388	194	57	12	-	-
23	49	64	110	145	198	255	403	514	670	622	579	328	124	23	5	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	3	3	5	6	7	6	13	13	15	17	23	7	3	2	-	-
26	5	2	-	-	7	7	6	12	6	21	22	10	6	2	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	6	9	13	16	29	31	67	69	83	58	54	28	15	4	-	-
29	1	4	7	11	15	20	39	46	56	61	53	33	17	4	-	-
30	-	2	10	16	26	25	33	43	48	38	36	21	6	2	-	-
31	1	3	5	7	11	22	29	36	56	63	71	25	14	4	1	-
32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	4	8	18	34	47	74	75	86	90	77	40	34	12	1	-	-
34	8	5	14	23	24	47	64	65	76	109	85	50	20	6	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	2	6	8	8	12	27	47	35	33	35	20	6	-	2	-	-
37	1	5	5	5	7	10	27	22	17	18	20	11	3	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	3	3	8	7	18	30	29	30	28	18	16	10	1	-	-	-
40	1	9	2	8	8	7	22	27	27	22	21	11	4	-	-	-
41	3	3	8	7	18	30	29	30	28	18	16	10	1	-	-	-
42	1	9	2	8	8	7	22	27	27	22	21	11	4	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	1	-	1	2	7	7	11	8	10	12	10	3	1	-	-	-
45	-	-	-	1	4	6	7	5	9	7	10	9	2	1	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	1	-	3	4	3	9	4	9	5	10	13	13	3	1	-	-
48	-	-	3	1	1	4	2	5	8	19	12	8	7	1	-	-
49	3	3	2	1	3	7	7	7	11	10	4	4	4	1	-	-
50	-	1	1	2	2	4	7	2	7	9	6	4	4	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	3	2	4	10	12	12	9	13	11	10	5	2	-	-	-
53	-	1	4	3	5	5	9	8	11	14	9	11	2	-	1	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	2	2	3	4	2	4	7	11	9	5	8	2	1	1	-	-
56	-	-	-	-	3	1	3	9	6	7	8	5	1	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	1	8	13	12	11	17	31	32	37	39	19	17	6	-	-	-
60	1	11	2	6	7	25	20	25	24	33	27	15	7	1	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	-	1	3	2	6	2	7	16	10	9	4	4	1	-	-	-
63	2	-	1	4	2	6	5	5	9	13	8	7	1	-	-	-

* Age at last birthday.

Line No.	Table 2 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND IN										
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
1	FALL RIVER.	1,218										
2	Males	622	34	32	1	1	-	-	3	3	2	8
3	Females	596	29	26	3	-	-	-	-	3	3	3
4	FITCHBURG.	458										
5	Males	245	14	11	2	1	-	-	2	1	-	2
6	Females	213	7	5	-	-	-	2	-	-	-	1
7	FRAMINGHAM (TOWN).	287										
8	Males	155	11	11	-	-	-	-	1	-	-	3
9	Females	132	6	6	-	-	-	-	-	2	-	2
10	GARDNER.	184										
11	Males	111	9	8	-	-	-	1	1	-	1	1
12	Females	73	4	3	-	-	-	1	-	-	-	-
13	GLOUCESTER.	325										
14	Males	164	16	15	1	-	-	-	-	1	-	-
15	Females	161	6	5	-	1	-	-	3	-	3	2
16	GREENFIELD (TOWN).	191										
17	Males	105	4	3	1	-	-	-	3	-	1	1
18	Females	86	3	3	-	-	-	-	-	-	-	-
19	HAVERHILL.	610										
20	Males	332	12	12	-	-	-	-	-	-	2	2
21	Females	278	15	12	2	-	1	-	2	-	-	2
22	HINGHAM (TOWN).	98										
23	Males	55	6	5	1	-	-	-	2	-	-	1
24	Females	43	-	-	-	-	-	-	-	-	-	1
25	HOLYOKE.	667										
26	Males	369	20	14	5	1	-	-	1	2	-	4
27	Females	298	15	15	-	-	-	-	-	1	4	1
28	LAWRENCE.	960										
29	Males	521	29	22	4	1	1	1	3	-	1	2
30	Females	439	25	21	2	2	-	-	2	1	3	-
31	LEOMINSTER.	243										
32	Males	137	7	5	1	-	-	1	-	-	2	1
33	Females	106	2	2	-	-	-	-	-	-	-	1
34	LINGTON (TOWN).	150										
35	Males	79	6	4	-	2	-	-	1	1	-	-
36	Females	71	1	1	-	-	-	-	1	-	-	-
37	LOWELL.	1,153										
38	Males	619	30	27	2	-	-	1	4	3	6	1
39	Females	534	35	27	6	-	1	1	1	-	3	2
40	LYNN.	1,243										
41	Males	642	30	26	1	-	-	3	2	1	3	4
42	Females	601	25	22	1	-	1	1	2	1	1	2
43	MALDEN.	648										
44	Males	316	24	20	2	-	1	1	1	-	1	-
45	Females	332	15	12	1	1	1	-	-	1	2	2
46	MARBLEHEAD (TOWN).	153										
47	Males	82	3	3	-	-	-	-	-	-	-	-
48	Females	71	-	-	-	-	-	-	-	-	-	1
49	MARLBOROUGH.	208										
50	Males	98	2	2	-	-	-	-	-	-	-	-
51	Females	110	3	3	-	-	-	-	-	-	-	-
52	MEDFORD.	671										
53	Males	376	20	19	-	1	-	-	1	1	2	1
54	Females	295	13	13	-	-	-	-	2	-	-	1
55	MELROSE.	295										
56	Males	149	8	7	1	-	-	-	1	-	1	1
57	Females	146	3	3	-	-	-	-	1	-	-	-
58	METHUEN (TOWN).	278										
59	Males	154	14	12	-	-	1	1	-	-	1	3
60	Females	124	3	3	-	-	-	-	1	-	-	-
61	MIDDLEBOROUGH (TOWN).	121										
62	Males	67	5	3	1	-	-	-	-	-	-	1
63	Females	54	-	-	-	-	-	-	-	-	1	-

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1952.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un- known.
1																
2	8	10	16	25	39	58	77	82	74	74	61	31	7	1	-	-
3	12	7	6	21	12	30	61	63	102	99	88	40	15	2	-	-
4																
5	3	1	3	11	20	20	36	35	24	23	34	13	2	1	-	-
6	3	-	7	6	9	12	13	23	34	33	31	19	10	3	-	-
7																
8	1	1	5	5	12	15	21	25	19	17	7	3	8	1	-	-
9	2	-	-	2	7	5	11	11	18	15	25	15	8	3	-	-
10																
11	-	1	5	8	3	13	7	16	9	20	10	6	1	-	-	-
12	2	5	4	2	2	-	7	7	12	11	8	3	6	-	-	-
13																
14	2	2	3	5	8	12	15	32	16	22	18	8	3	-	-	-
15	2	2	3	2	8	8	21	13	20	21	18	18	10	1	-	-
16																
17	1	2	3	3	8	13	7	8	12	15	12	6	6	-	-	-
18	2	-	-	2	2	7	8	12	15	10	9	11	4	1	-	-
19																
20	2	5	7	10	20	34	38	41	39	43	45	22	7	1	-	-
21	1	1	4	-	11	16	20	29	39	43	52	31	9	3	-	-
22																
23	1	2	3	-	3	3	5	9	3	7	3	5	1	-	-	-
24	-	1	2	-	-	1	4	3	3	7	8	8	4	-	1	-
25																
26	4	6	8	13	27	41	51	38	58	41	28	15	6	3	-	-
27	1	5	5	6	14	20	35	42	43	46	35	13	11	1	-	-
28																
29	3	7	20	22	25	52	71	86	84	48	43	15	5	1	-	-
30	2	10	6	15	12	43	29	60	51	68	75	25	5	2	-	-
31																
32	-	-	2	4	7	12	15	18	18	22	15	10	1	2	-	-
33	4	2	4	3	5	3	8	10	14	21	11	10	5	3	-	-
34																
35	-	2	3	2	6	10	4	9	11	9	10	4	1	-	-	-
36	2	-	3	1	2	2	4	9	13	9	10	7	6	1	-	-
37																
38	6	5	12	29	47	52	76	83	81	83	56	27	11	3	-	-
39	1	6	7	16	19	38	53	56	84	95	71	30	12	5	-	-
40																
41	7	6	11	26	32	71	77	94	85	80	64	33	11	-	-	-
42	6	7	4	17	24	34	62	79	79	95	86	39	30	5	1	-
43																
44	3	1	15	17	16	28	33	46	48	25	32	15	6	2	-	-
45	2	4	7	11	10	19	21	41	39	63	49	30	12	2	-	-
46																
47	-	-	1	1	5	8	7	6	13	15	14	6	3	-	-	-
48	-	-	3	1	-	3	8	5	7	12	13	12	5	-	-	-
49																
50	1	2	3	2	2	12	11	17	12	18	6	4	1	2	1	-
51	-	5	1	2	3	1	14	11	14	25	16	6	6	2	1	-
52																
53	1	7	10	12	28	36	55	50	47	52	29	15	6	-	-	-
54	2	4	6	9	15	12	23	34	44	43	48	24	8	5	-	-
55																
56	1	-	1	10	8	15	12	22	20	16	15	14	2	1	-	-
57	-	1	4	5	1	9	11	11	22	18	26	23	8	3	-	-
58																
59	1	2	6	3	10	18	18	21	13	21	14	6	2	-	-	-
60	-	-	3	3	2	8	10	18	20	21	16	10	5	3	1	-
61																
62	1	-	2	1	1	7	3	6	11	11	9	4	3	-	-	-
63	-	1	-	-	2	4	3	6	6	12	7	4	4	2	1	-

* Age at last birthday.

Line No.	Table 2 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND IN											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	MILFORD (TOWN).	135											
2	Males	72	6	4	1	-	-	1	-	-	-	2	1
3	Females	63	6	5	1	-	-	-	-	-	-	-	1
4	MILTON (TOWN).	261											
5	Males	145	10	8	1	-	1	-	-	-	2	-	-
6	Females	116	4	2	1	1	-	-	-	1	1	-	-
7	NATICK (TOWN).	212											
8	Males	101	12	9	1	1	-	-	-	-	-	-	-
9	Females	111	11	9	-	1	-	1	2	1	-	1	-
10	NEEDHAM (TOWN).	165											
11	Males	89	6	4	1	-	1	-	-	-	-	1	-
12	Females	76	5	5	-	-	-	-	-	-	1	2	1
13	NEW BEDFORD.	1,267											
14	Males	661	37	31	4	-	-	2	4	2	1	4	5
15	Females	606	33	32	-	1	-	-	-	2	3	2	5
16	NEWBURYPORT.	179											
17	Males	93	4	2	1	-	-	1	-	1	-	-	1
18	Females	86	4	4	-	-	-	-	-	1	-	-	-
19	NEWTON.	829											
20	Males	419	29	29	-	-	-	-	-	2	1	2	3
21	Females	410	9	9	-	-	-	-	2	-	1	2	1
22	NORTH ADAMS.	288											
23	Males	133	6	5	-	-	1	-	1	1	1	-	1
24	Females	155	5	5	-	-	-	-	2	-	-	1	-
25	NORTH ATTLEBOROUGH (TOWN).	136											
26	Males	75	7	7	-	-	-	-	-	3	-	-	1
27	Females	61	1	1	-	-	-	-	-	-	1	-	1
28	NORTHAMPTON.	304											
29	Males	135	12	11	-	-	-	1	-	-	-	-	2
30	Females	169	11	10	1	-	-	-	1	-	-	-	-
31	NORTHBRIDGE (TOWN).	99											
32	Males	49	6	4	1	-	-	1	1	-	-	-	1
33	Females	50	4	2	1	1	-	-	1	-	1	-	-
34	NORWOOD (TOWN).	159											
35	Males	84	7	5	2	-	-	-	2	-	-	-	-
36	Females	75	2	2	-	-	-	-	-	-	-	1	1
37	PEABODY.	255											
38	Males	147	12	12	-	-	-	-	-	1	-	-	2
39	Females	108	3	3	-	-	-	-	-	-	1	-	-
40	PITTSFIELD.	536											
41	Males	286	28	26	-	-	1	1	-	-	2	4	1
42	Females	250	14	13	1	-	-	-	2	1	1	2	2
43	PLYMOUTH (TOWN).	179											
44	Males	97	5	4	1	-	-	-	-	-	-	-	-
45	Females	82	3	3	-	-	-	-	-	-	-	1	1
46	QUINCY.	813											
47	Males	439	30	27	2	-	1	-	3	1	1	1	-
48	Females	374	20	19	1	-	-	-	-	1	-	1	2
49	RANDOLPH (TOWN).	90											
50	Males	50	4	4	-	-	-	-	-	-	-	-	1
51	Females	40	4	4	-	-	-	-	-	-	-	-	-
52	READING (TOWN).	145											
53	Males	77	2	1	-	-	1	-	-	2	-	-	-
54	Females	68	5	4	1	-	-	-	-	-	-	-	-
55	REVERE.	332											
56	Males	189	7	5	-	1	-	1	2	1	3	2	-
57	Females	143	7	6	1	-	-	-	1	-	-	-	1
58	SALEM.	423											
59	Males	213	5	4	-	1	-	-	1	1	-	-	4
60	Females	210	13	10	2	1	-	-	1	-	-	1	1
61	SAUGUS (TOWN).	174											
62	Males	92	5	5	-	-	-	-	1	2	-	1	-
63	Females	82	7	6	1	-	-	-	2	-	-	-	-

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1952.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un-known.
1																
2	3	1	-	1	6	2	6	9	9	9	7	4	3	1	-	-
3	1	-	2	1	1	4	5	10	8	9	7	5	1	2	-	-
4																
5	1	5	7	2	12	13	21	18	11	17	13	8	4	1	-	-
6	2	3	1	3	3	8	8	9	21	22	16	9	4	1	-	-
7																
8	2	2	3	2	7	12	8	7	11	13	17	2	3	-	-	-
9	1	-	3	2	3	5	11	9	15	15	12	13	6	1	-	-
10																
11	2	1	4	3	4	8	5	12	9	14	12	5	3	-	-	-
12	1	2	3	4	3	3	1	10	7	9	9	10	4	-	1	-
13																
14	6	6	18	21	46	58	82	84	96	103	56	27	3	2	-	-
15	5	7	17	19	27	44	52	71	92	78	87	45	12	5	-	-
16																
17	-	4	1	3	4	4	15	10	9	13	9	11	4	-	-	-
18	-	1	2	-	3	5	9	5	9	14	17	9	5	2	-	-
19																
20	4	5	8	14	28	41	40	47	60	58	43	21	11	-	-	-
21	3	4	11	12	23	22	32	40	42	64	63	45	26	7	1	-
22																
23	2	2	8	10	6	11	12	14	20	13	15	4	5	1	-	-
24	4	1	-	6	7	11	9	15	29	24	23	10	4	2	2	-
25																
26	1	2	-	1	4	4	5	14	16	9	4	3	1	-	-	-
27	1	-	1	1	-	2	6	13	6	7	6	9	4	2	-	-
28																
29	2	2	5	2	4	17	11	12	20	19	13	13	1	-	-	-
30	2	1	1	5	4	13	13	18	25	27	24	13	8	3	-	-
31																
32	-	1	1	-	2	4	8	11	5	6	1	1	1	-	-	-
33	1	-	2	2	1	6	7	5	2	6	10	2	-	-	-	-
34																
35	-	2	-	3	6	11	13	12	4	12	10	2	-	-	-	-
36	2	1	3	4	3	7	4	6	14	11	8	4	4	-	-	-
37																
38	2	3	5	7	6	11	24	15	26	17	11	3	2	-	-	-
39	5	1	5	4	4	12	12	13	14	13	11	7	2	1	-	-
40																
41	6	9	6	14	16	19	36	41	26	40	21	11	4	2	-	-
42	4	-	2	3	6	16	17	36	36	43	37	18	7	3	-	-
43																
44	1	1	2	1	2	13	11	14	11	8	12	9	6	1	-	-
45	1	1	1	1	2	5	7	8	15	8	12	10	3	3	-	-
46																
47	4	5	13	16	20	51	51	54	71	56	43	15	3	1	-	-
48	3	3	8	12	16	18	37	35	48	69	45	36	13	5	2	-
49																
50	-	-	1	-	7	2	3	9	9	6	4	4	-	-	-	-
51	-	1	1	-	-	4	4	5	10	6	2	2	1	-	-	-
52																
53	-	1	3	1	4	4	8	10	8	13	11	9	1	-	-	-
54	-	2	1	-	3	3	6	5	6	13	9	7	6	2	-	-
55																
56	1	4	5	10	12	21	27	25	22	27	12	6	1	-	1	-
57	3	5	4	4	10	10	10	17	27	21	11	8	4	-	1	-
58																
59	4	-	3	10	9	16	29	27	33	29	22	13	6	1	-	-
60	1	4	4	6	7	11	21	25	28	30	30	23	2	1	1	-
61																
62	-	1	3	3	7	4	11	11	12	16	9	2	3	1	-	-
63	1	1	3	2	1	3	6	11	8	10	10	8	7	2	-	-

² Age at last birthday.

Line No.	Table 2 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND IN																			
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.								
1	SHREWSBURY (TOWN).	79																			
2	Males	41	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Females	38	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	SOMERVILLE.	1,107																			
5	Males	582	38	36	2	-	-	-	-	4	-	4	1	2	4	1	-	-	-	-	1
6	Females	525	22	19	-	1	2	-	3	-	1	-	-	-	-	-	-	-	-	-	6
7	SOUTH HADLEY (TOWN).	100																			
8	Males	46	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Females	54	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	SOUTH BRIDGE (TOWN).	165																			
11	Males	90	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
12	Females	75	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
13	SPRINGFIELD.	1,780																			
14	Males	938	61	53	1	3	1	3	4	-	-	3	9	5	9	5	-	-	-	-	-
15	Females	842	47	40	2	3	2	-	6	2	1	3	10	10	10	10	-	-	-	-	-
16	STONEHAM (TOWN).	132																			
17	Males	66	6	3	2	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1
18	Females	66	2	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1
19	STOUGHTON (TOWN).	110																			
20	Males	56	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
21	Females	54	2	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
22	SWAMPSCOTT (TOWN).	119																			
23	Males	61	2	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
24	Females	58	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
25	TAUNTON.	442																			
26	Males	222	18	14	1	1	1	1	3	1	2	1	1	2	1	1	1	1	1	1	2
27	Females	220	12	12	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	2
28	WAKEFIELD (TOWN).	187																			
29	Males	101	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Females	86	7	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
31	WALTHAM.	479																			
32	Males	240	20	17	1	1	1	-	4	-	-	1	1	2	1	1	1	1	1	1	2
33	Females	239	22	13	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
34	WATERTOWN (TOWN).	376																			
35	Males	198	19	16	-	1	2	-	2	2	-	-	-	-	-	-	-	-	-	-	3
36	Females	178	17	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
37	WEBSTER (TOWN).	144																			
38	Males	74	5	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
39	Females	70	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
40	WELLESLEY (TOWN).	166																			
41	Males	73	5	4	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
42	Females	93	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
43	WEST SPRINGFIELD (TOWN).	185																			
44	Males	96	5	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
45	Females	89	5	3	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	1
46	WESTFIELD.	255																			
47	Males	147	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	Females	108	9	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
49	WEYMOUTH (TOWN).	332																			
50	Males	171	12	10	1	-	-	1	1	-	1	2	1	2	1	1	1	1	1	1	1
51	Females	161	16	14	-	1	1	-	-	-	-	2	1	2	1	1	1	1	1	1	2
52	WINCHESTER (TOWN).	183																			
53	Males	91	7	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
54	Females	92	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
55	WINTHROP (TOWN).	233																			
56	Males	113	8	8	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
57	Females	120	9	7	1	-	1	-	-	-	1	-	1	1	1	1	1	1	1	1	1
58	WOBURN.	249																			
59	Males	132	5	5	-	-	-	-	2	-	-	1	4	4	4	4	4	4	4	4	4
60	Females	117	8	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
61	WORCESTER.	2,350																			
62	Males	1,261	80	68	8	4	-	-	4	3	3	5	7	7	7	7	7	7	7	7	7
63	Females	1,089	44	38	3	2	-	1	1	4	3	4	4	4	4	4	4	4	4	4	4

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1952.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un- known.
1																
2	1	-	1	2	5	3	6	7	5	-	2	2	2	-	-	-
3	-	-	-	-	1	4	8	5	2	4	8	3	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	7	5	14	26	38	53	54	83	81	58	64	36	9	4	-	-
6	3	13	12	19	25	30	44	53	68	73	80	38	24	9	1	-
7	-	-	-	-	2	7	10	9	6	3	2	1	2	-	-	-
8	-	-	-	-	4	4	4	2	9	12	7	3	2	1	-	-
9	-	1	-	1	1	4	4	2	9	12	7	3	2	1	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	1	-	1	2	6	10	9	13	16	14	8	1	2	-	-	-
12	1	1	1	1	3	7	6	8	14	13	7	3	1	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	11	23	22	35	48	102	119	130	121	115	79	39	7	5	-	-
15	6	7	9	19	27	59	72	97	140	128	103	68	27	10	1	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	1	2	1	5	4	3	11	3	12	7	4	2	1	-	-
18	-	-	2	2	-	1	6	4	11	8	15	10	2	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	1	-	1	5	7	1	9	6	6	14	1	1	-	-	-
21	1	2	-	-	3	6	3	2	9	11	8	2	3	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	2	-	3	1	3	3	6	3	9	6	12	8	1	-	-	-
24	-	-	-	2	2	2	5	7	8	14	8	4	3	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	4	3	7	5	12	18	19	40	23	25	25	13	1	2	-	-
27	1	5	6	5	4	8	23	24	27	30	34	20	14	1	1	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	1	2	3	7	5	7	18	13	18	10	8	3	-	-	-
30	1	1	-	3	2	3	10	6	19	11	8	8	5	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	-	5	3	11	15	25	26	28	35	23	29	7	5	-	-	-
33	1	4	4	8	5	16	15	23	39	33	32	16	19	1	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	2	2	6	5	12	25	24	25	32	20	9	8	2	-	-	-
36	3	3	5	8	2	19	14	23	19	26	23	10	3	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	2	1	2	5	2	5	15	4	6	7	7	-	2	-	-	-
39	2	3	2	2	1	3	6	9	10	15	7	7	1	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	-	1	3	1	5	8	7	11	8	13	4	5	-	-	-	-
42	1	-	3	4	3	8	5	5	14	14	13	11	8	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	-	1	-	3	11	10	14	13	13	8	10	3	2	-	-	-
45	-	-	2	1	5	3	7	17	17	8	10	6	3	-	1	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	1	-	3	5	8	8	17	27	19	22	17	6	2	1	-	-
48	1	2	3	3	2	6	10	12	12	17	14	8	5	1	1	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	1	3	6	14	8	14	14	27	22	14	12	14	5	-	-	-
51	3	4	3	6	7	10	10	16	25	20	19	12	5	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	-	-	2	1	11	9	10	7	6	11	19	4	3	-	-	-
54	-	2	1	1	5	2	6	12	16	13	15	7	7	1	1	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	1	2	3	1	6	13	11	23	22	11	5	3	-	1	-	-
57	1	1	3	1	4	6	9	9	14	21	21	12	2	2	2	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	2	-	2	3	9	9	16	11	15	18	18	7	6	-	-	-
60	-	-	1	4	5	6	10	10	17	22	20	6	6	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	12	28	28	57	71	129	173	177	151	146	123	41	22	1	-	-
63	6	16	15	39	45	71	99	122	155	170	162	81	40	8	-	-

2 Age at last birthday.

Table 3

YEARS.	MORTALITY ¹ OF MALES AND FEMALES: 1928 TO 1952.					
	DEATHS. ²		Deaths of males to 1,000 deaths of females.	DEATH RATES ³ PER 1,000 POPULATION.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1928	26,082	25,360	1,028	-	-	-
1929	26,461	25,710	1,029	-	-	-
1930	25,242	24,261	1,041	12.2	11.1	1.1
1931	25,021	23,722	1,055	-	-	-
1932	25,321	24,210	1,046	-	-	-
1933	26,131	24,701	1,058	-	-	-
1934	26,569	24,191	1,098	-	-	-
1935	26,000	24,286	1,071	-	-	-
1936	27,104	24,950	1,086	-	-	-
1937	27,395	24,892	1,101	-	-	-
1938	26,046	23,850	1,092	-	-	-
1939	26,340	24,567	1,072	-	-	-
1940	26,572	24,708	1,075	12.6	11.2	1.4
1941	26,803	24,238	1,106	-	-	-
1942	27,031	24,171	1,118	12.8	10.9	1.9
1943	28,386	26,025	1,091	13.4	11.7	1.7
1944	27,046	24,408	1,108	12.8	10.9	1.9
1945	26,942	23,821	1,131	-	-	-
1946	27,021	24,268	1,113	12.2	10.4	1.8
1947	27,472	24,111	1,139	12.3	10.2	2.1
1948	27,852	24,463	1,139	12.4	10.3	2.1
1949	26,880	23,562	1,141	11.8	9.9	1.9
1950	26,870	23,489	1,144	11.8	9.7	2.1
1951	28,189	24,751	1,139	12.3	10.1	2.2
1952	27,851	24,129	1,154	12.1	9.8	2.3

¹ Exclusive of stillbirths.² Allocated since 1943.³ Rates are calculated on estimated population, except in census years. Male and female population not enumerated in State census of 1935 and 1945.

Table 4

AGE PERIODS.	DEATHS ¹ AT SPECIFIED AGES: CENSUS YEARS 1925 TO 1950.					
	1950.	1945.	1940.	1935.	1930.	1925.
All ages	50,359 ²	50,763 ²	50,698 ²	49,634 ²	49,503	51,890
Under 5 years	2,672	2,889	2,925	3,809	5,873	8,623
Under 1 year	2,277	2,433	2,450	3,014	4,440	6,294
5 to 9 years	153	233	245	513	742	922
10 to 14 years	106	200	281	461	479	678
15 to 19 years	198	333	444	616	705	891
20 to 29 years	713	990	1,151	1,627	1,956	2,498
30 to 39 years	1,332	1,633	1,774	2,405	2,959	3,161
40 to 49 years	3,008	3,696	3,994	4,488	4,278	4,521
50 to 59 years	6,782	7,500	7,092	7,001	6,989	6,838
60 to 69 years	11,503	11,250	11,571	11,083	9,881	9,186
70 to 79 years	13,801	13,291	12,996	10,964	9,637	8,882
80 years and over	10,091	8,748	8,225	6,667	6,003	5,685
Age unknown	-	-	-	-	1	5
	DEATH RATES PER 1,000 POPULATION ³ AT SPECIFIED AGES.					
All ages	10.7	11.3	11.7	11.4	11.6	12.5
Under 5 years	6.0	-	10.4	-	16.8	-
Under 1 year	27.2	-	46.6	-	68.3	-
5 to 9 years	.4	-	.8	-	1.9	-
10 to 14 years	.4	-	.8	-	1.2	-
15 to 19 years	.6	-	1.2	-	1.9	-
20 to 29 years	1.1	-	1.6	-	2.9	-
30 to 39 years	1.9	-	2.8	-	- ⁴	-
40 to 49 years	4.9	-	6.6	-	- ⁴	-
50 to 59 years	12.4	-	14.7	-	- ⁴	-
60 to 69 years	28.6	-	34.3	-	- ⁴	-
70 to 79 years	- ⁴	-	76.4	-	- ⁴	-
80 years and over	- ⁴	-	177.3	-	- ⁴	-

¹ Exclusive of stillbirths.² Allocated.³ Population by age groups not enumerated for 1925, 1935 and 1945.⁴ U. S. Census figures for 1930 and 1950 not available.

Table 5 PER CENT OF DEATHS¹ AT SPECIFIED AGES—
BOTH SEXES².

YEARS.	PER CENT OF DEATHS ¹ AT SPECIFIED AGES— BOTH SEXES ² .			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935	6.1	7.7	3.3	89.0
1936	5.5	7.1	3.2	89.7
1937	5.2	6.5	3.0	90.5
1938	4.9	6.2	2.9	90.9
1939	4.6	5.7	2.5	91.8
1940	4.8	5.8	2.3	91.9
1941	4.9	5.8	2.3	91.9
1942	5.2	6.2	2.6	91.2
1943	5.4	6.4	2.2	91.4
1944	5.0	6.0	2.1	91.9
1945	4.8	5.7	1.9	92.4
1946	5.8	6.7	2.0	91.3
1947	5.9	6.6	1.8	91.6
1948	5.0	5.8	1.6	92.6
1949	4.6	5.5	1.5	93.0
1950	4.5	5.3	1.4	93.3
1951	4.1	4.9	1.2	93.9
1952	4.8	5.6	1.2	93.2

¹ Exclusive of stillbirths.² Allocated since 1935.

AGE PERIODS.	MALE DEATHS ¹ PER 1,000 FEMALE DEATHS ¹ AT SPECIFIED AGES.				AGE PERIODS.	MALE DEATHS ¹ PER 1,000 FEMALE DEATHS ¹ AT SPECIFIED AGES.			
	1952.	1951.	1950.	1949.		1952.	1951.	1950.	1949.
All Ages	1,154	1,139	1,144	1,141	40 to 44 years	1,546	1,496	1,622	1,493
Under 1 year	1,370	1,356	1,404	1,369	45 to 49 years	1,601	1,614	1,521	1,512
1 year	1,457	1,111	1,526	1,083	50 to 54 years	1,839	1,656	1,714	1,680
2 years	1,021	1,417	1,537	1,479	55 to 59 years	1,829	1,719	1,593	1,484
3 years	1,118	1,545	1,022	1,275	60 to 64 years	1,576	1,531	1,484	1,571
4 years	1,242	1,303	1,240	1,172	65 to 69 years	1,403	1,389	1,340	1,239
5 to 9 years	1,500	1,953	1,593	1,363	70 to 74 years	1,044	1,092	1,079	1,093
10 to 14 years	1,686	1,878	1,789	1,283	75 to 79 years	952	945	919	952
15 to 19 years	1,696	2,014	1,912	1,786	80 to 84 years	785	763	813	792
20 to 24 years	1,815	2,265	1,773	1,550	85 to 89 years	673	607	664	685
25 to 29 years	1,731	1,419	1,164	1,382	90 to 94 years	511	519	483	495
30 to 34 years	1,138	1,325	1,228	1,278	95 to 99 years	423	456	457	561
35 to 39 years	1,282	1,361	1,516	1,515	100 years and over	81	259	267	250

¹ Allocated.

Table 7	DEATHS ¹ OF MALES AND FEMALES AT SPECIFIED AGES: 1943 TO 1952.						
	BOTH SEXES.		MALES.		FEMALES.		Female deaths per 1,000 male deaths.
	AGE PERIODS AND YEARS.	Number. ²	Per Cent distribution.	Number. ²	Per Cent distribution.	Number. ²	
ALL AGES.							
1943	54,411	100.0	28,386	100.0	26,025	100.0	917
1944	51,454	100.0	27,046	100.0	24,408	100.0	902
1945	50,763	100.0	26,942	100.0	23,821	100.0	884
1946	51,289	100.0	27,021	100.0	24,268	100.0	898
1947	51,583	100.0	27,472	100.0	24,111	100.0	878
1948	52,315	100.0	27,852	100.0	24,463	100.0	878
1949	50,442	100.0	26,880	100.0	23,562	100.0	877
1950	50,359	100.0	26,870	100.0	23,489	100.0	874
1951	52,940	100.0	28,189	100.0	24,751	100.0	878
1952	51,980	100.0	27,851	100.0	24,129	100.0	866
UNDER 1 YEAR.							
1943	2,939	5.4	1,703	6.0	1,236	4.7	725
1944	2,582	5.0	1,453	5.4	1,129	4.6	777
1945	2,433	4.8	1,424	5.3	1,009	4.2	709
1946	2,996	5.8	1,758	6.5	1,238	5.1	704
1947	3,021	5.9	1,724	6.3	1,297	5.4	752
1948	2,614	5.0	1,483	5.3	1,131	4.6	763
1949	2,341	4.6	1,353	5.0	988	4.2	730
1950	2,277	4.5	1,330	4.9	947	4.0	712
1951	2,184	4.1	1,257	4.5	927	3.7	737
1952	2,472	4.8	1,429	5.1	1,043	4.3	730
UNDER 5 YEARS.							
1943	3,496	6.4	2,016	7.1	1,480	5.7	734
1944	3,078	6.0	1,722	6.4	1,356	5.5	787
1945	2,889	5.7	1,684	6.3	1,205	5.0	716
1946	3,454	6.7	2,014	7.4	1,440	5.9	715
1947	3,415	6.6	1,964	7.2	1,451	6.0	739
1948	3,052	5.8	1,751	6.3	1,301	5.3	743
1949	2,764	5.5	1,587	5.9	1,177	5.0	742
1950	2,672	5.3	1,557	5.8	1,115	4.7	716
1951	2,564	4.9	1,472	5.2	1,092	4.4	742
1952	2,887	5.6	1,659	6.0	1,228	5.1	740
20 TO 29 YEARS.							
1943	1,201	2.2	643	2.3	558	2.1	865
1944	1,109	2.1	600	2.2	509	2.1	850
1945	990	1.9	523	1.9	467	2.0	893
1946	994	2.0	538	2.0	456	1.9	848
1947	947	1.8	528	1.9	419	1.7	794
1948	815	1.6	476	1.7	339	1.4	712
1949	761	1.5	450	1.7	311	1.3	691
1950	713	1.4	417	1.5	296	1.3	710
1951	645	1.2	406	1.5	239	1.0	589
1952	625	1.2	399	1.4	226	.9	566
ALL OTHER AGES.							
1943	49,714	91.4	25,727	90.6	23,987	92.2	932
1944	47,267	91.9	24,724	91.4	22,543	92.4	912
1945	46,884	92.4	24,735	91.8	22,149	93.0	895
1946	46,841	91.3	24,469	90.6	22,372	92.2	914
1947	47,221	91.6	24,980	90.9	22,241	92.3	890
1948	48,448	92.6	25,625	92.0	22,823	93.3	891
1949	46,917	93.0	24,843	92.4	22,074	93.7	889
1950	46,974	93.3	24,896	92.7	22,078	94.0	887
1951	49,731	93.9	26,311	93.3	23,420	94.6	890
1952	48,468	93.2	25,793	92.6	22,675	94.0	879

¹ Exclusive of stillbirths.² Allocated.

Table 8

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1952.

AGE AT DEATH.	MALES.						FEMALES.						
	Both Sexes.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State													
15 Years and Over.	48,731	25,971	3,940	15,112	6,131	726	62	22,760	3,835	7,470	11,039	393	23
15 to 19 years . . .	186	117	117	-	-	-	-	69	60	9	-	-	-
20 to 29 years . . .	625	399	228	159	3	8	1	226	76	143	3	3	1
30 to 39 years . . .	1,241	682	197	438	7	35	5	559	111	401	16	30	1
40 to 49 years . . .	2,960	1,812	385	1,253	46	124	4	1,148	200	797	91	60	-
50 to 59 years . . .	6,705	4,338	702	3,164	274	188	10	2,367	314	1,552	436	65	-
60 to 69 years . . .	11,708	6,984	961	4,703	1,091	203	21	4,724	644	2,210	1,762	101	7
70 to 79 years . . .	14,164	7,069	904	3,806	2,237	110	12	7,095	1,212	1,763	4,029	81	10
80 years and over	11,142	4,570	446	1,589	2,473	53	9	6,572	1,218	595	4,702	53	4
Boston													
15 Years and Over.	9,042	4,898	1,077	2,588	1,032	172	29	4,144	862	1,206	1,936	81	9
15 to 19 years . . .	29	19	19	-	-	-	-	10	8	2	-	-	-
20 to 29 years . . .	126	81	46	31	2	2	-	45	17	26	2	-	-
30 to 39 years . . .	277	164	58	91	4	8	3	113	28	75	4	5	1
40 to 49 years . . .	679	424	133	238	17	33	3	255	50	156	28	21	-
50 to 59 years . . .	1,383	930	205	607	63	50	5	453	73	257	107	16	-
60 to 69 years . . .	2,293	1,376	276	823	220	46	11	917	156	362	376	19	4
70 to 79 years . . .	2,545	1,253	236	596	397	20	4	1,292	273	243	760	14	2
80 years and over	1,710	651	104	202	329	13	3	1,059	257	85	709	6	2

Table 9

ALLOCATED DEATHS,¹ IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1952.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1950. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	51,980	4,681	4,296	5,106	4,652	4,337	4,239	4,119	3,758	3,674	4,324	4,216	4,578
Average daily number of deaths.	142	151	148	165	155	140	141	133	121	122	139	141	148
COUNTIES.													
Middlesex . . .	11,267	1,012	950	1,128	999	875	941	938	850	747	941	899	987
Suffolk . . .	10,591	982	878	1,086	951	906	801	809	723	735	885	872	963
Worcester . . .	5,718	470	475	546	516	509	527	455	389	417	466	459	489
Essex . . .	6,134	518	500	603	589	539	502	451	458	402	521	488	563
Norfolk . . .	4,027	347	340	406	327	345	352	323	306	303	305	321	352
Bristol . . .	4,219	400	354	406	385	369	317	356	302	313	317	332	368
Hampden . . .	3,870	348	295	345	341	329	324	321	284	302	344	310	327
Plymouth . . .	2,413	247	198	216	193	196	181	201	159	173	210	216	218
Berkshire . . .	1,452	148	116	132	134	115	122	105	97	122	126	121	114
Hampshire . . .	879	87	78	99	84	54	65	50	74	67	70	72	79
Franklin . . .	620	46	47	64	58	53	53	45	46	33	61	65	49
Barnstable . . .	659	63	49	54	58	40	47	58	58	51	69	54	58
Dukes . . .	83	10	9	12	8	3	5	4	8	8	6	3	7
Nantucket . . .	48	3	7	9	4	4	2	3	4	1	3	4	4
CITIES OVER 100,000.													
Boston . . .	9,612	870	799	987	874	818	731	739	663	657	801	804	869
Worcester . . .	2,350	190	171	236	219	233	210	198	163	159	176	199	206
Springfield . . .	1,780	163	138	164	156	159	141	145	124	150	161	144	135
Cambridge . . .	1,298	142	123	126	115	88	106	104	100	82	103	104	105
Fall River . . .	1,218	112	99	119	123	116	89	100	80	92	87	101	100
New Bedford . . .	1,267	135	104	126	108	83	102	114	99	88	96	96	116
Somerville . . .	1,107	94	106	102	93	89	89	92	80	86	103	72	101
CITIES 50,000 TO 100,000.													
Lynn . . .	1,243	103	105	142	97	100	95	99	87	92	93	116	114
Lowell . . .	1,153	87	91	106	105	88	114	118	90	74	87	85	108
Quincy . . .	813	66	62	60	67	78	84	65	78	60	66	65	62
Newton . . .	829	80	62	98	67	60	59	65	66	45	66	77	84
Lawrence . . .	960	82	72	98	89	86	73	77	80	58	83	87	75
Medford . . .	671	51	51	66	62	61	62	58	46	54	58	48	54
Brockton . . .	894	97	76	85	66	66	71	76	54	66	86	75	76
Malden . . .	648	52	57	77	62	57	45	48	41	45	64	43	57
Holyoke . . .	667	66	56	57	49	55	66	53	49	55	58	48	55
Pittsfield . . .	536	46	44	46	52	44	51	34	39	54	49	46	31

¹ Exclusive of stillbirths.

Table 10	DEATHS. ¹		LIVE BIRTHS.		DEATHS UNDER 1 YEAR.		DEATHS UNDER 1 MONTH.	
	YEARS.	Number. ²	Per 1,000 population.	Number. ²	Per 1,000 population.	Number. ²	Per 1,000 live births.	Number. ²
1900 . . .	51,156	18.2	73,386	26.2	11,500	156.7	-	-
1901 . . .	48,275	16.9	71,976	25.3	9,952	138.3	-	-
1902 . . .	47,491	16.4	72,219	25.0	10,075	139.5	-	-
1903 . . .	49,054	16.7	73,584	25.1	10,269	138.3	-	-
1904 . . .	48,482	16.3	75,014	25.3	9,992	133.2	-	-
1905 . . .	50,486	16.7	75,022	24.9	10,519	140.2	-	-
1906 . . .	50,624	16.4	80,237	26.0	11,106	138.4	-	-
1907 . . .	54,234	17.2	85,001	26.9	11,293	132.9	-	-
1908 . . .	51,788	16.0	86,911	26.9	11,606	133.5	-	-
1909 . . .	51,236	15.5	84,039	25.4	10,693	127.2	-	-
1910 . . .	54,407	16.1	86,539	25.6	11,499	132.9	-	-
1911 . . .	53,062	15.4	88,327	25.6	10,543	119.4	-	-
1912 . . .	52,400	14.9	89,882	25.6	10,472	116.5	-	-
1913 . . .	53,402	14.9	91,644	25.6	10,086	110.1	-	-
1914 . . .	52,978	14.5	93,399	25.6	9,894	105.9	-	-
1915 . . .	53,131	14.4	93,155	25.2	9,490	101.9	-	-
1916 . . .	56,366	14.9	93,487	24.8	9,334	99.8	-	-
1917 . . .	56,628	14.7	95,731	24.9	9,325	97.4	4,029	42
1918 . . .	78,842	20.2	95,607	24.5	10,820	113.2	4,292	45
1919 . . .	52,345	13.6	87,827	22.9	7,769	88.5	3,635	41
1920 . . .	53,632	13.9	91,859	23.8	8,382	91.2	3,823	42
1921 . . .	47,780	12.3	92,207	23.7	7,005	76.0	3,714	40
1922 . . .	51,115	13.0	87,636	22.3	7,129	81.3	3,514	40
1923 . . .	52,380	13.2	89,210	22.5	6,968	78.1	3,587	40
1924 . . .	49,466	12.4	91,413	22.8	6,191	67.7	3,469	38
1925 . . .	51,890	12.5	86,014	20.8	6,294	73.1	3,365	39
1926 . . .	52,888	12.7 ³	83,502	20.0	6,130	73.4	3,197	38
1927 . . .	49,324	11.8 ³	82,273	19.6	5,320	64.7	3,033	37
1928 . . .	51,442	12.2 ³	79,054	18.8	5,118	64.7	2,749	35
1929 . . .	52,171	12.3 ³	74,122	17.5	4,592	62.0	2,623	35
1930 . . .	49,503	11.6	73,690	17.3	4,440	60.3	2,594	35
1931 . . .	48,743	11.4	69,385	16.2	3,803	54.8	2,323	33
1932 . . .	49,531	11.5	68,518	15.9	3,635	53.1	2,267	33
1933 . . .	50,832	11.8	63,457	14.7	3,294	51.9	2,089	33
1934 . . .	50,760	11.7	63,767	14.7	3,136	49.2	1,935	30
1935 . . .	49,634	11.4	62,416	14.3	3,014	48.3	1,834	29
1936 . . .	51,435	11.7	61,184	14.0	2,854	46.6	1,810	30
1937 . . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28
1938 . . .	49,285	11.1	62,382	14.1	2,439	39.1	1,661	27
1939 . . .	50,292	11.3	62,575	14.1	2,338	37.4	1,605	26
1940 . . .	50,698	11.7	65,369	15.1	2,450	37.5	1,655	25
1941 . . .	50,456	11.7	70,228	16.2	2,480	35.3	1,677	24
1942 . . .	50,523	11.7	83,371	19.2	2,651	31.8	1,917	23
1943 . . .	54,411	12.5	85,743	19.8	2,939	34.3	1,926	22
1944 . . .	51,454	11.8	78,140	18.0	2,582	33.0	1,754	22
1945 . . .	50,763	11.3	76,455	16.9	2,433	31.8	1,701	22
1946 . . .	51,289	11.3	96,903	21.3	2,996	30.9	2,222	23
1947 . . .	51,583	11.2	106,690	23.3	3,021	28.3	2,201	21
1948 . . .	52,315	11.3	98,933	21.4	2,614	26.4	1,986	20
1949 . . .	50,442	10.8	96,041	20.6	2,341	24.4	1,786 ⁴	19
1950 . . .	50,359	10.7	95,619	20.3	2,277	23.8	1,750 ⁴	18
1951 . . .	52,940	11.2	99,851	21.1	2,184	21.9	1,710 ⁴	17
1952 . . .	51,980	10.9	103,936	21.8	2,472	23.8	1,918 ⁴	19

¹ Exclusive of stillbirths.² Allocated since 1935.³ Revised.⁴ Under 4 weeks.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.												
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
141	Malignant neoplasm of tongue	T	54	4	2	4	3	3	4	3	4	7	2	5	3
		F	44	1	-	2	2	-	-	1	3	-	-	-	1
142	Malignant neoplasm of salivary gland	T	20	2	1	-	-	-	-	-	-	-	-	-	-
		F	10	3	1	-	-	-	1	-	1	1	-	3	1
.0	Mixed salivary gland tumor	T	10	2	-	1	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1
.1	Other	T	18	-	-	1	-	-	-	-	-	-	-	-	-
		F	9	2	1	-	-	-	1	-	1	1	-	3	-
143	Malignant neoplasm of floor of mouth	T	13	-	-	-	-	-	1	1	-	-	-	3	-
		F	13	1	-	1	1	1	3	1	1	-	2	-	2
144	Malignant neoplasm of other parts of mouth and mouth unspecified	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		F	42	2	4	5	6	4	4	3	2	1	3	5	3
145	Malignant neoplasm of oral mesopharynx	T	12	2	2	2	2	1	-	1	1	-	1	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-
146	Malignant neoplasm of nasopharynx	T	16	-	-	4	2	1	-	1	3	-	4	1	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-
147	Malignant neoplasm of hypopharynx	T	11	-	1	1	3	1	-	1	1	2	1	-	-
		F	3	-	-	-	1	-	-	-	-	-	-	2	-
148	Malignant neoplasm of pharynx, unspecified	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	2	-	1	-	-	-	1	1	-	1
149	Malignant neoplasm of esophagus	T	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-
150	Malignant neoplasm of stomach	T	56	5	5	1	4	5	4	6	5	4	6	6	5
		F	8	1	-	-	1	-	2	-	-	1	-	1	2
151	Malignant neoplasm of small intestine, including duodenum	T	209	17	17	20	14	8	17	18	11	11	13	12	10
		F	168	-	-	-	-	-	-	-	-	-	-	-	-
152	Malignant neoplasm of large intestine, except rectum	T	41	-	3	3	5	7	4	5	3	1	2	1	7
		F	898	-	-	-	-	-	-	-	-	-	-	-	-
153	Malignant neoplasm of liver (secondary and unspecified)	T	512	33	35	57	53	33	38	40	49	45	45	39	45
		F	386	22	24	42	31	40	28	28	46	32	22	33	38
154	Malignant neoplasm of rectum	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	1	1	1	3	-	1	-	2	2	2	1
155	Malignant neoplasm of biliary passages and of liver (primary)	T	8	1	-	-	2	1	-	1	-	-	-	2	1
		F	1,149	-	-	-	-	-	-	-	-	-	-	-	-
156	Malignant neoplasm of peritoneum	T	500	40	46	44	41	40	41	33	42	40	41	49	43
		F	649	50	47	57	74	45	57	54	38	57	55	69	46
157	Malignant neoplasm of unspecified digestive organs	T	497	-	-	-	-	-	-	-	-	-	-	-	-
		F	296	26	18	22	25	32	27	18	22	23	32	28	23
158	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	T	201	21	16	19	21	17	16	13	14	13	19	13	19
		F	157	-	-	-	-	-	-	-	-	-	-	-	-
159	Malignant neoplasm of larynx	T	55	7	3	2	7	7	8	5	4	3	5	1	3
		F	220	7	6	13	10	7	6	10	8	10	9	10	6
160	Malignant neoplasm of unspecified	T	170	-	-	-	-	-	-	-	-	-	-	-	-
		F	94	10	6	12	10	11	5	7	8	4	7	8	6
161	Secondary	T	76	6	4	4	5	6	4	4	11	13	6	7	6
		F	151	-	-	-	-	-	-	-	-	-	-	-	-
162	Malignant neoplasm of pancreas	T	82	10	4	9	9	10	3	7	7	4	6	7	6
		F	69	6	2	2	5	5	4	4	11	12	6	7	5
163	Malignant neoplasm of peritoneum	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	2	3	1	1	2	-	1	-	1	1	-
164	Malignant neoplasm of unspecified	T	7	-	2	2	-	1	-	-	-	1	-	1	-
		F	392	-	-	-	-	-	-	-	-	-	-	-	-
165	Malignant neoplasm of peritoneum	T	220	18	17	24	18	15	22	17	16	15	17	21	20
		F	172	14	18	14	13	14	14	19	11	10	13	18	14
166	Malignant neoplasm of unspecified	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	2	1	-	1	-	1	1	1	1	1	-	-
167	Malignant neoplasm of unspecified	T	16	-	1	4	3	1	-	-	-	-	-	2	1
		F	27	-	-	-	-	-	-	-	-	-	-	-	-
168	Malignant neoplasm of unspecified	T	12	3	-	1	-	-	1	-	3	1	1	-	2
		F	15	2	3	1	1	1	3	2	1	-	-	-	1
169	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	1	2	2	1	-	2	-	1	1	-	-	1
170	Malignant neoplasm of larynx	T	9	-	1	-	1	-	1	-	2	-	2	1	1
		F	80	-	-	-	-	-	-	-	-	-	-	-	-
171	Malignant neoplasm of larynx	T	65	5	7	10	3	9	5	4	3	2	5	9	3
		F	15	1	-	1	2	2	1	1	-	4	3	-	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	MONTHS.														
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
162	Malignant neoplasm of trachea, and of bronchus and lung (primary)	T	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	216	20	19	12	15	23	11	13	18	18	27	14	26	-	-
		F	25	1	6	1	1	3	2	1	1	2	-	4	3	-	-
163	Unspecified malignant neoplasm of lung and bronchus	T	578	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	466	46	27	38	42	45	40	40	35	36	55	26	36	-	-
		F	112	7	11	6	10	17	3	5	8	12	11	11	11	-	-
164	Malignant neoplasm of mediastinum	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	4	-	1	-	1	-	-	-	2	1	1	-	-
		F	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-
165	Malignant neoplasm of thoracic organs (secondary)	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
170	Malignant neoplasm of breast	T	887	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	-	1	1	1	-	-	-	-	1	-	1	-	-
		F	881	68	81	80	82	85	74	62	62	72	79	65	71	-	-
171	Malignant neoplasm of cervix uteri	T	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	215	13	12	23	16	18	21	15	17	21	25	18	16	-	-
		F	215	13	12	23	16	18	21	15	17	21	25	18	16	-	-
172	Malignant neoplasm of corpus uteri	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	1	2	4	4	1	2	-	2	-	1	3	-	-	-
174	Malignant neoplasm of uterus, unspecified	T	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	213	17	12	25	10	21	14	20	22	8	25	24	15	-	-
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	T	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	256	24	27	17	19	28	24	13	22	27	18	17	20	-	-
176	Malignant neoplasm of other and unspecified female genital organs	T	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	3	2	5	2	3	1	1	3	2	2	5	3	-	-
177	Malignant neoplasm of prostate	T	426	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	426	32	29	34	43	31	40	38	26	37	32	43	41	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178	Malignant neoplasm of testis	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	2	-	-	-	1	-	-	-	2	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179	Malignant neoplasm of other and unspecified male genital organs	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	3	1	-	-	-	-	-	2	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	Malignant neoplasm of kidney	T	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	104	8	4	12	1	8	10	13	12	11	9	7	9	-	-
		F	43	2	-	4	4	3	5	5	5	6	4	2	3	-	-
181	Malignant neoplasm of bladder and other urinary organs	T	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	190	22	15	14	17	9	17	14	13	20	13	13	23	-	-
		F	122	7	16	18	7	3	10	7	9	10	15	12	8	-	-
190	Malignant melanoma of skin	T	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	-	4	2	4	1	-	3	4	2	4	2	-	-	-
		F	21	1	1	3	-	2	2	-	4	1	2	3	2	-	-
191	Other malignant neoplasm of skin	T	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	-	3	2	1	5	2	2	2	-	-	6	-	-
		F	20	3	2	1	2	-	3	3	-	-	1	1	2	-	-
192	Malignant neoplasm of eye	T	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	3	1	-	-	1	-	-	-	-
193	Malignant neoplasm of brain and other parts of nervous system	T	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	114	10	7	10	6	8	13	10	6	12	11	9	12	-	-
		F	78	5	4	7	6	8	8	7	9	9	6	5	4	-	-
194	Malignant neoplasm of thyroid gland	T	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	3	2	-	2	2	-	-	1	1	-	1	1	-	-
		F	21	1	-	3	-	-	3	3	3	1	2	2	3	-	-
195	Malignant neoplasm of other endocrine glands	T	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	-	1	1	-	-	1	1	-	2	1	1	-	-
		F	6	1	-	1	-	-	1	-	2	1	-	-	-	-	-
196	Malignant neoplasm of bone (including jaw bone)	T	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	51	6	4	6	4	5	5	5	1	2	7	3	3	-	-
		F	30	-	2	1	3	2	3	3	5	4	4	3	-	-	-
197	Malignant neoplasm of connective tissues	T	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	-	-	-	-	1	-	1	1	2	1	1	-	-
		F	8	2	-	-	-	-	2	-	-	-	1	1	-	-	-
198	Secondary and unspecified malignant neoplasm of lymph nodes	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	1	-	-	1	-	-	-	1	1	-	-	-
		F	6	-	-	-	-	3	1	-	1	-	-	-	1	-	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.																				
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.								
.1	Unspecified	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary	T	2	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1
		M	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199	Malignant neoplasm of other and unspecified sites	T	353	13	11	14	15	11	14	14	10	15	17	20	14	20	14	15	15	15	15	15	15
		M	168	13	11	14	15	11	14	14	10	15	17	20	14	20	14	15	15	15	15	15	15
		F	185	15	15	19	12	21	15	12	9	15	14	23	15	15	15	15	15	15	15	15	15
.1	Malignant neoplasm of other specified sites (primary)	T	162	7	7	9	9	5	9	9	6	8	3	10	6	10	6	6	6	6	6	6	6
		M	76	5	7	8	7	6	3	9	5	6	7	8	5	7	8	5	5	5	5	5	5
		F	86	7	9	9	5	9	9	6	5	8	3	10	6	10	6	6	6	6	6	6	6
.2	Malignant neoplasm (not secondary), site unspecified	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	1	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-
.4	Malignant neoplasm of large intestine, except rectum (secondary)	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Malignant neoplasm of any other site except liver, thoracic organs, and lymph nodes (secondary)	T	64	3	2	2	3	1	4	2	1	6	4	6	2	6	2	2	2	2	2	2	2
		M	36	3	2	2	3	1	4	2	1	6	4	6	2	6	2	2	2	2	2	2	2
		F	28	1	-	2	1	4	3	3	1	1	7	4	1	4	1	1	1	1	1	1	1
.8	Generalized and secondary malignant neoplasm of multiple specified sites with primary site not indicated	T	104	5	2	3	5	4	5	3	4	3	5	2	6	5	2	6	5	5	5	5	5
		M	47	5	2	3	5	4	5	3	4	3	5	2	6	5	2	6	5	5	5	5	5
		F	57	6	6	6	5	7	2	3	3	5	2	7	7	5	7	5	5	5	5	5	5
.9	Generalized or disseminated malignant neoplasm (primary) (secondary), site unspecified	T	12	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	-	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-
		F	6	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulosarcoma	T	111	4	8	7	3	4	4	5	9	1	9	5	4	4	5	4	5	4	5	4	5
		M	63	4	8	7	3	4	4	5	9	1	9	5	4	4	5	4	5	4	5	4	5
		F	48	1	5	5	4	4	5	4	4	5	4	2	5	4	2	5	4	5	4	5	
.0	Reticulum cell sarcoma	T	16	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	3	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	6	1	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
.1	Lymphosarcoma	T	64	1	4	3	3	4	2	4	4	8	2	3	3	3	3	3	3	3	3	3	3
		M	38	1	4	3	3	4	2	4	4	8	2	3	3	3	3	3	3	3	3	3	3
		F	26	-	3	2	3	4	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2
.2	Other primary malignant neoplasms of lymphoid tissue	T	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	2	1	2	-	1	1	4	1	2	1	2	1	2	1	2	1	2	1	2	1
		F	16	-	1	2	1	-	3	1	2	2	-	2	2	2	-	2	2	2	2	2	2
201	Hodgkin's disease	T	104	5	1	9	10	12	3	6	4	2	5	8	1	8	1	8	1	8	1	8	1
		M	66	5	1	9	10	12	3	6	4	2	5	8	1	8	1	8	1	8	1	8	1
		F	38	3	6	2	3	4	2	4	2	6	4	3	2	3	2	3	2	3	2	3	2
202	Other forms of lymphoma (reticulos)	T	28	2	3	2	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
		M	17	2	3	2	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
		F	11	2	1	-	-	2	-	2	1	1	1	1	1	1	1	1	1	1	1	1	1
.0	Giant follicular lymphoma (Brill-Symmer's disease)	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	T	26	2	3	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	3	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	2	1	-	-	2	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
203	Multiple myeloma (plasmocytoma)	T	60	3	3	3	1	2	5	3	4	1	1	3	2	3	2	3	2	3	2	3	2
		M	31	3	3	3	1	2	5	3	4	1	1	3	2	3	2	3	2	3	2	3	2
		F	29	2	1	1	6	3	2	2	3	-	5	4	-	4	-	4	-	4	-	4	-
204	Leukemia and aleukemia	T	339	29	17	13	12	20	16	24	10	14	13	10	16	10	16	10	16	10	16	10	16
		M	194	29	17	13	12	20	16	24	10	14	13	10	16	10	16	10	16	10	16	10	16
		F	145	11	14	15	17	10	10	15	12	8	8	10	15	10	15	10	15	10	15	10	15
.0	Lymphatic leukemia	T	118	8	5	4	2	8	7	7	5	6	3	4	9	3	4	9	3	4	9	3	4
		M	68	8	5	4	2	8	7	7	5	6	3	4	9	3	4	9	3	4	9	3	4
		F	50	2	5	4	7	4	2	6	3	4	3	4	6	3	4	6	3	4	6	3	4
.1	Myeloid leukemia	T	85	8	5	4	4	6	2	5	2	1	4	3	2	4	3	2	4	3	2	4	3
		M	46	8	5	4	4	6	2	5	2	1	4	3	2	4	3	2	4	3	2	4	3
		F	39	5	4	5	3	1	3	3	6	2	2	2	2	2	2	2	2	2	2	2	2
.2	Monocytic leukemia	T	16	2	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Acute leukemia, unspecified type	T	73	4	5	1	4	4	2	5	1	5	3	2	3	2	3	2	3	2	3	2	3
		M	39	4	5	1	4	4	2	5	1	5	3	2	3	2	3	2	3	2	3	2	3
		F	34	4	3	3	1	5	3	3	1	2	3	4	2	4	2	4	2	4	2	4	2

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.														
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
.4	Other and unspecified leukemia	T	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	31	7	1	3	2	1	3	6	2	2	2	1	1		
205	Mycosis fungoides	T	16	-	2	2	4	-	1	1	2	-	-	-	-	2	2
		F	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
211	Benign neoplasm of other parts of digestive system	T	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	2	-	-	-	-	-	-
212	Benign neoplasm of respiratory system	T	4	-	1	-	-	-	1	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
214	Uterine fibromyoma	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	2	-	2	-	1	1	-	1	-	-	-	-	-	-
215	Other benign neoplasm of uterus	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
216	Benign neoplasm of ovary	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	1	2	2	-	1	1	-	-	-	-	2	-
219	Benign neoplasm of kidney and other urinary organs	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	T	14	1	-	3	1	1	3	2	-	1	2	-	-	-	-
		F	10	3	1	-	2	1	-	-	-	1	1	1	1	-	-
224	Benign neoplasm of endocrine glands	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	1	-	2	-	-	2	-	-	-	1	-	-	1	-
225	Benign neoplasm of bone and cartilage	T	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
227	Other benign neoplasm of muscular and connective tissue	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
228	Hemangioma and lymphangioma	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
230	Neoplasm of unspecified nature of digestive organs	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-
231	Neoplasm of unspecified nature of respiratory organs	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	9	3	-	-	1	-	-	-	2	1	-	-	-	-	-
234	Neoplasm of unspecified nature of ovary	T	6	1	-	-	-	-	2	1	-	-	-	-	1	1	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
235	Neoplasm of unspecified nature of other female genital organs	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
236	Neoplasm of unspecified nature of other genitourinary organs	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
237	Neoplasm of unspecified nature of brain and other parts of nervous system	T	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	31	1	2	2	3	1	2	4	3	2	3	2	6	1	
238	Neoplasm of unspecified nature of skin and musculo-skeletal system	T	25	-	3	1	1	5	2	5	2	2	1	2	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239	Neoplasm of unspecified nature of other and unspecified organs	T	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	T	6	2	-	-	1	-	-	1	-	1	-	-	-	-	-
		F	1,241	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	T	495	49	34	50	47	40	40	37	30	39	42	41	46	-	-
		F	746	66	66	93	77	52	57	66	49	44	45	58	73	-	-
245	Other allergic disorders	T	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	85	15	3	9	3	6	8	7	5	5	6	5	13	-	-
245	Other allergic disorders	T	45	4	5	8	2	5	6	4	2	1	2	2	4	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.													
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
250	Simple goiter	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-	-
251	Nontoxic nodular goiter	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-
252	Thyrotoxicosis with or without goiter	T	14	-	-	1	-	1	1	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	1	-	-	-	-	-	-	-
		F	11	1	-	1	-	1	2	2	1	2	-	-	-	1
.0	Toxic diffuse goiter	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	1	-	-	-	-	-	-	-
		F	10	1	-	1	-	1	2	2	1	2	-	-	-	-
.1	Toxic nodular goiter	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1
253	Myxedema and cretinism	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	2	-	1	1	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
254	Other diseases of thyroid gland	T	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	T	1,041	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	382	32	30	38	41	32	28	28	24	33	32	33	31	-
		F	659	60	56	79	72	43	47	59	45	38	41	53	66	-
272	Diseases of pituitary gland	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	2	-	-	-	-	-	2	-	-	-	-
273	Diseases of thymus gland	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-
274	Diseases of adrenal glands	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	-	-	1	1	1	-	-	-	1	-	2	-
		F	5	-	-	-	2	1	1	-	-	-	-	-	1	-
277	Polyglandular dysfunction and other diseases of endocrine glands	T	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280	Beriberi	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	1	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281	Pellagra	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-	1
286	Other avitaminoses and nutritional deficiency states	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	2	-	-	-	-	-	-	-	-	-	-
		F	8	-	2	-	-	1	-	1	1	-	2	1	-	-
.0	Steatorrhea and sprue	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	1	-	-
.5	Malnutrition, unqualified	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	2	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-
.6	Other and multiple deficiency states	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	-	2	-	-	-
288	Gout	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-
289	Other metabolic diseases	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	1	-	1	1	-	-	1	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-	1
.0	Lipidosis (disturbance of lipid metabolism)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Amyloidosis	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1
.2	Other	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	146	4	6	4	6	8	7	3	6	5	8	2	10	-
		M	69	4	5	4	9	8	7	3	6	5	8	2	10	-
		F	77	5	5	7	6	3	8	8	5	6	10	9	2	-
290	Pernicious and other hyperchromic anemias	T	55	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	1	1	5	3	3	-	2	1	3	1	3	-
		F	30	2	3	3	4	3	3	4	1	3	1	2	1	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.														
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
.1	With arteriosclerosis	T	1,307	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	590	59	48	67	41	49	36	50	34	32	64	55	55	-	-
		F	717	72	46	71	65	63	56	68	44	50	62	46	74	-	-
.2	Other	T	889	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	457	40	40	43	32	39	43	36	32	30	43	42	37	-	-
		F	432	30	46	46	37	39	35	31	32	32	39	35	30	-	-
430	Acute and subacute endocarditis (nonrheumatic)	T	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	-	-	-	1	1	1	-	5	1	-	3	-	-
		F	11	-	1	2	-	1	-	1	1	-	2	1	2	-	-
.0	Acute and subacute bacterial endocarditis	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	2	-	-	-	1	-	1	-	3	1	-	3	-	-
		F	7	-	-	-	-	1	-	1	1	-	1	1	2	-	-
.1	Other acute endocarditis	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-
		F	4	-	1	2	-	-	-	-	-	-	1	-	-	-	-
431	Acute myocarditis (nonrheumatic)	T	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	2	4	2	2	4	1	6	4	2	1	3	1	-	-
		F	36	6	4	2	1	-	3	8	3	2	3	1	3	-	-
432	Acute pericarditis (nonrheumatic)	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
433	Functional disease of heart	T	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	2	2	-	-	-	1	1	2	2	-	3	-	-
		F	34	4	4	5	4	1	2	3	2	3	3	3	-	-	-
.0	Heart block	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	-	-	-	2	-	1	-	-
		F	5	1	-	1	-	-	-	2	-	-	-	1	-	-	-
.1	Other disorders of heart rhythm	T	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	2	1	-	-	-	1	1	2	-	-	2	-	-
		F	29	3	4	4	4	1	2	1	2	3	3	2	-	-	-
434	Other and unspecified diseases of heart	T	599	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	353	31	31	29	23	43	32	20	30	19	38	36	21	-	-
		F	246	29	19	23	20	22	15	20	21	13	13	20	31	-	-
.0	Kyphoscoliotic heart disease	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
.1	Congestive heart failure	T	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	98	12	9	9	7	10	10	11	3	5	6	9	7	-	-
		F	89	8	6	11	8	6	7	5	13	3	10	5	7	-	-
.2	Left ventricular failure	T	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	3	-	1	2	-	1	-	1	4	1	-	-	-
		F	13	1	-	2	1	1	1	2	-	-	1	2	2	-	-
.3	Other and unspecified disease of heart	T	381	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	239	18	19	19	15	31	21	8	27	13	28	26	14	-	-
		F	142	19	13	10	11	14	7	13	8	10	2	13	22	-	-
441	Essential malignant hypertension with heart disease	T	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis	T	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	203	23	12	22	19	14	17	17	11	13	14	17	24	-	-
		F	199	18	21	22	12	19	12	14	12	11	19	18	21	-	-
443	Other and unspecified hypertensive heart disease	T	2,130	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	819	89	76	90	84	68	53	66	48	65	65	55	60	-	-
		F	1,311	147	103	121	130	131	99	100	91	82	100	96	111	-	-
444	Essential benign hypertension without mention of heart	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	1	-	-	-	-	-	-	1	-	3	-
		F	4	1	-	1	-	-	-	-	-	-	-	-	2	-	-
445	Essential malignant hypertension without mention of heart	T	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	4	-	1	-	1	-	1	1	3	-	1	2	-	-
		F	13	1	-	2	2	1	1	1	1	1	1	1	-	-	-
446	Hypertension with arteriolar nephrosclerosis without mention of heart	T	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	115	7	12	13	12	7	12	4	10	11	8	8	11	6	-
		F	96	8	8	10	12	5	12	7	5	4	8	11	6	-	-
447	Other hypertensive disease without mention of heart	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	2	1	-	1	-	-	1	-	-	-	-
		F	14	-	2	4	1	2	-	-	-	-	3	-	2	-	-
450	General arteriosclerosis	T	1,154	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	500	46	58	38	58	46	34	42	35	30	36	36	41	-	-
		F	654	65	53	82	61	59	47	52	33	46	51	42	63	-	-
.0	Without mention of gangrene	T	1,063	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	444	42	50	36	46	43	30	34	34	28	33	33	35	-	-
		F	619	64	50	77	58	57	44	48	31	44	47	39	60	-	-
.1	With gangrene	T	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	4	8	2	12	3	4	8	1	2	3	3	6	-	-
		F	35	1	3	5	3	2	3	4	2	2	4	3	3	-	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.														
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
490	Lobar pneumonia	T	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	173	16	16	40	21	12	8	6	6	6	12	17	13	-	-
		F	87	14	9	15	12	6	4	2	1	4	4	8	8	-	-
491	Bronchopneumonia	T	706	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	382	50	43	40	47	30	14	24	15	22	27	30	40	-	-
		F	324	45	29	54	49	22	20	18	17	16	18	17	19	-	-
492	Primary atypical pneumonia	T	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	75	5	7	16	6	4	3	2	2	5	4	12	9	-	-
		F	59	3	6	16	8	8	1	2	2	4	4	3	1	-	-
493	Pneumonia, other and unspecified	T	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	48	6	7	5	5	8	2	1	5	3	1	1	4	-	-
		F	34	5	2	5	2	2	1	5	3	-	3	2	4	-	-
500	Acute bronchitis	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	1	1	-	-	-	-	-	-	-	-	1	-	-
		F	7	2	1	2	-	1	-	-	-	-	-	-	1	-	-
501	Bronchitis, unqualified	T	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	-	1	-	4	2	-	1	-	2	-	1	-	-
		F	10	1	1	2	3	1	-	-	-	2	-	-	-	-	-
502	Chronic bronchitis	T	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	5	1	6	2	1	2	2	1	1	5	1	2	-	-
		F	9	1	3	1	-	-	-	1	2	-	-	-	1	-	-
.0	Bronchitis with emphysema	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	3	1	-	-	-	-	-	-	-	-	2	-	1	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	T	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	2	-	6	2	1	2	2	1	1	3	1	1	-	-
		F	8	1	2	1	-	-	-	1	2	-	-	-	1	-	-
510.1	Hypertrophy of tonsils and adenoids with tonsillectomy or adenoidectomy	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	2	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
511	Peritonsillar abscess (quinsy)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
513	Chronic sinusitis	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
517	Other diseases of upper respiratory tract	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	1	-	1	-	-	-	-
		F	5	-	-	1	-	1	2	-	1	-	-	-	-	-	-
518	Empyema	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	1	2	2	1	-	1	2	-	1	1	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
519	Pleurisy	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	1	1	-	-	-	1	-	-	-	-	-
.0	Without effusion or tuberculosis	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-
.2	Other specified forms of effusion, except tuberculous	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
520	Spontaneous pneumothorax	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
521	Abscess of lung	T	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	2	1	-	-	3	-	-	1	-	1	1	-	-
		F	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-
522	Pulmonary congestion and hypostasis	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	1	-	-	1	1	1	2	1	2	1	2	4
		F	14	-	1	-	1	1	1	-	-	-	-	-	-	-	-
523	Pneumoconiosis due to silica and silicates (occupational)	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	1	2	-	2	1	-	-	3	-	1	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Silicosis	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	1	1	-	1	-	-	-	2	-	1	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Asbestosis	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other, including pneumoconiosis, unspecified	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525	Other chronic interstitial pneumonia	T	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	5	2	6	3	3	2	1	3	-	4	1	-	-	-
		F	18	1	1	3	2	2	3	3	-	-	-	1	2	-	-

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.														
			MONTHS.														
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
710.0	Scleroderma and dermatomyositis . . .	T M F	7 3 4	1	-	-	-	1	-	-	-	-	1	-	-	-	-
716	Other diseases of the skin . . .	T M F	3 1 3	-	-	-	-	-	-	-	-	1	-	-	-	1	-
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	T M F	94 44 50	5 4 4	2 7 7	5 6 6	3 5 5	3 4 4	3 4 4	3 2 6	3 1 1	5 1 1	1 7 7	3 3 3			
722.0	Rheumatoid arthritis . . .	T M F	29 7 22	1	1	1	1	1	1	1	2	1	-	-	1	2	
723	Osteo-arthritis (arthrosis) and allied conditions	T M F	14 8 6	1	1	1	1	1	1	1	1	-	-	1	1	1	
.0	Osteo-arthritis (arthrosis)	T M F	13 7 6	1	1	1	1	-	-	1	1	1	-	-	1	1	
.1	Spondylitis osteoarthritis (spondylarthrosis)	T M F	1 1 1	-	-	-	-	-	-	1	-	-	-	-	-	-	
724	Other specified forms of arthritis . . .	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	
725	Arthritis, unspecified . . .	T M F	9 2 7	-	1	1	-	-	-	1	-	2	-	-	-	1	
730.2	Unspecified osteomyelitis . . .	T M F	3 1 2	-	-	-	1	-	-	-	-	-	-	-	-	-	
731	Osteitis deformans . . .	T M F	10 7 3	-	-	-	1	-	-	-	2	2	-	-	-	1	
733	Other diseases of bone . . .	T M F	8 5 3	1	1	-	1	-	1	-	-	-	1	2	-	-	
744	Other diseases of muscle, tendon, and fascia . . .	T M F	18 4 14	-	-	-	-	-	-	1	-	-	-	-	-	-	
.0	Myasthenia gravis . . .	T M F	6 5 1	-	-	-	-	-	-	-	-	-	1	1	-	-	
.1	Inborn defect of muscle	T M F	7 9 2	1	1	1	1	-	-	-	1	1	-	1	-	-	
.2	Other . . .	T M F	3 2 1	-	-	1	-	-	-	-	-	1	-	1	-	-	
745	Curvature of spine . . .	T M F	2 2 2	-	-	-	-	-	-	-	-	1	-	1	-	-	
XIV.	CONGENITAL MALFORMATIONS . . .	T M F	570 318 252	18 26 26	20 18 18	41 29 29	28 19 22	20 22 29	28 29 21	33 19 19	33 17 17	20 23 23	22 14 15	25 14 15	30 15 15		
750	Monstrosity . . .	T M F	47 21 26	2	2	2	2	1	2	3	2	2	4	1	1	-	
751	Spina bifida and meningocele . . .	T M F	85 35 50	2	2	5	4	2	2	2	5	4	-	3	4	4	
752	Congenital hydrocephalus . . .	T M F	52 29 23	1	1	5	1	1	4	4	2	1	3	4	2	2	
753.1	Other congenital malformations of nervous system and sense organs . . .	T M F	7 3 4	-	1	-	-	-	1	-	1	1	-	-	-	1	
754	Congenital malformations of circulatory system . . .	T M F	255 159 96	8 9 5	12 19 13	16 8 10	11 8 10	11 10 10	18 7 7	13 7 6	8 6 6	12 8 8	12 6 6	12 6 7	19 7 7		
.0	Tetralogy of Fallot . . .	T M F	12 5 7	-	-	-	-	1	1	1	-	1	1	-	1	-	
.1	Patent ductus arteriosus (Botalli) . . .	T M F	6 4 2	1	-	1	-	1	-	1	1	1	-	-	1	2	

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	MONTHS.														
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
784.5	Hematemesis . . .	T	5	-	-	-	2	2	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal system . . .	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1	1	-	-	1	1
.2	Jaundice . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Abdominal pain . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Diarrhea, age 2 years and over . . .	T	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786.1	Retention of urine . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
788	Other general symptoms	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	2	-	-	-	-	-	1	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
.0	Dehydration . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Tetany . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
.6	Acidosis . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Pyrexia of unknown origin . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
789.4	Hematuria . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790.1	Debility and undue fatigue . . .	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
792	Uremia, unqualified . . .	T	29	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	18	2	1	2	2	1	-	-	2	-	2	2	2	2	2
		F	11	-	1	-	-	-	-	-	2	-	1	2	-	-	-
794	Senility without mention of psychosis . . .	T	44	-	-	2	-	-	-	-	-	1	1	2	2	-	2
		M	19	1	1	2	-	3	1	1	1	2	2	4	1	1	2
		F	25	2	1	4	-	-	4	2	2	4	2	2	1	2	-
795	Ill-defined and unknown causes . . .	T	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	64	5	5	7	-	7	5	7	7	5	3	3	10	-	-
		F	25	-	2	4	2	-	3	2	4	3	1	3	1	-	-
.0	Other ill-defined condi- tions . . .	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	1	-	1	-	1	-	3	-	-	1	-	-	-
.2	Sudden death (cause unknown) . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
.5	Other, unknown and unspecified causes . . .	T	75	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	58	5	5	5	-	7	5	6	6	4	3	2	10	-	-
		F	17	-	1	4	1	-	1	2	1	3	-	3	1	-	-
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE . . .	T	2,913	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,760	133	141	147	141	134	162	183	139	115	149	146	170	-	-
		F	1,153	93	93	115	91	107	110	100	77	71	97	99	100	-	-
800- 962	Accidents and poisonings	T	2,447	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,416	107	108	119	103	98	129	156	118	91	125	120	142	-	-
		F	1,031	83	85	98	80	95	93	93	71	65	89	91	88	-	-
800	Railway accident involv- ing railroad employee . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-
802	Railway accident involv- ing other and unspeci- fied person . . .	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	-	1	3	2	1	2	1	-	2	2	1	-	-
		F	8	-	-	2	1	1	-	3	1	-	-	-	-	-	-
810	Motor-vehicle traffic acci- dent involving collision with railway train . . .	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
812	Motor-vehicle traffic acci- dent to pedestrian . . .	T	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	180	23	16	8	21	13	13	10	11	10	16	14	25	-	-
		F	58	4	3	4	2	5	7	4	5	-	9	8	7	-	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	MONTHS.													
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
912	Accident caused by machinery	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	-	-	-	-	2	3	-	-	2	1	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
914	Accident caused by electric current	T	14	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	2	-	2	-	-	2	-	-	1	1	2	2
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-
916	Accident caused by fire and explosion of combustible material	T	200	7	13	11	8	4	10	9	4	7	-	-	-	-
		M	105	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	95	11	6	14	11	6	5	5	2	1	4	16	8	8
917	Accident caused by hot substance, corrosive liquid and steam	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	1	-	-	-	-	-	-	1
919	Accident caused by firearms	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	-	-	-	-	1	-	1	-	2	-	-	3
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
921	Inhalation and ingestion of food causing obstruction or suffocation	T	38	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	27	4	2	2	2	1	4	2	3	-	2	2	3	2
		F	11	-	2	3	-	1	1	1	-	-	2	1	-	-
922	Inhalation and ingestion of other object causing obstruction or suffocation	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	2	-	-	-	-	-	-	-
923	Foreign body entering other orifice	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	2	-	-	-	-	-	-
924	Accidental mechanical suffocation in bed and crib	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	2	-	1	-	1	1	-	1	2	1	4	-
		F	10	-	1	1	3	-	1	-	1	1	2	-	-	-
925	Accidental mechanical suffocation in other and unspecified circumstances	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	1	-	-	-	-	-	2	-	-	-	1	-
		F	3	-	1	-	-	-	2	-	-	-	-	-	-	-
928	Other accidents caused by animals	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	1	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
929	Accidental drowning and submersion	T	156	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	133	6	5	10	7	12	29	32	14	3	6	3	6	-
		F	23	1	2	2	2	1	5	5	2	2	1	-	-	-
931	Excessive heat and insolation	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	5	5	-	-	-	-	-	-
		F	10	-	-	-	-	-	2	7	1	-	-	-	-	-
932	Excessive cold	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	1	1	-	-	-	-	-	-	1	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
933	Hunger, thirst, and exposure	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	1	-	1	-
		F	-	1	-	-	-	-	-	-	-	-	-	-	-	-
935	Lightning	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	1	-	-	-	-	-
936	Other and unspecified accidents	T	67	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	3	5	7	3	5	4	2	7	5	5	3	5	-
		F	13	-	-	1	2	3	2	-	-	3	1	1	-	-
944	Other complications of prophylactic inoculation	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-
951	Therapeutic misadventure in infusion or transfusion	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-
953	Therapeutic misadventure in administration of drugs or biologicals	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	1	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-
954	Therapeutic misadventure in anesthesia	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	1	1	-	-	1	1	-
		F	7	-	-	-	-	-	4	-	-	-	2	-	-	-
960	Late effect of motor-vehicle accident	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	2	-	-	-	-	-	-
962	Late effect of other accidental injury	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	1	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
963, 970-979	Suicide and self-inflicted injury	T	419	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	317	25	31	27	38	30	28	25	20	21	23	24	25	-
		F	102	9	6	15	8	12	13	6	6	5	6	6	10	-

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1952.

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
970	Suicide and self-inflicted poisoning by analgesic and soporific substances	T	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	2	1	-	-	-	-	1	1	-	-	-	1	1	-
		F	16	1	2	-	1	3	-	-	1	2	3	-	1	1	2
.2	Barbituric acid and derivatives	T	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	-	-	-	-	-	1	1	1	-	-	1	1	-
		F	15	1	2	-	1	2	-	-	1	2	3	-	-	-	2
.3	Acetylsalicylic acid	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
.8	Others	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
971	Suicide and self-inflicted poisoning by other solid and liquid substances	T	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	3	1	2	2	1	-	1	1	1	-	1	1	3
		F	7	1	-	1	-	-	1	1	1	-	-	1	-	-	1
.3	Lye and potash	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Cresol compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
.5	Mercury and its compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Arsenic and its compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Others	T	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	2	1	2	1	1	-	-	-	1	-	1	1	3
		F	5	1	-	1	-	-	1	-	-	1	-	1	-	-	-
972	Suicide and self-inflicted poisoning by gases in domestic use	T	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	3	1	3	2	3	-	-	-	-	3	-	3	3	3
		F	21	2	1	4	4	4	2	-	-	-	-	2	1	1	-
973.1	Suicide and self-inflicted poisoning by motor-vehicle exhaust gas	T	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	36	4	4	4	6	3	3	1	2	2	3	2	2	2	2
		F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
974	Suicide and self-inflicted injury by hanging and strangulation	T	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	105	3	18	6	9	9	7	14	6	5	10	8	10	10	3
		F	23	2	1	4	2	4	2	1	-	2	2	2	2	2	-
975	Suicide and self-inflicted injury by drowning and submersion	T	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	-	3	6	1	4	1	1	2	2	2	1	1	1
		F	16	3	1	3	-	-	4	1	2	-	-	1	1	1	-
976	Suicide and self-inflicted injury by firearms and explosives	T	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	81	8	2	9	7	8	10	7	7	6	5	7	5	5	5
		F	7	-	-	2	-	-	2	-	-	-	-	3	-	-	-
977	Suicide and self-inflicted injury by cutting and piercing instruments	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	2	1	2	3	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
978	Suicide and self-inflicted injury by jumping from high place	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	4	1	1	1	1	2	2	2	1	1	1
		F	5	-	-	1	1	1	-	-	1	-	-	-	-	-	-
979	Suicide and self-inflicted injury by other and unspecified means	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	-	1	-	-	-	-	1	1	-
964,965,980-999	Homicide and operations of war	T	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	1	2	1	6	5	2	1	3	1	2	2	3	3	2
		F	20	1	2	2	3	4	1	-	1	2	2	2	2	2	2
964	Late effect of injury purposely inflicted by another person (not in war)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980	Nonaccidental poisoning by another person	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
981	Assault by firearms and explosives	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	2	1	-	-	3	1	-	1	-	1	-	1	-
		F	6	-	-	2	1	-	-	-	-	-	-	-	-	2	-
982	Assault by cutting and piercing instruments	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	2	-	1	-	-	-	1	1	-	-
		F	5	-	1	-	1	-	-	-	-	-	1	-	-	-	1
983	Assult by other means	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	-	-	-	4	-	2	-	1	2	-	-	-	-
		F	8	1	1	-	1	-	3	1	-	-	1	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.	
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.			95 to 99.
I.	366	513	728	1,189	1,771	2,663	4,042	5,311	6,397	7,007	7,157	5,997	3,387	1,402	316	40	-
	232	273	409	722	1,090	1,725	2,613	3,249	3,735	3,579	3,490	2,637	1,362	474	94	3	-
	134	240	319	467	681	938	1,429	2,062	2,662	3,428	3,667	3,360	2,025	928	222	37	-
001-	11	23	30	35	62	59	79	82	89	69	29	17	6	5	-	-	-
019	13	26	16	14	17	16	21	32	17	20	10	11	6	1	-	1	-
001-	9	22	25	32	61	54	68	68	73	55	24	12	5	2	-	-	-
008	10	24	15	13	13	11	16	20	12	13	8	6	6	1	-	1	-
001	8	21	25	31	59	52	67	64	69	52	24	12	5	1	-	-	-
	9	23	15	11	11	10	14	17	12	11	8	4	6	1	-	1	-
002	8	21	24	30	59	52	67	62	69	50	24	12	5	1	-	-	-
	9	23	15	11	11	10	14	16	12	11	8	4	6	1	-	1	-
003.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
010	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
011	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
012	1	1	-	-	1	-	1	1	2	2	2	-	-	1	-	-	-
.0	1	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
.1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
.3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
014.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
015	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
016	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
019	-	-	-	1	1	1	1	1	2	1	1	-	-	-	-	-	-
.1	-	1	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-
.2	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
022	-	1	-	1	1	-	-	2	1	1	-	1	-	-	-	-	-
023	-	-	-	-	1	1	1	3	1	2	2	-	-	-	-	-	-
024	-	-	-	-	1	1	2	3	4	4	4	1	1	2	-	-	-
025	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-
026	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.	95 to 99.
080	1	1			1												
.0	1	1							1								
.1	1	1															
.3	1				1												
081																	
082												1					
083.3									1								
085			1														
.0		1		1													
.1																	
087		1															
089							1										
092																	
093	2		1			1		1	2	3	1	1					
096.9			1	1		2		1		1	1				1		
128		1			1	1		2		1	1						
133																	
134.3			1														
138.0				1													
II.					1												
140-	30	45	46	104	161	353	528	640	749	668	530	343	135	36	5		
205	27	58	100	173	233	319	459	532	596	649	558	379	156	76	10		
140	26	42	44	100	158	344	518	631	744	661	525	341	134	36	5		
140	26	53	94	165	226	314	457	520	588	646	550	372	151	74	10		2
141			1		4	2	6	8	8	4	4	1	1	2	1		
142				3	2		1	1		1	4	2					
.0				1	1	2	2		2	1		1					

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
170	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
171	2	17	29	54	57	70	100	121	113	120	83	64	22	24	3	1
172	1	8	13	12	22	34	25	21	17	26	22	10	2	1	-	-
174	-	-	-	1	1	-	3	2	5	3	3	1	1	-	-	-
175	1	2	1	4	12	15	37	24	34	28	25	23	6	1	-	-
176	-	2	3	16	21	27	36	39	37	29	24	8	7	4	1	-
177	-	-	-	2	1	-	-	2	4	4	5	3	6	4	1	-
178	-	-	-	1	-	3	20	42	54	89	104	71	32	9	1	-
179	2	4	-	1	1	-	-	-	-	1	-	-	-	-	-	-
180	-	-	-	-	1	-	-	1	2	-	3	-	-	-	-	-
181	1	1	-	4	5	13	11	22	18	16	5	4	1	-	-	-
182	-	-	-	-	1	4	9	7	6	7	4	2	-	-	-	-
183	1	1	-	-	2	7	19	21	33	30	39	30	7	2	2	6
184	1	-	1	2	1	6	4	14	12	23	28	14	10	6	-	-
185	1	2	1	1	5	1	2	2	5	1	1	2	2	1	-	-
186	1	1	2	1	2	2	4	3	1	2	2	4	1	-	-	-
187	-	1	1	1	2	-	-	2	3	2	3	5	3	1	2	2
188	-	-	-	1	1	-	2	1	2	1	1	-	-	-	-	-
189	1	3	4	9	11	13	19	19	12	3	2	1	-	-	-	-
190	4	2	3	5	5	10	9	14	6	3	2	1	-	-	-	-
191	-	-	1	-	-	1	4	2	3	1	1	-	-	-	-	-
192	-	-	-	-	-	1	3	2	8	1	3	3	-	-	-	-
193	-	-	-	-	-	2	2	5	3	1	1	-	-	-	-	-
194	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-
195	-	-	-	-	-	2	9	7	8	5	4	4	2	-	-	-
196	3	3	1	1	1	1	1	2	4	2	1	4	1	1	-	-
197	-	-	1	1	2	3	2	4	2	2	1	4	1	1	-	-
198	-	-	-	-	2	2	3	1	-	1	1	-	1	-	-	-
199	-	-	2	-	-	1	1	1	-	1	1	1	1	1	-	-
200	-	-	-	-	-	1	1	-	-	1	-	1	1	1	-	-
201	-	-	2	-	-	-	-	-	-	1	-	1	1	1	-	-
202	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-
203	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
204	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
205	1	2	2	9	5	20	25	21	20	28	16	10	6	-	-	-
206	1	4	4	5	11	14	19	14	27	31	25	14	10	2	-	-
207	1	1	1	3	1	11	11	6	10	12	9	3	4	-	-	-
208	1	1	3	2	2	8	8	6	13	15	11	6	6	2	-	-
209	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													Unknown.			
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.		90 to 94.	95 to 99.	100 and over.
4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	-	-	-	2	1	4	3	11	3	5	3	4	4	-	-	-	-
9	-	1	1	3	6	1	4	3	4	9	3	3	1	-	-	-	-
200	-	-	-	4	3	3	3	9	4	7	9	2	2	-	-	-	-
0	1	1	2	1	4	2	6	8	10	10	8	3	2	-	-	-	-
1	1	-	-	-	1	1	2	2	1	1	1	-	-	-	-	-	-
2	-	-	-	1	2	5	4	6	3	6	6	2	2	-	-	-	-
201	-	1	-	-	1	1	2	2	2	4	1	1	1	-	-	-	-
202	7	5	6	5	2	11	5	4	8	5	5	1	1	-	-	-	-
0	3	1	4	2	1	4	4	6	4	2	4	4	1	-	-	-	-
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	-	-	-	1	1	4	5	6	6	7	1	1	1	-	-	-	-
204	-	-	-	-	2	3	7	3	7	4	1	1	1	-	-	-	-
0	5	8	2	7	3	17	19	17	27	22	16	13	7	2	1	-	-
1	4	2	3	8	7	9	13	11	16	14	11	7	4	2	5	-	-
2	2	1	-	2	6	9	9	8	12	11	6	4	2	2	2	-	-
3	3	1	-	1	5	4	5	4	8	8	4	5	4	2	4	-	-
4	1	2	1	3	1	4	5	5	8	7	4	2	2	1	1	-	-
205	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-
211	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
212	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
214	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
215	1	-	-	2	1	1	-	-	1	-	-	1	-	-	-	-	-
216	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-

Table 12

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	AGE OF DECEDENTS (YEARS).																	
			Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.								
219	Benign neoplasm of kidney and other urinary organs	T M F	3 2 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	T M F	24 14 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
224	Benign neoplasm of endocrine glands	T M F	9 7 2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
225	Benign neoplasm of bone and cartilage	T M F	2 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
227	Other benign neoplasm of muscular and connective tissue	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228	Hemangioma and lymphangioma	T M F	2 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
230	Neoplasm of unspecified nature of digestive organs	T M F	13 4 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
231	Neoplasm of unspecified nature of respiratory organs	T M F	7 6 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
234	Neoplasm of unspecified nature of ovary	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235	Neoplasm of unspecified nature of other female genital organs	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
236	Neoplasm of unspecified nature of other genito-urinary organs	T M F	2 1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237	Neoplasm of unspecified nature of brain and other parts of nervous system	T M F	56 31 25	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	2
238	Neoplasm of unspecified nature of skin and musculo-skeletal system	T M F	3 2 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239	Neoplasm of unspecified nature of other and specified organs	T M F	6 6 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	T M F	1,241 495 746	-	7	2	3	1	-	-	-	2	2	-	2	4	7	-	-	3
241	Asthma	T M F	130 85 45	-	3	-	1	1	-	-	-	1	1	-	1	3	-	-	-	1
245	Other allergic disorders	T M F	1 1 1	-	1	-	1	-	-	-	-	1	1	-	3	-	-	-	-	1
250	Simple goiter	T M F	2 2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251	Nontoxic nodular goiter	T M F	3 2 1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
252	Thyrotoxicosis with or without goiter	T M F	14 3 11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Toxic diffuse goiter	T M F	13 3 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Toxic nodular goiter	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253	Myxedema and cretinism	T M F	6 6 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
254	Other diseases of thyroid gland	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	T M F	1,041 382 659	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
219	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
223	2	2	-	3	2	1	3	2	1	-	-	-	-	-	-	-
224	-	2	1	1	1	2	1	1	1	-	1	-	-	-	-	-
225	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
227	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
228	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
230	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-
231	-	-	-	-	1	-	1	1	2	1	1	1	2	-	-	-
234	-	-	-	-	-	1	1	-	3	1	1	-	-	-	-	-
235	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
236	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
237	2	1	1	-	2	4	6	3	3	1	3	-	-	1	-	-
233	2	2	5	2	3	1	-	4	3	1	1	-	-	-	-	-
239	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
III.	-	-	1	-	-	-	-	1	-	-	2	1	1	-	-	-
241	3	9	7	11	19	23	59	62	81	69	77	32	18	3	-	-
	6	9	7	16	9	26	54	95	143	136	118	72	20	8	-	-
245	1	1	1	2	4	4	12	18	16	7	6	4	1	1	-	-
	1	1	1	4	3	3	3	5	7	4	4	1	1	1	-	-
250	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
251	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
252	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
.0	1	1	-	2	-	1	1	2	1	2	-	-	-	-	-	-
.1	1	1	-	2	-	2	1	1	1	1	-	-	-	-	-	-
253	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
254	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-
260	3	7	7	5	13	16	46	39	65	61	70	28	17	2	-	-
	4	7	6	7	5	22	49	84	133	127	110	71	17	7	-	-

DETAILED INT. LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
272				1			1				1		1			
273																
274		1						1		1						
277							1									
280				2							1					
281					1						1					
286					1						1					
.0	1							1		1	1					
.5						1			1							
.6																
288	1									1	1					
289				1			1			1						
.0									1		1					
.1																
.2				1			1			1						
IV.			4	3	2	1	4	5	10	5	10	9	4			
290	1	1	2	2	3	4	3	13	9	9	9	11	7	1		
.0						1	1	2	4	1	5	9	3			
.2						1	1	5	1	1	6	7	7	1		
.3						1	1	5	4	1	5	8	3			
291							1	1	1	1	1	1				
292						1			1			1				
.1	1	1		2	1	2	2	2	2	3	3	1				
.2						1										
.3				1				2	1			2				
.4	1	1		1						3	2					

CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
 SEX, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
2	1	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-
3	4	3	1	4	4	3	3	1	1	1	1	-	-	-	-	-
355	-	2	2	2	-	-	2	1	1	2	2	-	-	-	-	-
356	-	1	1	1	1	1	3	2	2	1	1	1	-	-	-	-
0	-	1	-	-	2	1	2	7	4	1	3	1	-	-	-	-
1	-	1	-	-	-	1	2	2	1	3	2	3	-	-	-	-
357	-	-	-	1	2	1	6	4	6	1	1	1	-	-	-	-
360	-	-	-	1	-	1	-	5	4	-	-	1	-	-	-	-
364	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
392.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
393.2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
396	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VII.	39	63	133	292	556	824	1,333	1,677	1,912	1,866	1,888	1,492	822	311	58	3
400	21	41	64	109	206	309	526	876	1,233	1,730	1,959	1,897	1,213	581	145	23
401	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
410	2	10	4	8	14	12	19	14	13	7	18	11	5	5	1	-
3	3	8	9	21	13	18	16	19	21	21	18	23	12	5	-	-

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL											
			Total.	AGE OF DECEDENTS (YEARS).										
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.		
411	Diseases of aortic valve (rheumatic)	T	6	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
413	Diseases of pulmonary valve (rheumatic)	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-
414	Other rheumatic endocarditis	T	14	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-
415	Other rheumatic myocarditis	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
416	Other rheumatic heart disease	T	428	-	-	-	-	-	-	-	1	-	-	-
		M	182	-	-	-	-	-	-	-	2	2	-	-
		F	246	-	-	-	-	-	-	-	1	2	4	-
420	Arteriosclerotic heart disease, including coronary disease	T	15,886	-	-	-	-	-	-	-	-	-	-	-
		M	9,454	-	-	-	-	-	-	-	-	1	1	2
		F	6,432	-	-	-	-	-	-	-	-	-	-	-
.0	Arteriosclerotic heart disease	T	6,322	-	-	-	-	-	-	-	-	1	1	-
		M	3,192	-	-	-	-	-	-	-	-	1	-	-
		F	3,130	-	-	-	-	-	-	-	-	-	-	-
.1	Heart disease involving coronary arteries	T	9,539	-	-	-	-	-	-	-	-	-	-	-
		M	6,246	-	-	-	-	-	-	-	-	-	1	2
		F	3,293	-	-	-	-	-	-	-	-	-	1	1
.2	Angina pectoris without mention of coronary disease	T	25	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-
421	Chronic endocarditis (nonrheumatic)	T	255	-	-	-	-	-	-	-	-	-	-	-
		M	140	-	-	-	-	-	-	-	-	1	-	1
		F	115	-	-	-	-	-	-	-	-	-	1	-
.0	Of mitral valve	T	3	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-
.1	Of aortic valve	T	100	-	-	-	-	-	-	-	-	-	-	-
		M	74	-	-	-	-	-	-	-	-	1	-	1
		F	26	-	-	-	-	-	-	-	-	-	-	-
.4	Other and ill-defined	T	152	-	-	-	-	-	-	-	-	-	-	-
		M	65	-	-	-	-	-	-	-	-	-	-	-
		F	87	-	-	-	-	-	-	-	-	-	1	1
422	Other myocardial degeneration	T	2,198	-	-	-	-	-	-	-	-	-	-	-
		M	1,048	-	-	-	-	-	-	-	-	-	-	-
		F	1,150	-	-	-	-	-	1	-	-	-	-	1
.0	Fatty degeneration	T	2	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
.1	With arteriosclerosis	T	1,307	-	-	-	-	-	-	-	-	-	-	-
		M	590	-	-	-	-	-	-	-	-	-	-	-
		F	717	-	-	-	-	-	-	-	-	-	-	-
.2	Other	T	889	-	-	-	-	-	-	-	-	-	-	-
		M	457	-	-	-	-	-	-	-	-	-	-	-
		F	432	-	-	-	-	-	1	-	-	-	-	1
430	Acute and subacute endocarditis (nonrheumatic)	T	25	-	-	-	-	-	-	-	1	-	-	-
		M	14	2	-	-	-	-	-	-	-	-	-	1
		F	11	-	-	-	-	-	-	-	-	-	-	-
.0	Acute and subacute bacterial endocarditis	T	18	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	-	-	-	-	-	-	-	-	1
		F	7	-	-	-	-	-	-	-	-	-	-	-
.1	Other acute endocarditis	T	7	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-
431	Acute myocarditis (nonrheumatic)	T	68	-	-	-	-	-	-	-	-	-	-	-
		M	32	1	-	-	-	-	-	-	-	-	1	-
		F	36	1	1	1	-	-	1	-	-	-	-	1
432	Acute pericarditis (nonrheumatic)	T	3	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-
433	Functional disease of heart	T	48	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-
		F	34	-	-	-	-	-	-	-	-	-	-	-
.0	Heart block	T	9	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-
.1	Other disorders of heart rhythm	T	39	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	-

¹ Correct according to death certificate. Eleven year old boy had progeria from birth.

CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
 LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.	
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.
462.1	1	-	1	-	-	3	2	1	1	-	2	1	-	-	-	-
463	1	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-
464	1	-	-	1	1	4	1	2	8	1	8	1	-	-	-	-
465	-	-	2	1	1	1	1	2	5	4	5	3	-	-	-	-
466	-	1	2	1	3	2	2	4	6	9	7	3	2	-	-	-
467.2	-	-	-	-	-	-	-	-	-	8	5	4	1	-	-	-
468.2	-	-	-	-	-	-	-	-	-	7	7	1	-	-	-	-
VIII.	10	12	18	29	33	60	60	86	95	91	93	73	57	19	9	-
472.1	1	8	11	11	19	12	28	38	42	61	72	100	76	32	10	2
473	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
475	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480	-	1	-	-	-	1	-	-	-	-	1	1	-	2	-	-
481	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-	-
482	-	-	-	-	1	-	-	2	3	-	-	-	1	-	-	-
490	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
491	2	2	5	12	9	16	15	22	18	21	17	9	9	3	-	-
492	4	4	9	10	9	20	18	24	31	42	50	41	35	11	5	-
493	1	4	5	4	4	7	15	18	18	33	38	54	51	20	6	2
500	1	1	-	-	2	1	5	3	3	2	9	7	3	1	-	-
501	1	-	-	-	1	2	2	6	6	1	5	3	4	1	-	-
502	-	-	-	-	1	2	1	3	2	4	1	2	4	2	-	-
.0	-	-	-	1	1	-	1	7	6	4	3	4	1	-	-	-
.1	-	-	-	1	-	-	-	2	1	2	-	2	-	-	-	-
510.1	-	-	-	1	1	-	-	3	2	1	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														Unknown.	
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		95 to 99.
511							1									
513							1									
517		1					1		1							
518			1	2	1		2	2	3	1						
519								1								
.0									1			3				
.2									1			2				
520					1							1				
521																
522			1		1	1	3	2	1		2	1				
523			2		1		2	1	2			1	1			
.0						2		1	3	3	2	2	3	1		
.2									2	2	1					
.3									1	1						
525										1	1					
526	1	1	1	1	1	1	2	3	2	2	1	1				
527		1	1	1	2	2	4	3	4	11	8	4	5	1	2	
.0	1			1	3	7	6	7	3	5	2	2	2			
.1					1		1		1							
.2					2	7	4	6	3	5	2	2	2			
IX.	1			1	1		2	1								
533.7	12	16	37	76	69	125	160	178	168	139	121	67	37	5		
	8	20	33	50	64	57	72	85	95	110	92	68	38	14	7	1
537	1															
539.1				1			1	1	1	1	2		1			

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														Unknown.	
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		95 to 99.
540	1	-	3	7	4	12	18	16	20	19	17	2	2	-	-	-
.0	-	-	2	-	2	3	4	7	5	5	7	6	2	-	1	-
.1	-	-	3	5	3	9	9	14	11	8	11	2	2	-	-	-
541	1	-	1	-	-	2	3	3	2	2	6	3	2	-	-	-
.0	1	4	3	16	5	20	21	28	23	24	18	15	5	1	-	-
.1	-	2	2	10	2	13	14	14	17	13	12	10	3	1	-	-
542	1	2	1	6	3	7	7	14	6	11	6	5	2	-	-	-
.0	-	-	-	-	1	1	-	3	4	2	1	2	3	-	-	-
.1	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-
543	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
544	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
545	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
550	1	2	1	2	3	11	8	6	6	6	4	5	-	1	-	-
.0	2	4	5	-	2	3	2	5	5	2	6	3	1	-	1	-
.1	-	2	1	-	1	4	2	-	1	-	1	-	-	-	-	-
551	1	2	-	2	2	7	6	6	5	6	3	5	-	-	-	-
.0	2	2	5	-	2	2	2	5	4	2	6	3	1	-	-	-
.1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
.0	-	-	-	1	-	2	2	2	3	2	3	3	-	1	-	-
.1	-	-	-	-	-	-	1	1	2	1	1	2	-	1	-	-
.2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
.3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
.4	-	-	-	1	1	-	-	1	-	1	1	1	-	-	-	-
.5	-	-	-	-	-	2	-	1	1	1	2	2	-	-	-	-

DEATH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DISTRICT, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
561	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	1	-	-	1	2	2	2	5	5	4	9	6	5	-	-	-
.1	-	-	-	-	-	-	-	1	5	5	5	3	5	-	-	-
.2	-	-	-	-	-	-	1	-	-	2	1	3	4	-	-	-
.3	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-
.4	1	-	-	1	-	1	2	2	2	1	1	-	1	-	-	-
.5	-	-	-	-	-	1	2	1	1	1	3	2	1	-	-	-
570	-	-	-	4	6	5	7	14	15	15	11	7	4	-	-	-
.0	1	1	1	7	3	2	7	12	5	17	21	10	6	5	2	-
.1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	-	-	1	1	1	1	3	1	-	2	-	-	1	-	-	-
.3	-	-	1	1	3	2	1	6	7	3	4	1	2	3	2	-
.4	1	-	1	2	-	1	2	2	2	1	2	2	1	1	-	-
.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	-	-	1	3	2	2	3	5	6	9	6	4	2	-	-	-
.0	1	-	1	3	2	1	2	6	3	8	3	7	3	2	1	-
.1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
572	1	1	3	2	1	2	2	5	6	4	4	1	3	2	1	-
.0	1	1	3	4	5	3	2	6	8	10	7	7	1	1	-	-
.1	-	-	1	-	-	-	1	4	4	1	2	1	1	-	-	-
.2	1	1	1	2	1	2	1	4	5	6	4	7	-	-	-	-
.3	1	1	-	4	4	1	1	1	3	3	3	-	-	1	-	-
575	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
576	1	-	1	-	1	1	-	2	3	1	2	1	-	-	-	-
577	-	-	1	-	-	1	1	1	2	1	1	-	-	-	-	-

ACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
 (ST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														Unknown.	
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		95 to 99.
578	1	-	-	-	1	2	4	4	3	1	-	2	1	-	-	-
580	-	1	-	1	3	1	1	-	3	1	3	2	1	-	-	-
581	1	-	2	1	5	2	4	1	1	4	1	-	-	-	-	-
.0	4	8	21	36	33	61	78	78	65	44	26	15	11	-	-	-
.1	1	9	18	30	32	25	35	26	28	21	18	11	4	3	1	-
582	2	5	7	21	23	40	48	54	51	34	21	14	9	-	-	-
583	1	3	14	15	10	21	30	24	14	10	5	1	2	-	-	-
584	1	3	6	15	9	7	8	7	5	3	3	1	1	-	-	-
585	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
586	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
587	-	-	1	1	-	1	1	2	-	-	2	-	1	-	-	-
.0	1	1	3	2	4	2	4	3	5	2	7	-	-	-	-	-
.1	1	2	1	2	3	3	3	3	3	4	-	2	1	-	1	-
.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X.	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-
590	19	7	18	25	19	22	33	52	81	93	113	91	44	16	2	-
591	1	9	12	10	18	27	34	43	51	62	69	63	34	21	5	-
592	2	-	2	2	-	2	-	1	2	1	1	1	-	-	1	-
593	-	-	1	1	3	1	3	3	2	2	1	-	-	-	-	-
594	-	-	1	1	3	3	2	4	4	1	1	1	1	2	-	-
600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	4	2	3	4	3	5	8	7	11	11	14	12	5	-	-	-
.1	4	1	4	2	3	5	11	4	10	11	17	8	1	3	-	-
601	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
602	-	1	2	-	3	1	1	1	5	-	1	-	1	1	-	-

ACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
ST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.	95 to 99.
XII.																	
690.1	1	1	2	2	2		3	4	1	2	2	3	1				
692			1					1	1								
.1			1					2	1								
.4			1					2									
.6			1														
698									1								
701											1						
702.6					1												
703.7								1									
704.1								1					1				
705								1		2		1					
.4	1				2			1				1					
.5	1				2			1									
709								1				1					
710.0																	
716		1					2	1									
XIII.			1									2					
722.0			2	5	2	3	2	3	6	8	1	6					
723				1	1	1	2	2	3	3	1	3	4				
.0					1	1	1	1	1	3	1	2	2	2			
.1					1	1			1	2	1	2	1				
724																	
725												1					
730.2								1				2		1			

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL											
			Total.	AGE OF DECEDENTS (YEARS).										
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.		
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	T	286	-	-	-	-	-	-	-	-	-	-	-
		M	170	11	3	1	-	-	-	1	1	2	5	
		F	116	8	-	2	-	2	1	1	-	3		
780	Certain symptoms referable to nervous system and special senses	T	6	-	-	-	-	-	-	-	-	-		
		M	2	1	-	-	-	-	-	-	-	-		
.0	Coma and stupor	F	4	-	-	-	-	1	-	-	-	1		
		T	3	-	-	-	-	-	-	-	-	-		
		M	1	-	-	-	-	-	-	-	-	-		
.2	Convulsions	F	2	-	-	-	-	-	-	-	-	1		
		T	2	-	-	-	-	-	-	-	-	-		
		M	-	-	-	-	-	-	-	-	-	-		
.4	Abnormal involuntary movement	F	2	-	-	-	-	1	-	-	-	-		
		T	1	-	-	-	-	-	-	-	-	-		
		M	1	1	-	-	-	-	-	-	-	-		
781.8	Encephalopathy	F	5	-	-	-	-	-	-	-	-	-		
		T	4	-	2	1	-	-	-	-	-	-		
		M	1	-	-	-	-	-	-	1	-	-		
782	Symptoms referable to cardiovascular and lymphatic system	F	79	-	-	-	-	-	-	-	-	-		
		T	41	-	-	-	-	-	-	-	1	-		
		M	38	-	-	-	-	-	-	-	-	2		
.2	Tachycardia	F	1	-	-	-	-	-	-	-	-	-		
		T	1	-	-	-	-	-	-	-	-	-		
		M	-	-	-	-	-	-	-	-	-	-		
.4	Acute heart failure, undefined	F	74	-	-	-	-	-	-	-	-	-		
		T	39	-	-	-	-	-	-	-	1	-		
		M	35	-	-	-	-	-	-	-	-	-		
.7	Enlargement of lymph node	F	1	-	-	-	-	-	-	-	-	1		
		T	1	-	-	-	-	-	-	-	-	-		
		M	-	-	-	-	-	-	-	-	-	-		
.9	Shock without mention of trauma	F	3	-	-	-	-	-	-	-	-	-		
		T	1	-	-	-	-	-	-	-	-	-		
		M	1	-	-	-	-	-	-	-	-	-		
783	Symptoms referable to respiratory system	F	2	-	-	-	-	-	-	-	-	1		
		T	13	-	-	-	-	-	-	-	-	-		
		M	10	2	-	-	-	-	-	-	-	-		
.0	Epistaxis	F	3	1	-	-	-	-	-	-	-	-		
		T	5	-	-	-	-	-	-	-	-	-		
		M	3	-	-	-	-	-	-	-	-	-		
.1	Hemoptysis	F	2	-	-	-	-	-	-	-	-	-		
		T	8	-	-	-	-	-	-	-	-	-		
		M	7	2	-	-	-	-	-	-	-	-		
784.5	Hematemesis	F	1	1	-	-	-	-	-	-	-	-		
		T	5	-	-	-	-	-	-	-	-	-		
		M	5	-	-	-	-	-	-	-	-	-		
785	Symptoms referable to abdomen and lower gastro-intestinal system	F	6	-	-	-	-	-	-	-	-	-		
		T	2	1	-	-	-	1	-	-	-	-		
		M	4	1	-	-	-	-	-	-	-	-		
.2	Jaundice	F	1	-	-	-	-	1	-	-	-	-		
		T	1	1	-	-	-	-	-	-	-	-		
		M	1	-	-	-	-	-	-	-	-	-		
.5	Abdominal pain	F	1	-	-	-	-	-	-	-	-	-		
		T	1	-	-	-	-	-	-	-	-	-		
		M	1	1	-	-	-	-	-	-	-	-		
.6	Diarrhea, age 2 years and over	F	4	-	-	-	-	-	-	-	-	-		
		T	1	1	-	-	-	-	-	-	-	-		
		M	3	-	-	-	-	1	1	-	-	-		
786.1	Retention of urine	F	1	-	-	-	-	1	-	-	-	-		
		T	1	-	-	-	-	-	-	-	-	-		
		M	1	-	-	-	-	-	-	-	-	-		
788	Other general symptoms	F	7	-	-	-	-	-	-	-	-	-		
		T	4	1	1	-	-	-	-	1	-	-		
		M	3	-	-	-	-	-	-	-	-	-		
.0	Dehydration	F	2	-	-	1	-	-	1	-	-	-		
		T	2	-	-	-	-	-	-	-	-	-		
		M	2	-	-	-	-	-	-	-	-	-		
.5	Tetany	F	2	-	-	-	-	-	1	-	-	-		
		T	1	-	-	-	-	-	-	-	-	-		
		M	1	1	-	-	-	-	-	-	-	-		
.6	Acidosis	F	1	-	-	-	-	-	-	-	-	-		
		T	1	-	-	-	-	-	-	1	-	-		
		M	1	-	-	-	-	-	-	-	-	-		
.8	Pyrexia of unknown origin	F	3	-	-	-	-	-	-	-	-	-		
		T	2	-	1	-	-	-	-	-	-	-		
		M	1	-	1	-	-	-	-	-	-	-		

EACH CASE AND CLASS OF CAUSES, ACCORDING TO THE AGE AND SEX: 1952.

Detailed in List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.	95 to 99.
825	4	1	2	2	1	2	1	1	2	1	1	1	1	1	1	1	1
834	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
835	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
841	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
843	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
845	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
850	2	3	2	5	2	1	2	2	1	1	1	1	1	1	1	1	1
851	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
852	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
853	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
857	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
860	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
863	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
866	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
870	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
871	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
872	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
874	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
878	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
880	2	3	1	2	2	2	2	2	1	1	1	1	1	1	1	1	1
881	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
884	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
885	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
888	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
890	1	1	1	1	2	2	2	1	5	1	5	2	1	1	1	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.	95 to 99.
891	1					1					1						
892	1	1															
894									1								
900										1							
901		1	1	1	4	3	6	8	9	15	12	12	2	1			
902	1				1	2		5	6	9	12	7	9	3			
903	2	3	1	3	4	7	12	3	6	4	8	10	9	4			
904			1	1	1	1		3	3	3	8	17	23	6	1		
910		1	3	3	5	2		17	28	55	99	137	102	49	14		
912	1			1	2	1	3										
914	2	2	2	1	2	1	1		1								
916	3	7	4	6	6	9	7	7	9	7	11	6	2	1			
917	4	5	3	7	4	3	6	4	4	7	3	7	2	1			
919				1					1	1			1	1			
921	2			1		1			1								
922			1					1									
923									1								
924				1								2					
925					2	1	1										
928						1				2							
929			1														
931	2	2	6	7	3	10	1	14	7	6	2			1			
932	2	1		1	3	1		1	1	1	1	1					
933				2			2		3	1	1	2	2	3			
935	1								1	1		1					

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1952.

AGE OF DECEDENTS (YEARS).

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.	95 to 99.
936	3	3	2	3	6	4	6	2	3	3	1	1	1	1	1	1	1
944	2				1	1	1		2	1							
951																	
953		1						1		1							
954	1																
960	1			1	1			2				1					
962		1						1									
963, 970-979	25	16	30	24	26	35	35	34	25	19	12	8	4	1			
970	6	12	10	5	11	12	10	10	8	9	1	1	1				
970	1	1	1	1	2	1	4	1	1	2	1	1					
.2	1	3		2		3			2								
.3	1	3	1	2	2	1	1	1	2	1							
.8				1		1											
971					1	1	2	4	2			1					
.3	1	1	1			1	1		1								
.4										2							
.5									1								
.6							1										
.8								1									
972	1	1	1		1	1		3				1					
973.1	1	2	2	4	4	3	2	3	1	3							
974	2	6	4	4	4	4	5	5	1		1						
975	7	5	9	4	7	12	15	12	8	6	5	3	2	1			
975	1	5		1	5	1	1	4	1	3							
976	3	1	2	5	1	2	4	3	1	2							
976	2		1			2	1	3	2	1	1	1					
977	8	2	11	6	6	8	5	6	6	7	3	4	1				
977			4		1				1	1							
978		1	1	2	2		1	1	2								
978	2				1	2	2				1						
978	1			1	1	2	2	2		2			1				

DEATH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DISTRICT, BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.			90 to 94.	95 to 99.
979	1																
964,				2	1		1										
965,		5	2	4		1	2	3									
980-	4	2	2	2		1	2					2	1				
999																	
964					1												
980																	
981		3	1	1				2									
982	1	1	1				2										
983	2			2		1						1					
	1	2	1	2		1	2	1				1	1				

DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS
ACCORDING TO THE DETAILED INTERNATIONAL

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	Sex.	MONTHS.												
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	1,373	105	101	98	126	103	110	134	141	128	119	113	95
		M	827	50	51	64	79	59	72	86	98	79	62	65	62
		F	546	55	50	34	47	44	38	48	43	49	57	48	33
I.	INFECTIVE AND PARASITIC DISEASES	T	42	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	1	3	4	2	5	2	2	4	3	3	2	2
		F	9	3	1	1	-	-	-	-	1	-	1	1	-
001-019	Tuberculosis (total)	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	1	3	3	2	3	2	-	3	2	1	1	2
		F	7	2	1	1	-	1	-	-	1	-	-	1	-
001-008	Tuberculosis of the respiratory system	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	3	3	2	3	2	-	2	2	1	1	2
		F	6	2	1	1	-	1	-	-	1	-	-	-	-
002	Pulmonary tuberculosis	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	3	3	2	3	2	-	2	2	1	1	2
		F	6	2	1	1	-	1	-	-	1	-	-	-	-
010	Tuberculosis of meninges and central nervous system	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
016	Tuberculosis of genito-urinary system	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
023	Other cardiovascular syphilis	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	-
025	General paralysis of insane	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
057.1	Acute and unspecified meningococemia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
080.0	Acute poliomyelitis specified as bulbar or polioencephalitis	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	1	1	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
082	Acute infectious encephalitis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
096.0	Herpes febrilis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
II.	NEOPLASMS	T	354	-	-	-	-	-	-	-	-	-	-	-	-
		M	207	12	17	18	19	18	17	19	19	21	12	17	18
		F	147	17	14	11	15	13	6	15	7	15	13	12	9
140-205	Malignant neoplasms including neoplasms of lymphatic and hematopoietic tissues	T	347	-	-	-	-	-	-	-	-	-	-	-	-
		M	203	11	17	18	18	18	16	19	18	21	12	17	18
		F	144	16	13	11	15	13	6	15	7	15	13	12	8
141	Malignant neoplasm of tongue	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
142.1	Other malignant neoplasm of salivary gland.	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
144	Malignant neoplasm of other parts of mouth and mouth unspecified	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
146	Malignant neoplasm of nasopharynx	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
148	Malignant neoplasm of pharynx, unspecified	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-
150	Malignant neoplasm of esophagus	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-
		F	2	1	-	-	-	-	-	-	-	-	1	-	-
151	Malignant neoplasm of stomach	T	29	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	2	1	2	2	1	1	1	1	1	2	2
		F	12	2	3	-	2	1	-	2	-	1	-	1	-
153	Malignant neoplasm of large intestine, except rectum	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	3	1	1	-	3	1	2	1	-	-	-	1
		F	20	1	2	3	2	-	-	1	-	6	3	2	-
154	Malignant neoplasm of rectum	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	2	1	1	1	-	1	1	2	1	-	1
		F	8	-	-	-	1	1	-	1	-	-	-	1	1
155	Malignant neoplasm of biliary passages and of liver (primary)	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	2	-	-	-	-
		F	2	-	-	1	-	-	-	-	1	-	-	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.			80 to 89.
I.	99	16	12	5	11	23	7	22	86	87	135	228	260	239	122	21	-
	51	8	5	2	5	13	5	17	67	59	94	156	167	119	53	6	-
	48	8	7	3	6	10	2	5	19	28	41	72	93	120	69	15	-
001-019			1						1	1	4	12	8	1			
001-008			1			1				1	4	10	6	1			
002			1						1	1	3			1			
010			1							1	3			1			
016						1											
023											1		1				
025												1					
057.1								1									
080.0						1		1	1	2							
082									1				1				
096.0																	
II.	2	4	2	2	5	9	2	3	10	12	15	48	53	33	7		
	3	3	3	1	3	5	1	3	2	8	15	29	33	34	8	2	
140-205	2	4	2	2	5	9	2	3	10	11	15	47	51	33	7		
	3	3	3	1	3	5	1	3	1	8	15	27	33	34	8	2	
141																	
142.1													1				
144												1	1		1		
146																	
148						1											
150													1	1			
151									1		3	6	4	2	1		
												1	4	4	3		
153											3	3	5	2	1		
											3	2	4	8	2		
154										3	1	1	4	5	1		
												2	1	3		1	
155												1	1	1			
												1	1	1			

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL														
			Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
197	Malignant neoplasm of connective tissue	T M F	3 2 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
198.2	Secondary malignant neoplasm of lymph nodes	T M F	1 1 1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
199	Malignant neoplasm of other and unspecified sites	T M F	11 9 2	-	-	1	1	-	-	2	-	1	2	1	1	-	-
.1	Malignant neoplasm of other specified sites (primary)	T M F	6 6 -	2	-	-	-	-	-	-	1	-	2	-	1	-	-
.7	Malignant neoplasm of any other site except liver, thoracic organs and lymph nodes (secondary)	T M F	2 1 1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
.8	Generalized and metastatic neoplasm of multiple sites	T M F	3 2 1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulosarcoma	T M F	9 5 4	1	-	-	-	1	-	1	1	1	1	1	1	-	-
.0	Reticulum cell sarcoma	T M F	3 1 1	1	-	-	-	1	-	-	-	-	-	-	1	-	-
.1	Lymphosarcoma	T M F	6 4 2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
201	Hodgkin's disease	T M F	11 11 -	2	-	-	-	-	-	1	1	1	1	1	2	1	-
202.1	Other forms of lymphoma (reticulosis)	T M F	3 3 -	-	-	1	-	-	-	-	-	1	-	1	-	-	-
203	Multiple myeloma (plasmocytoma)	T M F	2 1 1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
204	Leukemia and aleukemia	T M F	38 26 12	1	4	4	1	3	1	3	3	3	1	1	1	4	2
.0	Lymphatic leukemia	T M F	8 6 2	3	-	1	-	-	1	1	-	1	-	1	1	1	-
.1	Myeloid leukemia	T M F	3 2 1	-	-	-	-	-	-	1	-	-	-	-	1	-	-
.2	Monocytic leukemia	T M F	3 3 -	-	-	1	-	-	-	1	-	1	-	-	-	-	-
.3	Acute leukemia, unspecified type	T M F	22 14 8	-	2	2	1	3	-	1	-	1	1	-	-	3	2
.4	Other and unspecified leukemia	T M F	2 1 1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
210	Benign neoplasm of buccal cavity and pharynx	T M F	1 1 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	T M F	2 1 1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
224	Benign neoplasm of endocrine glands	T M F	2 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228	Hemangioma and lymphangioma	T M F	2 2 -	1	-	-	1	-	1	-	-	-	-	-	-	1	-
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	T M F	35 14 21	-	-	2	2	1	1	1	1	1	3	1	2	-	-
241	Asthma	T M F	4 3 1	3	1	1	2	1	3	2	2	1	3	2	-	-	-
251	Nontoxic nodular goiter	T M F	1 1 -	-	-	-	-	-	-	-	-	1	-	1	-	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.			70 to 79.	80 to 89.
197	1						1										
198.2		1															
199		1	1								1	1	2	2	1	1	
.1			1								1	1	1	2	1		
.7												1		2	1		
.8		1												1			
200						1			1		1	1			2		
.0			2			1						1					
.1			1								1	1					
201			1			1			2	5	2	1	1				
202.1									1			1	1				
203												1					
204						5	7				1	4	1		1		
.0	1	1	1	1	2	3	3	1	3	1	1	1	1	1	1		
.1				1		1			1			2				1	
.2									1		1	1					
.3				1	5	6						1					
.4	1	1	1		2	3	1		1		1	1					
210													1				
223													1				
224									1								
228												2					
III.											1	4	4	1			
241									1	3	4	4	3	3	3		
251											1	2	1				

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.			80 to 89.
252.0																	
260												2	4			1	
274								1	3	3	2	3		1	3		
289.1																	
IV.																	
290.0				1												1	
292.4														1		1	
V.				1													
322.2													1				
VI.																	
330		1	1			1			2	2	6	7	17	14	6		2
331											3	7	11	26	21		1
332												1					
334												4	10	9	3		
340												2	8	16	10		
.0		1										1					
.3		1															
342														1			
343									1	1							
344																	
350									1								
352																	
356.1			1														
357												1					
391.2													1				

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL															
			Total.	MONTHS.														
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			
396	Other diseases of ear and mastoid process	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	DISEASES OF THE CIRCULATORY SYSTEM.	T	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	263	16	12	17	21	14	27	31	34	27	21	23	20			
		F	158	17	15	11	14	13	14	9	9	14	17	15	10			
400	Rheumatic fever without mention of heart involvement	T	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410	Diseases of mitral valve	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
		F	9	2	-	1	1	-	-	-	2	-	2	1	-	-	-	-
416	Other rheumatic heart disease	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	1	2	-	1	1	1	2	-	-	-	-	-	-	-
		F	5	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-
420	Arteriosclerotic heart disease, including coronary disease	T	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	183	10	8	11	12	11	13	25	28	19	16	17	13			
		F	79	9	8	6	6	7	7	5	1	7	9	7	7			
.0	Arteriosclerotic heart disease	T	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	44	3	4	4	2	3	3	9	5	4	4	2	1			
		F	35	5	4	1	2	2	4	1	-	2	6	7	1			
.1	Heart disease involving coronary arteries	T	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	139	7	4	7	10	8	10	16	23	15	12	15	12			
		F	44	4	4	5	4	5	3	4	1	5	1	2	6			
421	Chronic endocarditis (nonrheumatic)	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
.1	Of aortic valve	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other and ill-defined	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
422	Other myocardial degeneration	T	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	-	1	3	-	4	2	-	1	2	3				
		F	9	-	1	-	2	2	1	1	2	-	-	-				
.1	With arteriosclerosis	T	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	1	3	-	2	1	-	-	2	1				
		F	6	-	1	-	1	1	1	1	1	-	-	-				
.2	Other	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	2	1	-	1	-	2				
		F	3	-	-	-	1	1	-	-	1	-	1	-				
431	Acute myocarditis (nonrheumatic)	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	Functional disease of heart	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
.0	Heart block	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other disorders of heart rhythm	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	Other and unspecified diseases of heart	T	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	1	1	-	1	-	-	-	-	-	-	-	-	2
		F	6	1	1	-	-	-	-	1	-	1	-	2	-	-	-	-
.1	Congestive heart failure	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other and unspecified	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	1	1	-	1	-	-	-	-	-	-	-	-	2
		F	5	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	4	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-
443	Other and unspecified hypertensive heart disease	T	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	3	2	2	1	1	-	-	1	2	-	1	1			
		F	19	1	2	3	2	1	1	1	2	4	-	-	2			
445	Essential malignant hypertension without mention of heart	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446	Hypertension with arteriolar nephrosclerosis without mention of heart	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	6	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-

DECEASED OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).												100 and over.	Unknown.			
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.			60 to 69.	70 to 79.	80 to 89.
450												1					
.0													1				
.1												1					
451												1					
452											1						
454											1						
456																	
464								1	1								
465								1		1							
466																	
VIII.									1	4	1	2	3				
490	2					1				2				3		1	
	3	2												2			
491	1					1				2	1					1	
492	2	2															
493																	
517	1													2			
519.2													1				
522																	
525																	
526	1																
527.2											1				1		
IX.																	
539.1	4							1	2	2	12	15	5	5	11	2	
	3										4	7	7	5	1		
540	1										1						
.0											1	1					

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL														
			Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
.1	With perforation . . .	T	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
541	Ulcer of duodenum . . .	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	1	1	1	2	-	-	-	1	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Without mention of perforation	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	1	1	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	With perforation . . .	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	1	-	-	-	1	-	-	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550.1	Acute appendicitis with peritonitis . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560	Hernia of abdominal cavity without mention of obstruction . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Umbilical . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other specified site . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
561	Hernia of abdominal cavity with obstruction . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Ventral (incisional) . . .	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
.5	Unspecified site . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
570	Intestinal obstruction without mention of hernia . . .	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
		F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2
.1	Paralytic ileus . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mesenteric infarction . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
.3	Volvulus . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
.5	Other . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years . . .	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
572.2	Ulcerative colitis . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
576	Peritonitis . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
578	Other diseases of intestines and peritoneum . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
580	Acute and subacute yellow atrophy of liver . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver . . .	T	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	1	-	-	2	-	5	3	1	-	-	3	1	-
		F	8	2	1	-	1	1	-	-	2	1	-	-	-	-	-
.0	Without mention of alcoholism	T	19	-	1	-	-	2	-	3	3	1	-	-	2	1	-
		M	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	2	1	-	1	1	-	-	1	-	-	-	-	-	-
.1	With alcoholism . . .	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	2	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
583	Other diseases of liver . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-

DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	Sex.	Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
				584	Cholelithiasis	T M F	7 5 2	-	-	-	1	2	-	-	-	-	-
585	Cholecystitis without mention of calculi	T M F	5 2 3	-	-	-	1	-	-	1	-	-	-	-	-	-	-
587	Diseases of pancreas	T M F	3 3 2	1	-	-	-	-	-	-	-	2	-	-	-	-	-
.0	Acute pancreatitis	T M F	2 2 1	-	1	-	-	-	-	-	-	1	-	-	-	-	1
.1	Chronic pancreatitis	T M F	2 1 1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
X.	DISEASES OF THE GENITO-URINARY SYSTEM	T M F	30 17 13	-	-	2	2	1	2	2	1	-	1	2	1	2	3
590	Acute nephritis	T M F	13 1 1	1	-	2	-	1	1	1	1	1	1	1	1	2	1
591	Nephritis with edema, including nephrosis	T M F	6 4 2	-	-	-	1	-	1	1	1	-	-	-	-	-	-
592	Chronic nephritis	T M F	14 5 9	-	-	1	-	-	-	1	-	-	1	-	-	-	2
600.0	Pyelitis, pyelocystitis and pyelonephritis	T M F	6 4 2	1	1	-	1	-	1	1	1	-	-	1	2	-	-
602	Calculi of kidney and ureter	T M F	1 1 1	-	-	1	-	1	-	-	-	-	-	-	-	1	-
610	Hyperplasia of prostate	T M F	2 2 2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T M F	1 1 1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
643	Placenta praevia	T M F	1 1 1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
XII.	DISEASES OF THE SKIN, AND CELLULAR TISSUE	T M F	4 4 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
704.1	Other pemphigus	T M F	4 1 1	-	-	1	-	1	-	-	-	-	-	1	-	1	-
705.4	Lupus erythematosus	T M F	1 2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
710.0	Scleroderma and dermatomyositis	T M F	2 1 1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	T M F	3 2 1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
723.0	Osteo-arthritis (arthrosis)	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
735	Displacement of intervertebral disc	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
738	Other diseases of joint	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	CONGENITAL MALFORMATIONS	T M F	52 25 27	-	2	3	2	3	1	-	1	4	4	4	4	1	2
750	Monstrosity	T M F	27 1 1	2	2	1	1	2	1	2	2	4	4	3	5	2	-
751	Spina bifida and meningocele	T M F	1 3 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		T M F	1 2	-	-	-	-	-	-	2	-	-	1	-	-	-	-

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL														
			Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
752	Congenital hydrocephalus	T M F	4 2 2	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-
753.1	Other congenital malformations of nervous system and sense organs	T M F	1 1 1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
754	Congenital malformations of cir- culatory system	T M F	29 16 13	-	3	1	2	1	-	1	3	1	3	1	3	1	-
.0	Tetralogy of Fallot	T M F	3 3 3	-	-	1	1	-	-	-	-	-	-	-	1	-	-
.1	Patent ductus arteriosus (Bo- talli)	T M F	2 2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Interventricular septal defect . .	T M F	2 2 2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
.3	Interauricular septal defect . . .	T M F	2 2 2	-	1	-	1	-	-	-	-	1	-	-	-	-	-
.4	Other and unspecified mal- formations of heart	T M F	16 7 9	-	-	-	1	1	-	1	2	1	1	1	-	-	-
.5	Coarctation of aorta	T M F	9 4 4	-	1	1	-	-	-	-	1	1	1	1	3	1	-
755	Cleft palate and harelip	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
756	Congenital malformations of di- gestive system	T M F	9 3 6	-	-	1	1	-	-	-	-	-	1	-	2	1	-
.1	Imperforate anus	T M F	2 2 2	-	-	-	-	1	-	-	-	-	1	-	-	-	-
.2	Other	T M F	7 1 6	-	-	1	-	-	-	1	-	-	-	-	-	-	-
757	Congenital malformations of genito-urinary system	T M F	3 1 2	1	-	-	-	-	1	-	-	1	-	-	2	1	-
.1	Polycystic disease of kidney . . .	T M F	2 2 2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
.3	Other	T M F	2 1 1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
759.3	Other and unspecified congeni- tal malformations	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
XV.	CERTAIN DISEASES OF EARLY INFANCY	T M F	54 29 25	-	3	2	4	2	3	2	1	4	1	1	1	5	-
760	Intracranial and spinal injury at birth	T M F	8 6 6	-	1	1	-	-	1	1	1	1	1	1	1	1	-
.0	Without mention of immaturity . .	T M F	7 5 2	-	-	1	-	-	1	-	1	-	-	-	-	-	-
.5	With immaturity	T M F	1 1 1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
761.5	Other birth injury with imma- turity	T M F	2 2 2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
762	Postnatal asphyxia and atelectasis	T M F	13 7 6	-	-	-	-	-	2	1	1	1	-	3	1	2	-
.0	Without mention of immaturity . .	T M F	3 2 1	-	-	-	-	-	-	2	1	-	-	3	-	-	-
.5	With immaturity	T M F	10 5 5	-	-	-	-	2	-	-	1	1	-	1	-	2	-

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.		
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.			80 to 89.	90 to 99.
I.	19	2	2	3		3	5	10	66	44	66	118	157	151	73	13	1	
	11	2	2	2		2	2	8	53	36	51	95	115	74	30	3		
	8			1		1	3	2	13	8	15	23	42	77	43	10		
	1	1	1					1		1	2	1	2					
001-019								1										
001-008										1	2	1	2					
002																		
008										1	2	1	1					
053.4																		
057.0		1	1															
085.0	1																	
II.								1										
140-205									4	3	4	11	16	10	3	1		
											6	7	7	9	7	1		
144									4	3	4	11	16	10	3	1		
											6	7	7	9	7	1		
148													2					
150														1				
151														1				
153									1		1	1	2	2	1	1		
154									1		1	2	2	1	1			
155											1	1	1	1				
156													1	1				
.1															2			
.2															2			
157													1					
161													1	1		1		
162										1	1	4	1					
163											1	2	1					

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL														
			Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
170	Malignant neoplasm of breast	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	Malignant neoplasm of cervix uteri	F	1	-	-	1	2	2	-	-	2	1	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	Malignant neoplasm of prostate	F	4	-	2	1	-	-	-	-	-	1	-	-	-	1	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	Malignant neoplasm of kidney	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
181	Malignant neoplasm of bladder and other urinary organs	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Malignant melanoma of skin	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
191	Other malignant neoplasm of skin	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	Malignant neoplasm of thyroid gland	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195	Malignant neoplasm of other endocrine glands	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	Malignant neoplasm of bone (including jaw bone)	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199	Malignant neoplasm of other and unspecified sites	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	1	1	-	-	-	1	-	-	-	-	-	1	1	1
.1	Malignant neoplasm of other specified sites (primary)	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Malignant neoplasm of any other site except liver, thoracic organs and lymph nodes (secondary)	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Generalized and secondary malignant neoplasm of multiple specified sites, with primary site not indicated	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
.9	Generalized or disseminated malignant neoplasm (primary) (secondary), site unspecified	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
201	Hodgkin's disease	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
203	Multiple myeloma (plasmocytoma)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	1	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
.0	Lymphatic leukemia	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Myeloid leukemia	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other and unspecified leukemia	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	2	-	-	-	-	-	1	1	1	1	1	1	2
		F	13	-	-	1	1	1	1	1	1	2	1	2	1	1	2
241	Asthma	T	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
252.0	Toxic diffuse goiter	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													Unknown.			
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.		70 to 79.	80 to 89.	90 to 99.
170											3		2				
171														2			
175														1			
177										1				1			
180												1	2				
181														1			
190													1				
191														1			
194													1				
195													1				
196									1								
199												1		1			
.1										1		2		2			
.7														1			
.8												1					
.9												1					
201											1						
203									1	1							
204												1					
.0									1			1		1		1	
.1																	
.4												1					
III.																	
1	1												2	3		1	
241											2	4	6		1		
252.0													1				

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL													
			Total.	MONTHS.												
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
260	Diabetes mellitus	T M F	17 5 12	- - 2	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - -	- - 1	- - 2
273	Diseases of thymus gland	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T M F	1 1 1	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
298.1	Other diseases of spleen	T M F	1 1 1	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	T M F	5 4 4	- - -	- - -	- - -	1 - -	- - -	1 - -	1 - -	- - -	- - -	1 - -	- - -	- - -	- - -
301.1	Manic-depressive reaction	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -
307	Alcoholic psychosis	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
322	Alcoholism	T M F	3 3 3	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	1 - -	- - -	1 - -	- - -	- - -	- - -
.0	Acute	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
.1	Chronic	T M F	2 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
VI.	DISEASES OF THE NERVOUS SYS- TEM AND SENSE ORGANS	T M F	67 32 35	- 2 5	- 1 4	- 5 1	- 6 2	- 1 1	- 1 3	- 6 4	- - 4	- - 4	- 3 2	- 3 3	- 5 4	- 2 2
330	Subarachnoid hemorrhage	T M F	4 3 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
331	Cerebral hemorrhage	T M F	49 20 29	1 - 4	- - 4	- - 1	3 - 1	- - 1	- - 1	1 - 2	5 - 3	- - 3	- - 2	- - 3	2 - 3	1 - 2
332	Cerebral embolism and thrombosis	T M F	9 5 4	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
334	Other and ill-defined vascular lesions affecting central nervous system	T M F	2 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
340	Meningitis, except meningococcal and tuberculous	T M F	2 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
.1	Pneumococcus	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
.3	Unspecified cause	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
355	Other diseases of brain	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T M F	298 196 102	- 11 9	- 24 13	- 12 14	- 14 9	- 21 3	- 18 10	- 19 13	- 27 8	- 12 8	- 16 5	- 14 4	- 14 4	- 8 6
410	Diseases of mitral valve	T M F	4 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
416	Other rheumatic heart disease	T M F	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
420	Arteriosclerotic heart disease, in- cluding coronary disease	T M F	201 144 57	- 7 3	- 15 5	- 10 7	- 8 4	- 17 2	- 12 8	- 18 9	- 21 5	- 7 4	- 12 4	- 12 4	- 12 3	- 5 3
.0	Arteriosclerotic heart disease	T M F	32 14 18	- 1 1	- 2 1	- 3 3	- - 2	- 1 1	- 1 3	- 1 3	- 1 2	- 1 3	- 1 3	- 1 3	- 1 2	- 1 2
.1	Heart disease involving coronary arteries	T M F	167 128 39	- 6 2	- 12 4	- 7 4	- 8 2	- 16 1	- 11 5	- 16 7	- 20 5	- 6 1	- 11 4	- 11 3	- 4 3	- 4 1

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.			70 to 79.	80 to 89.
260												2	1				
273	1												4	5			
IV.									1								
298.1									1								
V.											2	2					
301.1											1	1					
307										1							
322										1		2					
.0											1						
.1										1	1						
VI.																	
330			1				1	1		4	7	8	8	4	14		
331								1		2	1	1	1				
332			1					1		2	3	7	7	10	12		
334										2	2	2	1	1	2		
340												1			2		
.1												1					
.3								1									
355																	
VII.													1				
410									2	7	17	55	61	36	18		
416										1	2	4	23	43	19		
420										1	1		1		1		
.0												1					
.1										6	11	42	52	23	10		
										1	2	2	16	23	9	4	
													4	6	4		
												1	6	5	3		
										6	11	41	47	17	6		
										1	2	1	10	18	6	1	

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													100 and over.	Unknown.		
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.			70 to 79.	80 to 89.
.2												1	1				
422												2	3	4	2		
.1													2	6	5	3	
.2												2	1	3	2	1	
431													2	3	2	2	
434											1			1			
.1											2	4	1	2			
.3													2	1			
442											2	4	1	1	1		
443													1	1		1	
446											1	5	3	5	3	1	
450												1	2	1	2		
.0													1	3	2	1	1
.1													1	3	2	1	1
451											1				1		
452								1									
454											1						
462.1													1		1		
468.2											1						
VIII.		1						1	1	2	1	1		1	1		
480											1			2			
490														1			
491									1	1				1			
493		1									1			1			
522									1				1				

DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	Sex.	Total.	MONTHS.														
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			
				527	Other diseases of lung and pleural cavity	T M F	2 1 1	1										
.1	Emphysema without mention of bronchitis	T M F	1 1 1	1														
.2	Other	T M F	1 1 1															
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T M F	26 22 4	3	2	3	2	1	1	2	2	1	1	2	3	1		
540	Ulcer of stomach	T M F	3 3 3	1		1				1								
.0	Without mention of perforation	T M F	2 2 2			1				1								
.1	With perforation	T M F	1 1 1	1														
541.1	Ulcer of duodenum with perforation	T M F	1 1 1							1								
561.0	Hernia of abdominal cavity with obstruction (inguinal).	T M F	1 1 1			1												
570.5	Intestinal obstruction without mention of hernia (other)	T M F	1 1 1														1	
576	Peritonitis	T M F	1 1 1														1	
578	Other diseases of intestines and peritoneum	T M F	3 2 1		1		1											
580	Acute and subacute yellow atrophy of liver	T M F	1 1 1				1										1	
581	Cirrhosis of liver	T M F	10 9 1	2	1	1		1		1	1							2
.0	Without mention of alcoholism	T M F	1 8 7															1
.1	With alcoholism	T M F	1 1 2	2	1	1		1			1							1
585	Cholecystitis without mention of calculi	T M F	2 1 1								1							
587	Diseases of pancreas	T M F	3 2 1				1						1					1
.0	Acute pancreatitis	T M F	1 1 1											1				
.1	Chronic pancreatitis	T M F	1 1 1										1					
.2	Other diseases of pancreas	T M F	1 1 1				1											
X.	DISEASES OF THE GENITO-URINARY SYSTEM	T M F	12 8 4	1			1		2	2			1		1			1
591	Nephritis with edema, including nephrosis	T M F	1 1 1															1
592	Chronic nephritis	T M F	10 6 4	1			1			2	1				1			
600.0	Pyelitis, pyelocystitis, and pyelonephritis	T M F	1 1 1			2					1							

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													Unknown.				
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.		70 to 79.	80 to 89.	90 to 99.	100 and over.
527							1					1						
.1												1						
.2																		
IX.						1												
540								1	1			5	2	7	4	1		
.0											1	1	1	1				
.1												1						
541.1															1			
561.0																1		
570.5														1				
576														1				
578								1	1									
580											1					1		
581										1	2	1	4	1				
.0										1	2	3	1					
.1											1		1					
585											1		1					
587											1	1	1					
.0												1						
.1													1					
.2											1							
X.									1	2		1	5					
591										1				2				
592									1			1	4					
600.0											2			1				

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).													Unknown.			
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.		70 to 79.	80 to 89.	90 to 99.
XI.																	
642.1									1								
XII.									1								
XIII.				1													
744.1			1														
XIV.	1		1				1										
752	1																
754.4	1																
754.4			1				1										
XV.	9																
760.5	5																
761.5	2																
762	1																
	3																
.0	2																
	1																
.5	1																
	2																
764.0	1																
774	1																
774	1																
776	1																
	2																
XVI.	1																
783.1	1							1	8	6	5	9	9	7	1		
									2	1	1	3	2	2			
792	1										1						
795.5								1	8	5	5	9	9	7	1		
									2	1	1	3	2	2			
XVII.																	
				1			1	1	6	36	15	10	6	4	5	1	2
800-962							2	1	10	4	2	3	1	1	1	2	
				1			1	1	6	34	15	10	5	4	5	1	2
802							2	1	9	3	3	2	1	1	2		
812							1					1					
										1				1			

DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS
ACCORDING TO THE DETAILED INTERNATIONAL

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	Sex.	Total.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
				813	Motor-vehicle traffic accident to rider of bicycle	T M F	1 1 1	-	-	-	-	1	-	-	-	-	-
816	Other motor-vehicle traffic accident involving two or more motor vehicles	T M F	5 3 2	-	2	-	-	1	-	-	-	-	-	-	-	-	-
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	T M F	5 4 1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
822	Motor-vehicle traffic accident involving overturning on highway	T M F	1 1 1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
823	Motor-vehicle traffic accident involving running off highway	T M F	2 2 1	-	-	-	-	-	-	-	1	-	-	-	-	-	1
824	Other noncollision motor-vehicle traffic accident	T M F	1 1 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
825	Motor-vehicle traffic accident of unspecified nature	T M F	14 10 4	-	1	2	1	1	1	3	1	2	-	-	-	-	1
843	Accident to rider of bicycle not involving collision with motor vehicle	T M F	1 1 1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
850	Drowning of occupant of small boat	T M F	1 1 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
851	Other water-transport injury by drowning	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
860	Accidents to personnel in military aircraft	T M F	4 4 3	1	-	-	2	-	1	-	-	-	-	-	-	-	-
866	Other and unspecified aircraft accidents	T M F	2 2 1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
890	Accidental poisoning by utility (illuminating) gas	T M F	1 1 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
900	Fall on stairs	T M F	1 1 1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
903	Fall on same level	T M F	1 1 1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
904	Unspecified falls	T M F	16 11 5	-	1	2	1	1	2	-	2	3	-	-	-	-	1
910	Blow from falling object	T M F	1 1 1	-	-	1	-	-	2	-	-	-	1	-	-	-	-
912	Accident caused by machinery	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
916	Accident caused by fire and explosion of combustible material	T M F	8 6 2	-	-	1	1	1	-	2	1	-	-	-	-	-	-
919	Accident caused by firearms	T M F	2 2 2	-	-	-	2	-	-	-	-	-	-	-	-	-	1
929	Accidental drowning and submersion	T M F	15 15 1	1	-	1	-	2	2	5	2	1	-	-	-	-	1
931	Excessive heat and insolation	T M F	1 1 1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
933	Hunger, thirst, and exposure	T M F	1 1 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
936	Other and unspecified accidents	T M F	15 11 4	-	1	-	-	1	4	1	1	1	2	1	1	1	1
954	Therapeutic misadventure in anesthesia	T M F	1 1 1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1952.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).												Unknown.				
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.		60 to 69.	70 to 79.	80 to 89.	90 to 99.
813									1								
816								1	1	1							
819									3	1	1						
822																	
823								1									
824										2							
825											1						
843							1	1	4	1	3	1		1			
850										1							
851									1								
860									4								
865									1	1							
890									1								
900										1							
903							1							1			
904								1	4	1	1	1		2			2
910										1						2	
912													1				
916								1	1	2	3					1	
919									1			1					
929					1			1	5	3	1	1	2	1			
931								1									
933											1						
936						1			4	1	3	2					
954									2			2		1			

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM					
		THE STATE.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.
	All Causes.²	51,980	659	1,452	4,219	83	6,134
(1)	Tuberculosis of the respiratory system (1-8)	660	2	10	55	-	50
(2)	All other forms of tuberculosis (10-19)	43	-	2	7	-	1
(3)	Syphilis (20-29)	52	1	-	6	-	7
(4)	Typhoid fever (40)	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	17	-	-	-	-	1
(7)	Scarlet fever and streptococcal sore throat (50, 51)	2	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-
(9)	Whooping cough (56)	5	-	-	-	-	1
(10)	Meningococcal infections (57)	27	1	2	-	-	3
(12)	Acute poliomyelitis (80)	17	1	-	-	-	3
(14)	Measles (85)	17	-	1	5	-	1
(16)	Malaria (110-117)	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	22	-	2	2	1	3
(17)	All other diseases classified as infective and parasitic (residual)	58	1	2	4	-	8
(18)	Malignant neoplasms (140-205)	8,710	107	257	704	11	1,042
(19)	Benign and unspecified neoplasms (210-239)	156	2	1	10	1	13
(20)	Diabetes mellitus (260)	1,041	15	29	94	1	119
(21)	Anemias (290-293)	105	3	-	7	-	19
(22)	Vascular lesions affecting central nervous system (330-334)	5,579	81	154	486	12	743
(23)	Nonmeningococcal meningitis (340)	60	2	1	5	-	5
(24)	Rheumatic fever (400-402)	19	1	1	3	-	4
(25)	Chronic rheumatic heart disease (410-416)	803	11	20	60	-	101
(26)	Arteriosclerotic heart disease, including coronary disease (420)	15,886	195	383	1,134	26	1,912
(26)	Degenerative heart disease (421, 422)	2,453	30	85	286	6	277
(27)	Other diseases of heart (430-434)	743	8	40	47	2	104
(28)	Hypertension with heart disease (440-443)	2,535	28	82	278	3	267
(29)	Hypertension without mention of heart (444-447)	267	4	9	28	1	26
(30)	Influenza (480-483)	28	1	1	-	-	6
(31)	Pneumonia (490-493)	1,182	15	36	73	1	111
(32)	Bronchitis (500-502)	71	-	1	5	-	9
(33)	Ulcer of stomach and duodenum (540, 541)	390	8	13	23	-	45
(34)	Appendicitis (550-553)	111	1	1	3	-	17
(35)	Intestinal obstruction and hernia (560, 561, 570)	316	6	7	18	-	44
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	175	2	3	13	-	15
(37)	Cirrhosis of the liver (581)	747	4	19	42	2	87
(38)	Nephritis and nephrosis (590-594)	702	11	26	72	-	94
(39)	Hyperplasia of prostate (610)	147	4	6	15	-	11
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	53	-	1	6	-	6
(41)	Congenital malformations (750-759)	570	9	15	46	1	64
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	687	10	17	46	-	76
(43)	Infections of the newborn (763-768)	78	1	4	9	-	9
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	821	7	23	85	1	83
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	286	1	11	32	-	32
(46)	Arteriosclerosis (450)	1,154	23	39	93	6	127
(46)	All other diseases (residual)	2,272	17	53	172	1	287
(47)	Motor-vehicle accidents (810-835)	522	10	22	38	2	51
(48)	Railroad accidents and injuries (800-802)	27	-	1	-	-	1
(48)	Air-transport accidents (860-866)	14	-	-	1	-	4
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	206	4	3	20	-	14
(48)	Accidental drowning (850, 851, 929)	185	4	5	16	1	17
(48)	Accidental falls (transport accidents excepted) (900-904)	1,153	15	35	101	3	135
(48)	All other accidents	340	4	7	28	1	36
(49)	Suicide and self-inflicted injury (963, 970-979)	419	9	21	35	-	38
(50)	Homicide and operations of war (964, 965, 980-999)	47	-	1	6	-	5

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY: 1952.

Abbreviated List No.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
(1)	620	3,870	879	11,267	48	4,027	2,413	10,591	5,718
(2)	7	40	11	96	-	30	20	272	67
(3)	1	1	1	6	1	2	1	16	4
(4)	-	6	-	8	-	1	6	15	2
(6)	-	2	-	11	-	-	-	3	-
(7)	-	1	-	-	-	-	-	1	-
(8)	-	-	-	-	-	-	-	-	-
(9)	-	-	-	2	-	-	1	-	1
(10)	1	2	-	2	-	1	-	9	6
(12)	1	2	-	5	-	-	1	2	2
(14)	-	2	-	1	-	2	-	3	2
(16)	-	-	-	-	-	-	-	-	-
(17)	-	1	-	5	-	1	-	4	3
(17)	1	2	1	11	1	6	4	12	5
(18)	86	634	150	1,939	11	715	392	1,785	877
(19)	3	11	1	42	1	12	8	31	20
(20)	9	77	27	210	1	80	41	233	105
(21)	2	6	1	15	-	8	7	28	9
(22)	74	398	99	1,297	5	434	272	947	577
(23)	2	2	2	14	-	-	3	13	11
(24)	1	-	-	3	-	-	1	5	-
(25)	2	58	18	157	-	68	30	195	83
(26)	181	1,255	267	3,369	15	1,239	809	3,253	1,848
(26)	40	204	50	490	2	173	119	372	319
(27)	15	52	19	174	-	53	29	131	69
(28)	27	183	45	551	1	193	120	456	301
(29)	5	15	5	62	-	18	13	52	29
(30)	-	3	-	5	-	2	3	5	2
(31)	18	76	25	251	2	83	61	318	112
(32)	1	2	-	15	-	4	7	17	10
(33)	5	26	2	82	-	32	18	100	36
(34)	2	13	-	26	-	13	4	23	8
(35)	2	18	1	70	-	28	17	66	39
(36)	3	13	3	41	-	12	8	35	27
(37)	5	58	6	182	1	58	27	196	60
(38)	16	50	12	149	-	53	26	113	80
(39)	3	11	3	35	1	8	10	25	15
(40)	-	6	-	12	-	6	2	8	6
(41)	1	52	9	146	-	59	19	88	61
(42)	11	56	6	146	-	55	23	165	76
(43)	-	5	2	12	-	9	4	16	7
(44)	10	56	24	193	-	65	35	144	95
(45)	10	41	7	37	1	25	8	60	21
(46)	16	65	15	287	2	102	41	199	139
(46)	22	158	22	481	1	178	95	545	240
(47)	7	48	10	118	-	31	31	91	63
(48)	1	-	-	9	-	2	2	7	4
(48)	-	2	-	-	-	1	1	2	3
(48)	4	23	4	45	1	15	5	54	14
(48)	6	9	2	43	-	12	6	41	23
(48)	10	68	23	256	-	72	47	255	133
(48)	3	18	2	69	-	28	12	85	47
(49)	6	37	4	83	1	34	24	77	50
(50)	-	2	-	4	-	4	-	18	7

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM										
		THE STATE.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.	
	All Causes. ²	51,980	84	39	36	136	80	2	138	88	147	
(1)	Tuberculosis of the respiratory system (1-8)	660	-	-	1	-	-	-	-	-	1	
(2)	All other forms of tuberculosis (10-19)	43	-	-	-	1	-	-	-	-	-	
(3)	Syphilis (20-29)	52	-	1	-	-	-	-	-	-	-	
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	
(6)	Dysentery, all forms (45-48)	17	-	-	-	-	-	-	-	-	1	
(7)	Scarlet fever and streptococcal sore throat (50, 51)	2	-	-	-	-	-	-	-	-	-	
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	
(9)	Whooping cough (56)	5	-	-	-	-	-	-	-	-	-	
(10)	Meningococcal infections (57)	27	-	-	-	-	-	-	-	-	-	
(12)	Acute poliomyelitis (80)	17	-	-	-	-	-	-	-	-	-	
(14)	Measles (85)	17	-	-	-	-	-	-	-	-	-	
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	
(17)	Infectious hepatitis (92)	22	-	-	-	-	-	-	-	-	-	
(17)	All other diseases classified as infective and parasitic (residual)	58	-	-	-	1	-	-	-	-	-	
(18)	Malignant neoplasms (140-205)	8,710	25	6	4	31	19	-	26	19	29	
(19)	Benign and unspecified neoplasms (210-239)	156	-	1	-	-	-	-	1	-	1	
(20)	Diabetes mellitus (260)	1,041	2	2	2	6	-	-	2	1	2	
(21)	Anemias (290-293)	105	-	-	-	-	-	-	-	1	-	
(22)	Vascular lesions affecting central nervous system (330-334)	5,579	9	4	3	8	6	-	20	9	17	
(23)	Nonmeningococcal meningitis (340)	60	-	1	1	-	-	-	-	-	-	
(24)	Rheumatic fever (400-402)	19	-	-	-	-	-	-	-	-	-	
(25)	Chronic rheumatic heart disease (410-416)	803	-	-	-	1	1	-	2	1	4	
(26)	Arteriosclerotic heart disease, including coronary disease (420)	15,886	25	8	11	34	28	2	39	27	34	
(26)	Degenerative heart disease (421, 422)	2,453	2	3	1	14	4	-	6	8	3	
(27)	Other diseases of heart (430-434)	743	-	-	-	-	-	-	4	2	3	
(28)	Hypertension with heart disease (440-443)	2,535	4	-	-	4	7	-	7	3	10	
(29)	Hypertension without mention of heart (444-447)	267	-	2	1	-	2	-	-	1	-	
(30)	Influenza (480-483)	28	-	-	-	-	-	-	-	-	1	
(31)	Pneumonia (490-493)	1,182	-	1	-	4	3	-	3	5	3	
(32)	Bronchitis (500-502)	71	-	-	-	-	-	-	-	-	-	
(33)	Ulcer of stomach and duodenum (540, 541)	390	1	-	-	1	-	-	1	-	3	
(34)	Appendicitis (550-553)	111	-	-	1	-	-	-	1	-	-	
(35)	Intestinal obstruction and hernia (560, 561, 570)	316	-	-	1	1	-	-	-	-	2	
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	175	-	-	-	-	-	-	-	-	1	
(37)	Cirrhosis of the liver (581)	747	-	-	-	-	-	-	-	-	1	
(38)	Nephritis and nephrosis (590-594)	702	-	3	-	4	1	-	4	1	3	
(39)	Hyperplasia of prostate (610)	147	-	1	-	1	1	-	-	-	-	
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	53	-	-	-	-	-	-	-	-	-	
(41)	Congenital malformations (750-759)	570	-	-	1	2	1	-	2	-	3	
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	688	-	1	2	2	-	-	1	-	3	
(43)	Infections of the newborn (763-768)	78	-	-	-	2	-	-	-	-	-	
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	821	7	2	-	-	1	-	3	1	3	
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	286	-	-	-	2	-	-	-	-	1	
(46)	Arteriosclerosis (450)	1,154	3	1	-	6	1	-	6	-	3	
(46)	All other diseases (residual)	2,271	3	-	3	6	2	-	5	2	9	
(47)	Motor-vehicle accidents (810-835)	522	1	-	1	-	1	-	1	-	3	
(48)	Railroad accidents and injuries (800-802)	27	-	-	-	-	-	-	-	-	-	
(48)	Air-transport accidents (860-866)	14	-	-	-	-	-	-	-	-	-	
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	206	-	1	-	-	-	-	-	-	-	
(48)	Accidental drowning (850, 851, 929)	185	-	-	1	1	-	-	-	-	-	
(48)	Accidental falls (transport accidents excepted) (900-904)	1,153	-	-	1	2	-	-	4	6	1	
(48)	All other accidents	340	1	-	-	-	1	-	-	-	-	
(49)	Suicide and self-inflicted injury (963, 970-979)	419	1	1	1	2	1	-	-	-	1	
(50)	Homicide and operations of war (964, 965, 980-999)	47	-	-	-	-	-	-	-	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	ATTLEBORO.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
(1)	427	31	18	14	37	120	261	67	31	43	139	34	11	29	36	32	302	18	17
(2)	1	-	-	-	-	1	3	1	1	1	-	-	1	1	1	-	3	-	-
(3)	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
(4)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
(6)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(18)	89	5	6	2	6	22	41	12	3	9	24	3	2	5	5	7	47	2	3
(19)	3	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1	-	-
(20)	7	-	1	1	1	5	8	2	2	1	1	1	-	1	1	1	8	-	-
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(22)	42	5	2	2	4	12	33	4	4	4	12	1	1	-	3	3	40	2	3
(23)	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	2	1	-	-	2	1	2	1	1	-	2	-	-	-	2	1	6	-	-
(26)	127	11	2	4	7	28	65	23	8	8	46	15	2	10	7	9	114	8	3
(26)	13	1	1	3	5	1	12	2	1	3	7	2	2	-	2	-	14	-	1
(27)	6	-	3	-	-	1	3	2	2	2	3	2	1	-	1	-	5	-	-
(28)	18	2	1	-	-	8	17	5	1	-	6	2	1	1	1	2	7	2	2
(29)	2	-	-	-	2	1	2	1	-	-	1	-	-	1	-	-	1	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	7	-	-	-	-	2	6	1	1	2	2	-	-	-	1	-	6	1	-
(32)	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	2	-	-	-	1	1	5	1	2	-	-	-	-	-	1	-	-	-	-
(34)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	3	-	-	-	-	1	-	-	-	-	3	1	-	-	1	-	-	-	-
(36)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(37)	6	1	-	-	2	3	2	2	-	-	-	-	-	-	1	-	7	-	-
(38)	8	1	-	-	-	6	6	1	-	-	-	1	-	-	-	2	2	-	-
(39)	3	-	-	-	-	1	1	-	1	-	1	1	-	-	2	-	-	-	1
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	6	-	1	-	-	2	2	2	-	3	2	2	-	2	-	-	2	-	1
(42)	10	-	-	-	1	2	5	1	-	-	3	-	-	1	-	-	2	-	-
(43)	-	-	-	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-
(44)	5	-	1	-	1	-	3	-	-	-	-	-	-	3	1	2	4	-	-
(45)	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	2	-	-
(46)	21	-	-	1	1	2	9	1	2	3	7	-	-	1	1	1	4	1	-
(46)	22	3	-	-	-	8	9	2	2	2	4	-	-	1	1	1	9	1	1
(47)	6	1	-	-	-	1	1	2	-	-	1	-	-	1	-	-	2	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-
(48)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	1
(48)	8	-	-	-	1	4	9	-	2	4	2	-	-	3	1	-	9	-	-
(48)	1	-	-	-	-	1	5	1	-	1	1	-	-	-	-	-	3	-	-
(49)	5	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	1	-	-
(50)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Bernardston.	BEVERLY.	Billerica.	Blackstone.	Blandford.	Bolton.	Bosron.	Bourne.	Boxborough.	Boxford.
	All Causes. ²	7	330	111	64	9	14	9,612	52	6	9
(1)	Tuberculosis of the respiratory system (1-8)	-	3	1	2	-	-	259	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	16	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	15	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	2	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	1	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	8	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	2	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	2	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	3	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	1	-	-	1	-	-	11	-	-	-
(18)	Malignant neoplasms (140-205)	1	62	15	14	-	-	1,623	12	3	1
(19)	Benign and unspecified neoplasms (210-239)	-	1	-	-	1	-	29	-	-	-
(20)	Diabetes mellitus (260)	-	1	3	2	1	-	206	-	1	-
(21)	Anemias (290-293)	-	-	-	-	-	-	25	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	1	37	6	3	1	3	841	5	-	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	12	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	5	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	3	1	-	-	-	181	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	2	115	36	16	1	4	2,913	18	-	6
(26)	Degenerative heart disease (421, 422)	-	19	10	9	1	-	339	-	-	1
(27)	Other diseases of heart (430-434)	-	9	2	-	-	-	122	1	-	-
(28)	Hypertension with heart disease (440-443)	-	10	11	4	-	1	414	-	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	1	-	-	-	52	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	5	-	-	-
(31)	Pneumonia (490-493)	-	5	6	1	-	1	302	1	-	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	15	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	1	-	1	-	-	91	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	17	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	2	1	1	-	-	61	1	1	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	-	-	-	34	-	-	-
(37)	Cirrhosis of the liver (581)	1	4	1	-	-	-	175	2	-	-
(38)	Nephritis and nephrosis (590-594)	-	2	1	-	1	-	97	2	-	1
(39)	Hyperplasia of prostate (610)	-	3	-	-	-	-	22	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	7	-	-	-
(41)	Congenital malformations (750-759)	-	3	1	-	-	1	79	1	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	7	-	1	-	-	154	-	-	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	14	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	3	1	1	1	1	133	1	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	57	1	-	-
(46)	Arteriosclerosis (450)	-	9	2	1	-	-	180	2	-	-
(46)	All other diseases (residual)	-	13	6	3	-	1	505	1	-	-
(47)	Motor-vehicle accidents (810-835)	-	5	1	1	1	-	83	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	1	7	-	-	-
(48)	Air-transport accidents (860-866)	-	1	-	-	-	1	2	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	1	-	-	-	-	50	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	2	-	1	-	-	36	2	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	5	4	2	-	-	236	2	-	-
(48)	All other accidents.	1	-	1	-	-	-	80	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	3	-	-	-	-	72	-	1	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	17	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	BROCKTON.	Brookfield.	Brookline.	Buckland.	Burlington.	CAMBRIDGE.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	CHELSEA.
(1)	13	245	14	73	8	894	20	695	14	27	1,298	83	7	15	8	38	38	100	414
(2)		2		1		7		4			14					1			10
(3)	1					1					1								
(4)																			
(6)											3								1
(7)																			
(8)																			
(9)						1													
(10)																			
(12)						1					2								
(14)																			1
(16)																			
(17)								1		1	1								
(17)		1				1	1	1		7	1		1					1	1
(18)	1	44	1	14	2	144	4	132	1		227	18		3	1	3	4	14	68
(19)						2		2			3					1	1	1	2
(20)		5				19		21			25				1	1		3	12
(21)						1		3			4								1
(22)	1	23	1	6	2	102	2	71	2	2	166	8		1	1	3	4	11	42
(23)						1					3								
(24)						1					1						1		
(25)		7		1		14	1	5			19	3				1	2	1	5
(26)	3	69	8	25	2	320	3	232	5	9	368	22	3	4	1	15	14	32	137
(26)		16	2	5		37	1	19			36	4		1		3	2	5	10
(27)		4	1			13	1	9			13			2				1	2
(28)	2	8	1	3		30	1	36	2	1	63	5	2	1			2	10	23
(29)		1				4		4			8	1						1	
(30)								1			1			1					7
(31)	1	6		3		30	2	12			40				1	1		1	1
(32)		1				6					1								1
(33)		2				9		9			9	1						1	4
(34)		1		1		1					1	1						1	1
(35)		2				7		7			11								5
(36)		2				3		1			4	1							
(37)	1	5		1		10		9		1	21	1							13
(38)	1	4		1		13		2		1	12	3						1	9
(39)						6		1			4					1	1		2
(40)		1			1						2								
(41)		2				8		11		1	20	1				2	1		5
(42)		2		2		9		4			12	1	1						4
(43)				1		1		1			3								
(44)		4				9		9	1	2	20	3		1				2	
(45)		1				5	2	1			2								
(46)		11		4	1	12		17			37	1			2	2	2	7	11
(46)	1	9		1		33	1	38	1		71	2			4	1	2	1	18
(47)		4		1		6		4			9	2				1	2		3
(48)								1			1								
(48)																			
(48)		1				1		1			9							1	2
(48)						1			2		1			1					3
(48)		4		2		17		16		1	33	3			1		1	2	7
(48)	1	1				1		4			5	1					1	1	1
(49)		2		1		8	1	5			10						1		3
(50)								1											

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Cheshire.	Chester.	Chesterfield.	CHICOPPE.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.²	19	17	6	414	5	14	144	48	14	88
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	4	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	1	-	-	1	-	-	-
(3)	Syphilis (20-29)	-	-	-	1	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	3	1	-	71	-	5	23	12	1	13
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	3	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	-	-	6	-	-	2	1	-	-
(21)	Anemias (290-293)	-	-	-	2	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	-	2	1	49	2	3	12	10	1	12
(23)	Nonmeningococcal meningitis (340)	1	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	5	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	5	-	-	1	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	4	4	1	138	3	2	49	9	10	31
(26)	Degenerative heart disease (421, 422)	1	1	-	18	-	2	4	2	-	10
(27)	Other diseases of heart (430-434)	-	-	-	5	-	-	2	1	-	-
(28)	Hypertension with heart disease (440-443)	1	2	-	23	-	-	12	2	-	3
(29)	Hypertension without mention of heart (444-447)	-	2	-	2	-	-	1	-	-	1
(30)	Influenza (480-483)	-	-	-	2	-	-	-	-	-	-
(31)	Pneumonia (490-493)	2	-	-	8	-	-	4	2	-	-
(32)	Bronchitis (500-502)	-	-	-	2	-	-	1	1	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	2	-	-	-	-	-	-
(34)	Appendicitis (550-553)	-	-	-	2	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	2	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	2	-	8	-	-	3	-	-	-
(37)	Cirrhosis of the liver (581)	2	-	-	3	-	-	-	-	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	3	-	-	1	1	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	1
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	1	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	5	-	1	2	-	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	4	-	-	3	2	-	2
(43)	Infections of the newborn (763-768)	-	-	-	2	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	2	7	-	-	1	1	-	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	1	-	-	-
(46)	Arteriosclerosis (450)	1	2	-	6	-	-	3	-	-	3
(46)	All other diseases (residual)	2	1	-	11	-	-	4	1	2	4
(47)	Motor-vehicle accidents (810-835)	-	-	2	4	-	-	2	-	-	1
(48)	Railroad accidents and injuries (800-802)	-	-	-	4	-	-	1	-	-	1
(48)	Air-transport accidents (860-866)	-	-	-	2	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	6	-	-	-	1	-	-
(48)	Accidental drowning (850, 851, 929)	-	1	-	1	-	1	-	-	-	2
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	8	-	-	6	-	-	1
(48)	All other accidents	-	-	-	3	-	-	3	1	-	1
(49)	Suicide and self-inflicted injury (963, 970-979)	1	1	-	3	-	-	1	1	-	1
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Conway.	Cummington.	Dalton.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.	Eastham.
(1)	11	7	45	156	122	197	34	49	23	19	12	65	55	7	44	40	13	50	14
(2)				1	1	1		1	1			1	1			1			
(3)																			
(4)																			
(6)																			
(7)																			
(8)																			
(9)																			
(10)																			
(12)																			
(14)						1													
(16)																			
(17)																			
(17)						1													
(18)	2	1	9	21	31	35	6	8	4	3	1	10	6	1	4	4	1	9	
(19)				1	3	1	1	1				1	1			1	1	4	1
(20)					1							1				2	1		
(21)																			
(22)	4	1	2	22	21	16	4	11	2	3	1	7	2	1	3	3	2	5	2
(23)																			
(24)																			
(25)				4	3	7	1	1				3		1	1	1		1	
(26)		3	13	58	30	50	5	10	4	6	7	17	16	1	17	10	2	7	4
(26)			2	8	6	16	2	2	3	4		5	3		3		3	1	
(27)			1	2	3	1	1	1	2	1		1	3		2	1	1	1	
(28)	1		8	5	2	13	1	2	2	1		3	9	1	7	2	4	1	
(29)				1		4		1								2	1		
(30)																			
(31)				2	2	3		1				3				2		2	
(32)						1													
(33)			1			1		1			1							1	
(34)																			
(35)					1	1							3			3			
(36)					1			1							1				
(37)					1	1												1	
(38)				2	1	3	1	1	1							2	1		
(39)																			
(40)					1							1			1				
(41)				2		3						2	1		1			1	1
(42)		1		2		4	3	1				1	3		1			1	
(43)					1														
(44)	2		1		4	3				1		1	1		1	1			2
(45)			1	2	1	1	1					1	1				1	1	
(46)	1			8	3	8	3	2	2		1	1	3		1			2	1
(46)	1		1	8	3	11	2	3	3			1	2		1				
(47)		1	1	2		2	1	1		1		2	1					2	1
(48)																			
(48)																			
(48)						2													
(48)				1	1		1						1			1			
(48)			4		3		1					2			1	1	1	2	
(48)				2	2	5			1						1	1	1	1	
(49)								1			1	1	1				1	1	
(50)																			

² Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Easthampton.	Easton.	Edgartown.	Egremont.	Erving.	Essex.	EVERETT.	Fairhaven.	FALL RIVER.	Falmouth.
	All Causes.²	111	75	18	7	13	23	480	137	1,218	80
(1)	Tuberculosis of the respiratory system (1-8)	4	-	-	-	-	-	3	-	22	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	3	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	1	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	1	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	1	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	1	-	-	-	-	-	1	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	1	-
(18)	Malignant neoplasms (140-205)	27	11	2	-	4	4	89	19	202	14
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	2	1	2	-
(20)	Diabetes mellitus (260)	1	2	1	-	-	-	7	3	34	2
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	5	-
(22)	Vascular lesions affecting central nervous system (330-334)	16	11	1	2	-	2	52	18	159	4
(23)	Nonmeningococcal meningitis (340)	1	-	-	-	-	-	-	-	2	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	2	-
(25)	Chronic rheumatic heart disease (410-416)	3	-	-	-	-	1	10	2	15	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	28	17	6	-	5	9	126	47	257	20
(26)	Degenerative heart disease (421, 422)	5	8	-	1	-	1	29	6	131	8
(27)	Other diseases of heart (430-434)	2	2	-	-	1	-	9	-	11	-
(28)	Hypertension with heart disease (440-443)	3	3	-	4	2	2	30	5	87	2
(29)	Hypertension without mention of heart (444-447)	2	-	-	-	-	-	3	2	4	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	3	3	-	-	-	-	4	5	17	4
(32)	Bronchitis (500-502)	-	-	-	-	-	-	1	-	2	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	1	1	7	2
(34)	Appendicitis (550-553)	-	-	-	-	-	-	2	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	1	-	-	-	-	1	6	1	5
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	4	-	2	-
(37)	Cirrhosis of the liver (581)	-	-	1	-	-	-	14	1	12	1
(38)	Nephritis and nephrosis (590-594)	2	2	-	-	-	-	11	3	33	2
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	3	2	1	1
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	1	-	1	-
(41)	Congenital malformations (750-759)	1	1	-	-	-	-	8	2	15	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	2	-	-	-	-	7	2	8	2
(43)	Infections of the newborn (763-768)	-	-	-	-	1	-	-	-	3	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	1	-	-	-	-	5	2	25	2
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	-	-	-	-	1	2	3	4	-
(46)	Arteriosclerosis (450)	2	2	4	-	-	-	6	2	27	1
(46)	All other diseases (residual)	3	2	-	-	-	2	19	6	56	-
(47)	Motor-vehicle accidents (810-835)	1	2	1	-	-	-	5	1	10	4
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	1	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	1	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	2	-	-	-	-	-	-	2	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	3	-	1	-
(48)	Accidental falls (transport accidents excepted) (900-904)	1	3	1	-	-	-	14	1	25	3
(48)	All other accidents	2	-	-	-	-	-	3	2	8	1
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	-	-	12	4
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	1	-

¹The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	FITCHBURG.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	GARDNER.	Gay Head.	Georgetown.	Gill.	GLOUCESTER.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.	Greenfield.	Groton.
(1)	458	4	75	287	89	27	184	-	41	14	325	5	1	78	11	7	68	191	23
(2)	8	-	2	4	1	-	3	-	-	1	3	-	-	1	1	-	1	2	-
(3)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(18)	63	1	10	53	20	4	21	-	4	1	43	1	-	8	3	1	8	27	4
(19)	2	-	-	3	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-
(20)	15	-	1	3	3	1	3	-	-	-	5	-	-	1	-	1	3	2	1
(21)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
(22)	57	2	10	29	9	3	20	-	3	3	35	2	-	5	1	2	6	19	4
(23)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(25)	8	-	-	3	2	-	2	-	2	-	3	-	-	1	-	-	-	1	1
(26)	133	-	26	87	22	6	60	-	18	4	107	1	1	29	4	-	20	64	4
(26)	38	-	6	15	1	4	6	-	2	-	26	-	-	3	1	1	2	6	1
(27)	1	1	5	2	2	1	1	-	1	-	2	-	-	1	-	1	1	5	1
(28)	29	-	1	10	12	1	10	-	1	-	24	-	-	3	-	1	10	9	1
(29)	-	-	-	-	-	1	-	-	-	-	2	-	-	2	-	-	-	2	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(31)	9	-	4	7	1	-	6	-	1	2	4	1	-	1	-	-	1	6	1
(32)	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-
(33)	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	3	-
(34)	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-
(35)	3	-	1	1	1	-	-	-	-	-	3	-	-	1	-	-	-	1	1
(36)	1	-	-	2	-	-	1	-	-	1	3	-	-	-	-	-	1	1	-
(37)	3	-	-	7	3	-	1	-	-	-	2	-	-	-	-	-	2	3	-
(38)	6	-	2	2	1	-	6	-	1	1	3	-	-	-	-	-	5	5	-
(39)	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-
(40)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(41)	7	-	-	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
(42)	3	-	1	2	-	-	2	-	2	-	10	-	-	5	-	-	2	2	-
(43)	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(44)	2	-	-	10	-	2	5	-	-	-	6	-	-	3	-	-	1	2	-
(45)	-	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-	1	3	-
(46)	11	-	-	11	2	-	4	-	-	-	11	-	-	6	-	-	-	5	-
(46)	24	-	3	14	2	-	8	-	3	-	10	-	-	5	-	1	4	6	1
(47)	6	-	2	2	-	-	4	-	1	-	1	-	-	-	1	-	1	3	-
(48)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-
(48)	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(48)	12	-	-	6	-	1	2	-	-	1	2	-	-	1	-	-	-	4	2
(48)	5	-	-	3	-	-	1	-	1	-	6	-	-	-	-	-	-	1	-
(49)	5	-	-	2	-	-	3	-	-	-	4	-	-	-	-	-	2	1	-
(50)	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.	Hanson.	Hardwick.	Harvard.
	All Causes.²	26	21	9	27	19	5	37	39	28	18
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	1	1	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	1	-	-	-	-	-	1	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	1	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	4	4	1	6	3	1	11	4	5	2
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	2	1	-	-	1	1	1	-	1	1
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	1	-
(22)	Vascular lesions affecting central nervous system (330-334)	3	-	-	1	1	-	5	3	3	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	1	-	-	-	-	-	3	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	4	7	4	12	6	1	7	10	3	6
(26)	Degenerative heart disease (421, 422)	2	3	1	1	-	-	4	3	-	-
(27)	Other diseases of heart (430-434)	-	-	1	2	-	-	-	-	2	-
(28)	Hypertension with heart disease (440-443)	-	-	1	2	1	-	2	1	1	1
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	1	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	1	-	-	-	-	-
(31)	Pneumonia (490-493)	2	1	-	-	-	-	1	1	-	4
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	1
(33)	Ulcer of stomach and duodenum (540, 541)	1	-	-	-	-	-	-	1	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	1	-	-	-	-	-	1	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	-	-	-	1	-	-
(38)	Nephritis and nephrosis (590-594)	1	-	-	-	-	1	-	-	2	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	1	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	2	-	-	-	1	-	-	1	1	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	-	-	1	-	-	-	-	1
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	1	-	-	-	-	1	1	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	1	-
(46)	Arteriosclerosis (450)	-	1	-	-	-	-	-	2	1	1
(46)	All other diseases (residual)	2	-	-	3	1	-	-	4	3	-
(47)	Motor-vehicle accidents (810-835)	-	2	-	-	1	-	-	-	1	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	1	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	1	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	1	-	-	-	-	-	2	-	-	-
(48)	All other accidents	-	-	-	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	2	-	1	1	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Harwich.	Hatfield.	HAVEHILL.	Hawley.	Heath.	Hingham.	Hingsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.	Hull.	Huntington.	Ipswich.
(1)	56	18	610	-	6	98	21	43	45	1	46	667	39	47	15	108	48	14	72
(2)	-	-	1	-	-	1	-	-	1	-	-	8	-	1	1	-	1	-	-
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	12	3	93	-	1	14	3	6	6	1	6	126	7	8	1	9	10	2	14
(19)	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(20)	1	2	13	-	-	3	-	-	1	-	-	14	-	-	-	3	-	-	1
(21)	1	-	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(22)	3	1	78	-	-	8	1	3	5	-	4	76	7	4	3	14	4	1	9
(23)	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	1	-	7	-	-	1	-	-	2	-	3	13	-	1	1	-	1	-	1
(26)	16	5	201	-	1	35	9	14	16	-	9	236	14	15	6	36	23	2	22
(26)	2	-	21	-	-	6	1	6	-	-	8	11	2	6	-	11	2	-	2
(27)	1	-	6	-	1	-	-	1	-	-	1	9	-	1	1	1	-	1	2
(28)	-	1	45	-	-	8	-	2	5	-	1	24	4	-	-	7	1	1	2
(29)	1	1	2	-	-	1	-	-	2	-	-	1	-	-	-	3	-	-	-
(30)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
(31)	-	1	12	-	-	1	-	2	1	-	1	13	-	-	-	3	1	-	1
(32)	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(33)	2	1	3	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1
(34)	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
(35)	-	-	2	-	-	1	-	1	-	-	1	4	-	1	1	1	1	-	-
(36)	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
(37)	1	-	5	-	-	1	-	-	-	-	1	15	1	1	-	3	-	1	1
(38)	-	-	11	-	-	-	-	-	-	-	-	12	-	1	-	1	-	2	2
(39)	-	1	2	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	2	-	9	-	-	2	-	1	1	-	-	6	-	-	-	1	-	1	1
(42)	2	-	4	-	1	-	-	1	-	-	1	8	-	-	-	-	-	-	3
(43)	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(44)	1	-	8	-	-	2	-	-	-	-	-	10	-	-	-	-	-	1	1
(45)	-	-	4	-	1	2	-	-	1	-	-	3	1	-	-	1	-	-	1
(46)	1	-	11	-	-	2	-	1	-	-	-	7	-	2	-	3	-	-	2
(46)	2	1	29	-	-	3	2	2	1	-	3	31	1	3	-	2	3	1	2
(47)	1	-	8	-	-	2	1	-	-	-	2	7	-	-	-	-	-	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	1	-	-	-	1	-	1	2	-	-	-	1	-	-	1
(48)	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(48)	2	-	15	-	-	-	2	2	1	-	1	10	-	2	-	2	-	1	-
(48)	1	-	4	-	-	1	-	-	-	-	-	1	1	1	-	3	-	-	1
(49)	1	-	2	-	-	-	-	-	1	-	1	6	1	-	1	-	-	-	-
(50)	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-

1 Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Kingston.	Lakeville.	Lancaster.	Lanesborough.	LAWRENCE.	Lee.	Leicester.	Lenox.	LEOMINSTER.	Leverett.
	All Causes. ²	36	19	32	19	960	56	46	42	243	7
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	9	-	-	1	2	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	1	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	1	-	-
(10)	Meningococcal infections (57)	-	-	-	-	2	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	1	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	1	1	-	-	-	-
(18)	Malignant neoplasms (140-205)	6	5	2	2	180	12	6	5	37	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	2	-	-	-	1	-
(20)	Diabetes mellitus (260)	-	-	1	-	32	1	2	3	8	-
(21)	Anemias (290-293)	-	-	-	-	3	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	6	2	3	2	115	5	2	6	29	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	2	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	2	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	12	1	1	2	6	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	12	6	13	6	232	17	18	12	74	2
(26)	Degenerative heart disease (421, 422)	-	-	1	1	69	3	1	2	21	3
(27)	Other diseases of heart (430-434)	-	-	1	3	17	3	1	-	3	-
(28)	Hypertension with heart disease (440-443)	1	1	1	2	34	3	2	2	5	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	6	-	1	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	-	-	-	14	-	-	-	1	-
(32)	Bronchitis (500-502)	-	-	-	-	1	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	9	1	-	-	3	-
(34)	Appendicitis (550-553)	-	-	-	-	1	-	-	-	1	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	9	-	1	2	2	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	2	-	3	-	-	-	1	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	15	-	-	1	3	-
(38)	Nephritis and nephrosis (590-594)	1	-	1	-	19	-	2	-	6	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	1	-	-	1	-	1
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	3	-	-	-	1	-
(41)	Congenital malformations (750-759)	-	-	-	-	14	-	-	-	3	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	-	-	11	3	1	-	1	-
(43)	Infections of the newborn (763-768)	-	-	-	-	1	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	1	14	-	1	-	2	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	5	-	-	-	1	-
(46)	Arteriosclerosis (450)	1	-	1	-	21	2	-	1	8	-
(46)	All other diseases (residual)	3	2	2	1	45	3	3	2	11	-
(47)	Motor-vehicle accidents (810-835)	4	-	2	-	12	1	1	1	1	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	3	-	1	-	1	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	4	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	2	1	1	24	-	-	-	3	-
(48)	All other accidents	-	-	1	-	4	-	-	-	2	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	8	-	1	-	6	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	1	-	-	-	-	-

¹The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	LOWELL.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH.	Marshfield.	Mashpee.	Mattapoisett.
(1)	150	3	30	25	69	1,153	71	39	1,243	31	648	42	68	153	25	208	56	6	32
(2)	2					8	2		13		8				1				
(3)									3							1			
(4)											1								
(6)					1														
(7)										1									
(8)																			
(9)																1			
(10)																			
(12)									2										
(14)											1								
(16)											1								
(17)						1													
(17)						1			1		2		1						
(18)	32		8	8	10	167	12	5	210	9	135	3	12	21	2	34	9	2	4
(19)	1					7	1		2		2			1	1	1			1
(20)	1		1		4	19		2	25	1	16		1	4	1	6	2		
(21)						1			3			1	1			1			
(22)	20		2	5	8	136	6	2	165	4	62	5	5	27	4	22	6	1	6
(23)									1		1						1		
(24)						1			1										
(25)	2		1	1		12	1		27	1	8			3		1			1
(26)	37	1	7	4	28	318	21	14	409	9	207	15	17	53	8	90	17	2	9
(26)	9		3		2	56	11	4	27		21	2	6	1		10	2		3
(27)	2		2	1		21			18		11			2		1			
(28)	7		1	1	2	74		1	42	2	26	6	4	7	2	8	6		3
(29)	1					10		1	8		3			1					
(30)																			
(31)	2			1	1	33	2	1	29		12	1	2	3		4	1		
(32)						2			4										
(33)			1	1		8			8		10	1		4		2			
(34)						2	1		6					1		1			
(35)						6			10		7		1	1					
(36)	1					5	1		2		4		1	2		2			
(37)	3					25	2	1	32		9	1	3			2			
(38)	2	1			2	21		1	18	1	4			1		1			1
(39)						4	1		3		1		2		1	1	1		
(40)						1			2									1	
(41)	1		1			16	2		11		11	1							
(42)	1				2	11	1	1	12		8			1		1			1
(43)	1					1			2							1	1		
(44)	1		1			22	1		15		13	2	6	1		1	2		
(45)	1					7	1		7	1	1						1		
(46)	4	1		1		42	1	1	16		6	1	1	4	1	3			
(46)	7		2		4	57		1	50	3	25	3	4	7	2	3			1
(47)	3					10	1		6		7			1		3	2		
(48)																			
(48)																			
(48)	3					3	2		3		3								
(48)					1	9		2	2		1						1		
(48)	3			1	3	22		1	35		12			6	1	4	1	1	2
(48)	1					8			5		1		1	2	1	3			
(49)	1			1	1	6			7		8						2		
(50)	1						1		1										

¹ Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH, ¹	DEATHS FROM									
		Maynard.	Medfield.	MEDFORD.	Medway.	MELROSE.	Mendon.	Merrimac.	Methuen.	Middleborough.	Middlefield.
	All Causes.²	76	36	671	43	295	17	21	278	121	3
(1)	Tuberculosis of the respiratory system (1-8)	1	36	671	43	295	17	21	278	121	3
(2)	All other forms of tuberculosis (10-19)	-	-	5	-	2	-	-	3	-	-
(3)	Syphilis (20-29)	-	-	2	-	1	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	2	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	1	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	1	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	16	6	102	6	44	4	2	55	18	-
(19)	Benign and unspecified neoplasms (210-239)	-	1	1	-	1	1	-	1	-	-
(20)	Diabetes mellitus (260)	3	-	14	2	2	-	-	3	3	-
(21)	Anemias (290-293)	-	1	2	-	-	-	-	1	2	-
(22)	Vascular lesions affecting central nervous system (330-334)	7	3	83	6	40	2	3	31	19	2
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	1	-	-	1	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	1	1	8	-	5	-	1	7	1	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	22	7	231	9	100	6	9	80	40	1
(26)	Degenerative heart disease (421, 422)	2	2	21	2	14	-	-	13	3	-
(27)	Other diseases of heart (430-434)	3	1	12	-	4	-	1	5	1	-
(28)	Hypertension with heart disease (440-443)	3	1	31	2	15	-	1	13	6	-
(29)	Hypertension without mention of heart (444-447)	1	-	5	-	2	-	-	1	2	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	4	2	15	4	8	-	1	3	1	-
(32)	Bronchitis (500-502)	-	-	1	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	1	1	13	-	5	-	-	2	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	1	1	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	2	-	6	-	-	2	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	2	-	-	1	-	-	-	-
(37)	Cirrhosis of the liver (581)	2	1	16	-	1	-	-	1	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	13	2	5	-	1	3	-	-
(39)	Hyperplasia of prostate (610)	-	-	1	1	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	1	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	1	4	1	3	1	-	3	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	2	12	2	2	-	-	2	-	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	1	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	11	1	2	-	-	10	1	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	2	-	-	-	-	1	-	-
(46)	Arteriosclerosis (450)	4	1	8	-	6	2	-	4	2	-
(46)	All other diseases (residual)	3	1	27	-	10	-	1	15	6	-
(47)	Motor-vehicle accidents (810-835)	-	1	4	-	2	-	-	4	8	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	1	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	1	-	-	-	-	1	-	-
(48)	Accidental drowning (850, 851, 929)	1	-	3	-	1	-	-	1	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	1	-	12	3	5	-	-	7	5	-
(48)	All other accidents	-	1	5	-	3	-	-	-	1	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	1	1	2	2	-	-	2	1	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.	New Ashford.	NEW BEDFORD.	New Braintree.
(1)	28	135	98	23	14	261		59	96	7	2		42	48	212	165	1	1,267	2
(2)			2			1			1						1	1		15	
(3)		1				1			1				1			1		2	
(4)																			
(6)															1				
(7)																			
(8)																			
(9)																			
(10)					1														
(12)																			
(14)																			1
(16)																			
(17)													1						
(17)	1													1		1			
(18)	4	17	12	5	1	53		11	13	1			8	11	42	31		217	
(19)			1			3								1	1			3	
(20)			1			3		1						1	4	2		27	
(21)																			
(22)	3	11	7	1	2	26		5	15	2	1		6	5	27	15		125	1
(23)		1	1											1	1			1	
(24)																		1	
(25)		1	1			7		5					1		7	3		25	
(26)	12	46	28	9	4	86		20	28	2			16	15	46	49	1	381	1
(26)		6	2	1	1	10			12				2	2	14	11		63	
(27)		3	2			3			2						1	1		19	
(28)		6	8	2	2	7		1	3	1				1	10	3		97	
(29)		1				1										1		11	
(30)						1							1						
(31)	1	5	2			3		2	3				1	2	6	2		21	
(32)															1			2	
(33)			1			1			1						4	1		6	
(34)								1								2		2	
(35)	1	1		1		3										1		3	
(36)		2			1			1							1	1		4	
(37)		2			1	3		1						1	2	3		13	
(38)		3	2			9		3				1			1			10	
(39)		1												1	1	1		1	
(40)						1										1		2	
(41)		1	1			2		1							4	1		15	
(42)	1	4	3	1		3			1						2	4		15	
(43)		1														1		1	
(44)		3	3			5			1							8	3	20	
(45)			1			3			2				1	1		1		17	
(46)	1	3	1	1		5			1					2	5	2		27	
(46)	2	5	5	2		16		3	2	1			1	1	8	7		47	
(47)		3			1	1		1	2						4			13	
(48)																			
(48)																			
(48)									1					1		2		2	
(48)			4			1			2				1		2	4		2	
(48)	2	5	4			3		1	1				1			4		35	
(48)		1	4			2			1						2	1		5	
(49)		2	2			1		1	3					1	1	3		11	
(50)																		4	

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		New Marlborough.	New Salem.	Newbury.	NEWBURYPORT.	NEWTON.	Norfolk.	NORTH ADAMS.	North Andover.	North Attleborough.	North Brookfield.
	All Causes.²	10	10	28	179	829	22	288	82	136	41
(1)	Tuberculosis of the respiratory system (1-8)	1	1	2	7	3	2	2	1	1	1
(2)	All other forms of tuberculosis (10-19)	1	1	2	7	3	2	2	1	1	1
(3)	Syphilis (20-29)	-	-	-	1	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	1	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	1	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	1	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	1	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	1	-	-	1	1	1	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	3	1	4	29	175	4	49	11	17	4
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	2	2	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	-	-	4	12	-	4	1	3	1
(21)	Anemias (290-293)	-	-	-	1	1	-	-	1	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	1	1	3	20	116	1	42	8	17	5
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	1	-	1	14	-	-	2	1	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	2	3	10	51	253	6	74	28	39	10
(26)	Degenerative heart disease (421, 422)	-	-	3	23	25	3	27	1	9	3
(27)	Other diseases of heart (430-434)	2	-	1	1	4	-	2	7	5	4
(28)	Hypertension with heart disease (440-443)	-	-	2	2	35	1	10	4	5	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	3	-	1	-	2	1
(30)	Influenza (480-483)	-	-	-	-	-	-	1	-	-	-
(31)	Pneumonia (490-493)	1	-	1	6	13	1	4	1	1	3
(32)	Bronchitis (500-502)	-	-	-	-	1	-	-	1	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	3	1	4	1	1	-
(34)	Appendicitis (550-553)	-	-	3	2	2	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	1	4	-	-	1	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	1	4	-	1	-	2	-
(37)	Cirrhosis of the liver (581)	-	-	-	1	14	-	4	2	1	-
(38)	Nephritis and nephrosis (590-594)	-	1	1	5	8	-	10	-	-	-
(39)	Hyperplasia of prostate (610)	-	1	-	-	3	-	-	-	2	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	2	-	1	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	8	1	1	1	2	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	-	-	14	1	1	2	3	1
(43)	Infections of the newborn (763-768)	-	-	1	-	-	-	1	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	2	4	10	1	5	-	3	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	3	-	1	-	-	-
(46)	Arteriosclerosis (450)	-	-	1	4	18	-	9	3	1	-
(46)	All other diseases (residual)	-	-	-	11	33	-	6	3	8	3
(47)	Motor-vehicle accidents (810-835)	-	-	1	6	-	-	4	-	1	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	1	-	1	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	1	-	1	1	-	2	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	1	2	-	1	-	3	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	16	1	11	2	4	2
(48)	All other accidents	-	-	-	-	2	-	2	-	2	1
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	-	-	1	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	2	12	-	2	-	-	-

¹The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.	PEABODY.	Pelham.	Pembroke.
(1)	47	304	33	99	37	53	33	159	28	14	76	27	4	43	106	8	255	5	31
(2)		2		1				2						2	1		2		
(3)	1					1													
(4)																			
(6)																			
(7)																			
(8)																			
(9)																			
(10)	1																		
(12)					1														
(14)																			
(16)																			
(17)																			
(17)	1							1											
(18)	3	48	4	15	4	9	11	29	4	1	12	7		7	17		43		4
(19)											1				1				
(20)		13		1	1	1		3			3	2		2	2		6		
(21)								1											1
(22)	4	29	2	8	6	5	5	24	2	5	7	4	1	4	5		31		1
(23)		1		1							1						1		
(24)																	5		
(25)	1	5		1		1		1						2			5	1	
(26)	15	100	9	28	10	16	11	52	8	4	18	6	2	9	32	3	71	2	8
(26)		17	9	6	1	4		1	3		8			1	10		13		1
(27)		9		4							2			1			6		
(28)	3	21	1	6	3	2	2	6	2	1	4	2		4	3	1	9	1	2
(29)				1	2				1					1		1			
(30)																			
(31)	2	4	1	3	1		1	2	1		4	2		2	2		6		2
(32)																			
(33)								1		1	1			1	2		4		1
(34)	1							1				1			1	1			
(35)												1					3		
(36)		2		2							1						1		1
(37)		3		1	1	1		1						2			7		1
(38)	1	4	1	1				4			4				6		3		
(39)	2					2													
(40)																			
(41)		6						1						2	1		4		
(42)	3	4		1	2			2						1	2		4		2
(43)						1		1						1	1		1		
(44)		8		3		4	1	2	1		2			1	2		3		2
(45)		4			2	1		2											
(46)	1	5	1	9			1	3	2			2			3	1	1		
(46)	1	6	2	4	3	4	1	10			3		1	1	1		12		3
(47)		1							1						6				1
(48)											1								
(48)	1	2									1						1	1	1
(48)	1														1		1		
(48)	2	8	1	1		1		7			1			1	1		6		
(48)	3		1	1				1	1	1							3		
(49)		2	1	1				1		1							1		
(50)																			

2 Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Pepperell.	Peru.	Petersham.	Phillipston.	PUTTSFIELD.	Plainfield.	Plainville.	Plymouth.	Plympton.	Princeton.
	All Causes. ²	48	3	12	5	536	3	26	179	7	11
(1)	Tuberculosis of the respiratory system (1-8)	1	-	-	-	4	-	-	2	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	1	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	1	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	1	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	1	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	1	1	-
(18)	Malignant neoplasms (140-205)	10	-	3	-	98	1	3	28	2	4
(19)	Benign and unspecified neoplasms (210-239)	-	-	1	-	1	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	-	1	-	6	-	1	2	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	5	1	1	-	56	-	4	14	-	2
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	1	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	10	-	1	1	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	9	-	2	1	131	1	7	64	3	2
(26)	Degenerative heart disease (421, 422)	4	-	1	-	17	-	1	13	-	1
(27)	Other diseases of heart (430-434)	1	1	-	-	21	-	-	3	-	-
(28)	Hypertension with heart disease (440-443)	1	-	-	-	34	-	4	10	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	6	-	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	2	-	-
(31)	Pneumonia (490-493)	-	-	-	2	19	-	1	4	-	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	3	-	-	1	-	-
(34)	Appendicitis (550-553)	-	-	-	-	1	-	-	1	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	2	-	-	2	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	6	-	-	5	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	9	-	2	2	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	3	-	-	2	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	1	-	-	-	9	-	-	2	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	1	1	8	-	-	3	-	1
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	-	15	-	-	2	1	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	2	-	-	-	5	-	-	-	-	-
(46)	Arteriosclerosis (450)	3	1	-	-	14	-	-	2	-	-
(46)	All other diseases (residual)	4	-	-	1	19	-	1	7	-	-
(47)	Motor-vehicle accidents (810-835)	2	-	-	-	9	-	-	1	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	1	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	2	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	1	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	1	-	13	1	-	4	-	-
(48)	All other accidents	1	-	-	-	1	-	1	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	1	-	-	-	10	-	-	1	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Provincetown.	QUINCY.	Randolph.	Rayham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.	Rutland.	SALEM.	Salisbury.	Sandisfield.
(1)	62	813	90	27	145	36	332	7	13	121	63		16	5	12	16	423	34	10
(2)		7		1			3				1					3	5		
(3)		1							1										
(4)																			
(6)																			
(7)																			
(8)																			
(9)																			
(10)																			
(12)																			
(14)																			
(16)							1										1		
(17)						1													
(17)						1											1		
(18)	8	139	13	4	23	6	56	2		21	8		2	1	1	2	84	5	
(19)		2								1							2		
(20)	1	16	2		3	2	7			2	1		1	1			6		
(21)		2					1										2		
(22)	15	111	11	3	20	5	31		1	9	4		4	1	3		32	7	1
(23)							1										1		
(24)										1									
(25)	3	13	1		2		6			4	1					1	5	1	
(26)	15	245	28	9	45	9	120	1	6	40	25		6		1	2	138	7	6
(26)	3	20	7		12		16	1	2	9	8				1	4	9	2	
(27)		13			4		5			1	1				1		8	1	
(28)	7	44	2	2	5	4	16		1	3	4		1		2		18		
(29)		3	1										1		1		3		
(30)																			
(31)	3	11	1	1	1		5			4							7		1
(32)		1																	
(33)	2	5	1	1	2		3			1							4		
(34)		2					1			1							2		
(35)		5								1							5		
(36)		5			2		1										1		
(37)		17		1	2	1	5			2							9		
(38)	2	7			2	2	3			2	2						5	2	
(39)		2			1										1		2		
(40)		2		1															
(41)		12	3		4		3		1	1	1						2		
(42)	1	10	3				4						1				6		
(43)		3					1										1	1	
(44)		17		1	2		3			1				1		1	2	2	
(45)		10	1			1	2								1		2		
(46)	2	19	2	2	3		6	2		4				1		1	8		
(46)		33	7		7	1	14			6	4				2		24	4	1
(47)		6	1		2	2	4			3	1						3	1	
(48)		1								3							1		
(48)																	2		
(48)		2	1	1	1		2										2		1
(48)		3			1		1										2		
(48)		13	3		1		6		1	1	1						13		
(48)		3	2			1	4			2							3	1	
(49)		7				1	1	1		2	1						1		
(50)		1			2												1		

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.	Sheffield.	Shelburne.	Sherborn.	Shirley.
	All Causes.²	27	174	5	76	54	47	24	29	12	35
(1)	Tuberculosis of the respiratory system (1-8)	-	1	-	-	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	1	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	1	1	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	5	31	1	13	4	5	2	6	2	7
(19)	Benign and unspecified neoplasms (210-239)	-	1	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	1	4	-	-	2	-	-	-	-	-
(21)	Anemias (290-293)	1	-	-	1	-	-	-	1	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	2	24	-	16	8	3	2	1	1	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	1	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	1	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	6	-	-	-	2	1	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	7	49	-	16	19	16	10	7	3	6
(26)	Degenerative heart disease (421, 422)	-	6	2	5	5	1	2	1	2	1
(27)	Other diseases of heart (430-434)	2	3	-	-	-	2	-	2	-	2
(28)	Hypertension with heart disease (440-443)	1	6	-	3	4	3	-	2	-	-
(29)	Hypertension without mention of heart (444-447)	1	1	-	1	-	-	-	1	-	-
(30)	Influenza (480-483)	-	3	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	-	-	3	1	2	-	1	-	3
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	1	-	-	-	-	1	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	1	-	-	-	-	1	1	-	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	1
(37)	Cirrhosis of the liver (581)	-	3	2	1	1	-	-	-	1	-
(38)	Nephritis and nephrosis (590-594)	1	3	-	1	1	-	-	2	-	1
(39)	Hyperplasia of prostate (610)	1	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	1	-	-	-	-	-	-	-	1
(41)	Congenital malformations (750-759)	-	4	-	1	1	1	-	1	-	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	3	-	3	-	2	1	-	-	4
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	2	-	1	-	2	-	2	-	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	1	-	-	-	-	-
(46)	Arteriosclerosis (450)	-	2	-	1	1	1	-	1	-	2
(46)	All other diseases (residual)	2	7	-	3	1	3	1	1	-	1
(47)	Motor-vehicle accidents (810-835)	-	-	-	2	1	-	2	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	1	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	5	-	2	-	1	-	-	1	1
(48)	All other accidents	1	3	-	-	-	-	1	-	1	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	3	-	2	2	-	1	-	1	1
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.	Stow.	Sturbridge.	Sudbury.	Sunderland.
	79	2	76	1,107	100	18	24	165	21	70	1,780	17	22	132	110	25	34	26	13
(1)			2	14				1			22	1		4	2			1	
(2)				1							1								
(3)				1					1		3								
(4)																			
(5)				2							1								
(6)																			
(7)																			
(8)																			
(9)																			
(10)																			
(11)								1			2								
(12)																			
(13)																			
(14)			1								1				1				
(15)																			
(16)											1								
(17)											1								
(17)											2			1					
(18)	13		12	167	14	4	4	29	4	9	276		1	19	15	4	7	5	1
(19)			1	4				1		1	4							1	
(20)	2			20	4			4		2	36			1	1			1	
(21)								1			3								
(22)	9		13	115	17	2	5	15	2	11	178	3	2	10	12	2	3		1
(23)				2							1			1					
(24)																			
(25)	2			17	1		1	1			26		1	1	1			1	
(26)	27	2	16	313	30	7	4	62	7	18	562	8	10	50	47	4	12	7	5
(26)	7		7	62	9	1	1	5		6	110	1	1	2	7	6	2	4	2
(27)	1			22		1	1	4		1	23			3		1			
(28)	2		4	49	5	1	1	9		2	90			6	3	2	2	1	
(29)	1			3		1		1		1	6				1				
(30)				1							1								
(31)	1		1	24	3			2	1	2	39	1	2	2	1	2		1	
(32)				5							2								
(33)			1	9					1		14	1	1	1			1		
(34)				7							5			1	1			1	
(35)	1		2	6						2	8				2	1			1
(36)				4						1	9			1					
(37)			1	22	1		1	2	1		22	1			3		1		
(38)			1	23	2			1		3	15			2	1				
(39)			1	3			1	1			5				1				
(40)				2							4								
(41)				11	1		1				27				3		1	1	
(42)	1		1	24				6	1	1	26			2		1			
(43)				2	1						2								
(44)	3		1	17	5		1	2		1	25			2	2		1		
(45)			1	3							27		1						
(46)			1	38	1	1		2			29	1	1	2	1	2			1
(46)	6		1	54	3			9	1	3	87		1	3	2	1			
(47)	1			6	1		2	2		1	19			3	1				1
(48)				2														1	
(48)																			
(48)	1		1	11	1					2	4				1				1
(48)			3	2			1				3			1					
(48)			2	29	1					2	37			3	1				
(48)				4				3	1	1	9			4					
(49)			1	6				1	1		13			3			1		
(50)	1																		

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH, ¹	DEATHS FROM									
		Sutton.	Swampscott.	Swansea.	TAUNTON.	Templeton.	Tewksbury.	State Infirmary.	Tisbury.	Tolland.	Topsfield.
	All Causes.²	25	119	83	442	48	53		29	1	21
(1)	Tuberculosis of the respiratory system (1-8)	1	-	2	6	-	1	-	-	-	1
(2)	All other forms of tuberculosis (10-19)	-	-	-	1	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	1	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	1	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	8	19	17	76	7	9	-	5	-	3
(19)	Benign and unspecified neoplasms (210-239)	-	-	1	1	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	2	3	3	2	2	-	-	-	-
(21)	Anemias (290-293)	-	-	-	-	-	1	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	5	18	8	37	5	11	-	7	-	2
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	1	1	11	-	-	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	7	45	18	155	16	13	-	8	1	7
(26)	Degenerative heart disease (421, 422)	-	-	8	9	2	2	-	-	-	2
(27)	Other diseases of heart (430-434)	-	1	-	1	-	1	-	2	-	-
(28)	Hypertension with heart disease (440-443)	2	4	3	32	1	1	-	1	-	1
(29)	Hypertension without mention of heart (444-447)	-	-	2	2	-	-	-	-	-	-
(30)	Influenza (480-483)	-	-	-	2	-	-	-	-	-	-
(31)	Pneumonia (490-493)	-	-	1	2	-	-	-	-	-	-
(32)	Bronchitis (500-502)	-	2	1	10	1	-	-	-	-	1
(33)	Ulcer of stomach and duodenum (540, 541)	-	1	-	1	-	-	-	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	1	2	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	2	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	3	1	2	-	-	-	1	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	2	9	2	-	-	-	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	3	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	1	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	3	4	-	-	-	1	-	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	8	-	-	-	-	-	-
(43)	Infections of the newborn (763-768)	-	-	-	1	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	1	4	9	2	2	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	2	-	3	-	1	-	-	-	-
(46)	Arteriosclerosis (450)	-	1	1	11	2	1	-	-	-	2
(46)	All other diseases (residual)	1	7	2	18	2	3	-	1	-	1
(47)	Motor-vehicle accidents (810-835)	-	-	1	5	1	1	-	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	1	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	1	2	-	1	-	1	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	5	3	11	5	2	-	-	-	-
(48)	All other accidents	-	1	-	1	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	1	2	-	4	-	-	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.	Watertown.	Wayland.	Webster.	Wellesley.
(1)	33	13	27	5	36	67	187	4	82	479	93	114	39	10	2	376	48	144	166
(2)	-	-	-	-	-	2	2	-	1	7	2	3	-	-	-	2	-	2	2
(3)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	1	-	-
(18)	1	3	4	-	10	11	42	-	8	90	11	17	5	2	1	62	10	19	44
(19)	-	-	-	-	-	1	-	-	1	2	1	4	-	-	-	2	10	1	-
(20)	-	-	2	1	-	1	3	-	1	13	4	3	-	-	-	12	2	2	2
(21)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(22)	2	3	3	-	3	5	21	1	8	42	8	15	3	1	-	46	5	21	14
(23)	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(25)	1	-	-	-	1	3	3	1	1	6	3	-	-	-	-	5	1	3	7
(26)	8	2	7	2	10	18	52	1	35	155	32	30	14	2	-	105	10	54	44
(26)	4	1	3	1	-	5	4	-	5	4	2	4	3	1	-	10	2	5	7
(27)	5	1	1	-	1	1	2	-	-	5	4	1	4	1	-	5	1	2	2
(28)	1	1	1	-	4	4	6	-	2	30	6	13	4	-	-	26	4	11	5
(29)	-	-	-	-	-	-	2	-	-	3	-	2	-	-	-	1	-	1	1
(30)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(31)	1	-	-	-	-	-	2	-	2	14	1	3	-	-	-	5	1	2	6
(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	-	-	-	-	1	1	1	-	-	2	-	1	-	-	-	3	-	2	1
(34)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
(35)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
(36)	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-	3	-
(37)	1	-	-	-	-	2	2	-	2	8	3	3	2	-	-	7	-	1	1
(38)	-	1	2	-	-	3	4	-	1	4	1	-	-	1	-	3	-	-	3
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(40)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
(41)	1	-	1	-	1	-	4	-	2	6	-	1	-	-	-	9	1	1	2
(42)	-	-	-	-	-	-	2	-	1	8	-	-	-	-	-	3	2	2	1
(43)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
(44)	1	-	-	-	-	4	5	-	1	11	3	1	-	-	-	15	1	2	-
(45)	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	2	-	1	1
(46)	1	1	-	-	2	2	9	-	8	8	5	-	-	-	-	3	2	2	5
(46)	2	1	1	-	4	6	6	-	16	3	7	-	-	-	-	19	4	3	5
(47)	2	-	2	1	-	7	1	-	1	9	2	1	1	-	-	6	1	1	1
(48)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	4	-	1	-	-	1	2	1	-	1
(48)	1	-	-	-	3	-	5	-	1	17	2	-	-	-	-	5	-	1	4
(48)	-	-	-	-	-	-	-	-	1	4	-	1	1	-	-	3	-	1	-
(49)	-	-	-	-	-	-	4	1	-	-	2	1	-	-	-	5	-	-	2
(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

1 Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.
	All Causes.²	25	4	19	20	46	16	19	185	14	2
(1)	Tuberculosis of the respiratory system (1-8)	-	-	1	-	-	-	-	1	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	1	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	3	-	2	5	4	2	2	28	2	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	1	-	-	-	-	-	-	1
(20)	Diabetes mellitus (260)	1	-	-	-	-	1	-	-	1	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	4	-	1	3	6	1	3	17	2	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	3	-	-
(25)	Chronic rheumatic heart disease (410-416)	1	-	1	-	-	-	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	8	1	8	9	20	7	7	70	1	-
(26)	Degenerative heart disease (421, 422)	2	1	1	-	3	-	2	14	1	1
(27)	Other diseases of heart (430-434)	-	-	-	-	-	-	-	1	-	-
(28)	Hypertension with heart disease (440-443)	-	-	1	-	2	-	2	10	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	1	-	-
(31)	Pneumonia (490-493)	-	-	-	1	-	-	1	1	1	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	1	1	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	1	1	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	1	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	1	-	-	-	-	-	-	1	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	-	-	-	1	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	-	-	-	1	-	-
(38)	Nephritis and nephrosis (590-594)	2	-	-	1	1	-	-	2	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	1	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	1	1	-	3	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	-	-	-	1	3	-	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	-	1	-	-	1	1	-	-
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	-	-	-	-	-	-	-	1	-	-
(46)	Arteriosclerosis (450)	1	-	1	-	1	1	-	6	-	-
(46)	All other diseases (residual)	-	-	1	-	1	-	-	8	1	-
(47)	Motor-vehicle accidents (810-835)	-	-	-	-	-	-	-	2	1	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	1	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	1	-	-	4	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	1	-	-
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	-	-	-	-	-	-	-	-	2	1
(48)	All other accidents	-	-	-	-	3	-	-	-	1	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	-	-	-	-	2	2	-	-	1	1
(50)	Homicide and operations of war (964, 965, 980-999)	-	2	1	-	-	-	-	-	1	1

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.

Abbreviated List No.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.	Winchendon.	Winchester.	Windsor.	Winthrop.
(1)	58	255	48	3	31	43	60	50	332	7	123	33	27	63	72	68	183	2	233
(2)		2						1	2		2								
(3)																			
(4)																			
(6)																			
(7)		1																	
(8)																			
(9)																			
(10)																			
(12)																			1
(14)																			
(16)																			
(17)																			
(17)									1										
(18)	8	39	11	1	7	6	12	9	50		14	3	5	15	11	5	34		38
(19)									2		2						2		1
(20)	1	7	1				2		11		2		2	2	2	2	2		8
(21)	1	1																	1
(22)	5	25	4	1		9	8	3	31	4	18	3	4	6	8	5	28		33
(23)																			
(24)																			
(25)	1	2	1			1			3				1	1		5	1		3
(26)	16	77	15		12	13	10	12	105	1	39	13	6	17	19	21	60	2	83
(26)	13	15	3		1	4	4	17	17		10	2	2	3	3	7	7		7
(27)		11	2		1	1	2	2	3		5			3	2	2	2		2
(28)		15	2			1	2	3	20		5		1	2	3	6	10		3
(29)		1					1				1				1	1	2		
(30)																			
(31)		3				2	1		10		2		5	2	3	2	2		4
(32)																			1
(33)	1	2						2	1		2			1		1	2		2
(34)						1		1	1		1					1			4
(35)		3			1				1		1				2	1	1		
(36)			1																
(37)	1	4			1	1	1	1	6		2	1		2			1		3
(38)	2	2			1	1	1	1	4		2			1	1	1	3		4
(39)		1												2			2		1
(40)																			
(41)	2	4	1						7					1	1				1
(42)		5			1	1			8		1	2							3
(43)	1	1						1						1			2		1
(44)		5			2	1		1	7			3			1	2	2		8
(45)		4						1	1						3				1
(46)	1	6	3			1	2	5	12		4	1		2	1	1	1		2
(46)	2	4	1		1	2	3	1	8		5	1	2	1	1	5	7		8
(47)	3	3							5						1		1		1
(48)																			
(48)		5					9								1	1			
(48)							1	1	1								3		1
(48)		2	2	1	1	1	2	1	5	1	2	2	1	1	4		4		6
(48)		2	1						3		1			2	1				
(49)		3				1		1	7		3	1		1	3	1			1
(50)					3			1											1

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1952.				
		WOBURN.	WORCESTER.	WORTHINGTON.	WRENTHAM.	YARMOUTH.
	All Causes.²	249	2,350	6	52	57
(1)	Tuberculosis of the respiratory system (1-8)	-	29	-	1	1
(2)	All other forms of tuberculosis (10-19)	-	1	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	1
(4)	Typhoid fever (40)	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-
(10)	Meningococcal infections (57)	-	4	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-
(14)	Measles (85)	-	1	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	2	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	1	-	-	-
(18)	Malignant neoplasms (140-205)	29	390	1	7	4
(19)	Benign and unspecified neoplasms (210-239)	-	7	-	1	-
(20)	Diabetes mellitus (260)	3	31	-	-	4
(21)	Anemias (290-293)	1	3	-	-	1
(22)	Vascular lesions affecting central nervous system (330-334)	-	-	-	-	-
(23)	Nonmeningococcal meningitis (340)	32	231	1	3	10
(24)	Rheumatic fever (400-402)	1	6	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	3	34	-	1	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	95	798	3	14	19
(26)	Degenerative heart disease (421, 422)	5	124	-	4	-
(27)	Other diseases of heart (430-434)	4	18	-	-	-
(28)	Hypertension with heart disease (440-443)	18	111	1	3	3
(29)	Hypertension without mention of heart (444-447)	1	9	-	-	-
(30)	Influenza (480-483)	1	1	-	-	-
(31)	Pneumonia (490-493)	4	46	-	4	1
(32)	Bronchitis (500-502)	1	3	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	1	16	-	1	1
(34)	Appendicitis (550-553)	1	4	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	2	19	-	1	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	8	-	-	-
(37)	Cirrhosis of the liver (581)	3	30	-	1	-
(38)	Nephritis and nephrosis (590-594)	3	24	-	-	-
(39)	Hyperplasia of prostate (610)	2	4	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-
(41)	Congenital malformations (750-759)	4	22	-	2	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	27	-	-	1
(43)	Infections of the newborn (763-768)	-	3	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	41	-	1	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	8	-	-	-
(46)	Arteriosclerosis (450)	5	64	-	1	1
(46)	All other diseases (residual)	9	91	-	4	3
(47)	Motor-vehicle accidents (810-835)	10	21	-	-	1
(48)	Railroad accidents and injuries (800-802)	-	1	-	-	-
(48)	Air-transport accidents (860-866)	-	2	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	2	4	-	2	1
(48)	Accidental drowning (850, 851, 929)	-	11	-	-	1
(48)	Accidental falls (transport accidents excepted) (900-904)	3	69	-	-	2
(48)	All other accidents	-	13	-	1	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	15	-	-	1
(50)	Homicide and operations of war (964, 965, 980-999)	-	3	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

TABLES 16, 17 AND 18 WHICH FOLLOW HAVE BEEN PREPARED IN PART FROM A LIST SUPPLIED BY THE NATIONAL SAFETY COUNCIL AND SHOW DEATHS FROM VIOLENCE BY PLACE OF OCCURRENCE, TYPE OF ACCIDENT, AGE, MONTH AND SEX.

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1952.

MUNICIPALITIES. ¹	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Railway accidents (except collisions with motor vehicles), 800-802.	Collisions between motor vehicles and railway trains, 810.	Collisions between motor vehicles and streetcars, 811.	Motor-vehicle traffic accidents, 812-825.	Motor-vehicle nontraffic accidents, 830-835.	Streetcar and other road-vehicle accidents, 840-845.	Aircraft accidents, 860-866.	Accidents caused by machinery, 912.	Accidental poisonings by utility (illuminating) gas, 890.	Accidental poisonings by other gases and vapors, 891-895.	Accidental poisonings by solid and liquid substances, 870-888.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Water-transport accidents, drowning, 850, 851.	Accidents caused by drowning, 929.	Accidents caused by fire-arms, 919.	Accidental falls on stairs and from ladders, 900, 901.	Accidental falls from one level to another, 902.	Other and unspecified accidental falls, 903, 904.	All Others.	
Wendell	141	31	3	1	1	1	16	1	1	1	1	1	1	1	5	1	1	6	1	1	8	1	54	11
Wenham	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Boylston	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Bridgewater	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Brookfield	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Newbury	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Springfield	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Stockbridge	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
West Tibsbury	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Westborough	18	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Westford	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Westhampton	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Westminster	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Weston	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Westport	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Westwood	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Weymouth	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whately	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whitman	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Wilbraham	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Williamsburg	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Williamstown	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Wilmington	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Winchendon	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Winchester	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Windsor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Winthrop	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Woburn	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
WORCESTER	141	31	3	1	1	1	16	1	1	1	1	1	1	1	5	1	1	6	1	1	8	1	54	11

Line No.	Table 17 TYPE OF ACCIDENT	ACCIDENTAL DEATHS, ¹ ACCORDING TO										
		MONTHS										
		Total	January		February		March		April			
			M	F	M	F	M	F	M	F		
1	GRAND TOTAL	2,447	1,416	1,031	107	83	108	85	119	98	103	80
2	OCCUPATIONAL TOTAL	101	97	4	6	2	6	-	7	-	8	-
3	Agriculture	3	3	-	1	-	-	-	1	-	-	-
4	Mining, quarrying, oil and gas wells	2	2	-	-	-	-	-	-	-	-	-
5	Manufacturing	22	19	3	-	1	4	-	-	-	1	-
6	Construction	30	30	-	3	-	1	-	3	-	2	-
7	Transportation	17	17	-	1	-	-	-	2	-	1	-
8	Public Utilities	8	8	-	1	-	-	-	-	-	2	-
9	Trade	5	5	-	-	-	-	-	-	-	1	-
10	Service	11	10	1	-	1	-	-	1	-	1	-
11	Other specified industry	3	3	-	-	-	-	-	-	-	-	-
12	Unspecified industry	-	-	-	-	-	-	-	-	-	-	-
13	HOME TOTAL	999	407	592	30	54	40	51	47	66	23	48
14	Poisonings (gas excepted)	15	10	5	1	-	-	-	1	1	1	-
15	Poisonings by gases and vapors	41	27	14	3	5	5	1	3	3	2	-
16	Fire, explosion of combustible material	164	77	87	6	11	11	6	8	13	3	9
17	Hot substance, corrosive liquid and steam	4	2	2	-	-	-	-	-	-	-	1
18	Mechanical suffocation	25	13	12	1	-	2	1	-	1	1	3
19	Firearms	6	5	1	1	-	-	-	-	-	-	-
20	Falls on same level	5	1	4	-	-	2	-	-	-	-	-
21	Falls to different level or unspecified	669	231	438	16	37	20	39	29	45	15	34
22	Other specified home accidents	59	32	27	1	1	1	2	4	3	1	-
23	Unspecified home accidents	11	9	2	1	-	1	-	2	-	-	1
24	MOTOR-VEHICLE TOTAL²	524	398	126	35	7	31	10	29	6	37	3
25	Injury to pedestrian	240	181	59	23	4	16	3	8	4	21	2
26	Collision with other motor vehicle	72	51	21	1	1	4	5	2	-	5	1
27	Collision with railroad train	8	5	3	1	-	-	-	2	-	-	-
28	Collision with streetcar	-	-	-	-	-	-	-	-	-	-	-
29	Injury to rider of bicycle	12	10	2	-	-	1	-	-	-	1	-
30	Collision with animal-drawn vehicle or animal	1	1	-	-	-	-	-	-	-	-	-
31	Collision with fixed object	88	71	17	7	-	6	1	8	-	3	-
32	Non-collision	94	73	21	3	2	4	1	9	2	7	-
33	Other and unspecified accident	9	6	3	-	-	-	-	-	-	-	-
34	PUBLIC NONMOTOR-VEHICLE TOTAL³	604	390	214	31	17	21	15	21	13	24	20
35	Railroad — not with motor vehicle	24	16	8	-	-	1	-	1	2	3	1
36	Streetcar — not with motor vehicle	1	-	1	-	-	-	-	-	-	-	-
37	Other vehicle — not with motor vehicle	4	3	1	-	-	-	-	1	-	1	-
38	Water transportation	31	27	4	-	-	-	-	-	-	1	-
39	Air transportation	9	7	2	-	1	-	-	-	-	2	-
40	Fire, explosion of combustible material	11	9	2	1	-	1	-	-	-	2	-
41	Hot substance, corrosive liquid and steam	2	1	1	-	-	-	-	-	-	-	-
42	Drowning	129	112	17	5	1	5	-	5	1	7	2
43	Firearms	3	3	-	1	-	-	-	-	-	-	-
44	Falls on same level	11	9	2	1	1	1	1	-	-	-	-
45	Falls to different level or unspecified	310	155	155	19	14	12	12	13	9	6	16
46	Other specified public accidents	54	36	18	3	-	1	2	-	-	2	1
47	Unspecified public accidents	15	12	3	1	-	-	-	2	-	-	-
48	TYPE OF ACCIDENT UNKNOWN	219	124	95	5	3	10	9	15	13	11	9

¹ Allocated.² Includes 9 nontraffic accidents and 29 persons gainfully employed.³ Transportation accidents include one person gainfully employed.

TYPE OF ACCIDENT, BY MONTHS AND SEX: 1952.

Line No.	MONTHS															
	May		June		July		August		September		October		November		December	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	98	95	129	93	156	93	118	71	91	65	125	89	120	91	142	88
2	4	1	5	-	10	-	9	-	10	1	15	-	6	-	11	-
3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
5	-	1	-	-	4	-	2	-	5	1	2	-	1	-	-	-
6	1	-	4	-	1	-	2	-	4	-	4	-	1	-	4	-
7	1	-	-	-	3	-	-	-	1	-	4	-	2	-	2	-
8	-	-	1	-	-	-	1	-	-	-	1	-	-	-	2	-
9	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
10	1	-	-	-	1	-	2	-	-	-	1	-	-	-	2	-
11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	15	47	25	51	34	50	34	38	33	29	32	40	46	56	48	62
14	1	-	-	1	1	1	1	-	-	-	1	-	3	1	1	1
15	-	-	1	1	-	-	-	-	-	-	3	1	5	1	5	2
16	2	5	6	3	4	3	2	2	7	1	6	4	15	17	7	13
17	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1
18	-	2	-	1	1	-	-	1	1	1	2	2	1	-	4	-
19	-	-	1	-	-	-	-	1	-	-	1	-	-	-	2	-
20	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
21	11	37	12	37	18	39	26	31	23	27	18	30	20	37	23	45
22	1	2	5	7	8	6	4	3	2	-	-	3	1	-	4	-
23	-	1	-	-	-	-	2	-	-	-	1	-	1	-	1	-
24	32	10	28	12	41	12	30	11	19	6	34	22	33	14	49	13
25	13	5	13	7	11	4	11	5	10	-	16	9	14	8	25	8
26	5	-	5	2	6	1	5	4	2	1	5	4	7	2	4	-
27	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	2	1	2	-	2	1	-	-	-	-	-	-	2	-	-	-
30	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
31	4	2	4	1	10	1	7	-	5	2	4	8	3	-	10	2
32	5	2	3	2	12	3	5	2	2	3	8	1	5	1	10	2
33	3	-	1	-	-	2	2	-	-	-	-	-	-	1	-	-
34	26	22	63	25	66	30	33	16	19	19	29	18	29	10	28	9
35	2	1	1	-	2	3	1	1	-	-	2	-	2	-	1	-
36	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
37	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
38	-	-	7	2	7	-	4	1	3	-	4	1	1	-	-	-
39	-	-	3	1	1	-	-	-	-	-	-	-	1	-	-	-
40	-	-	2	-	1	2	-	-	-	-	1	-	1	-	-	-
41	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
42	11	1	26	5	30	4	9	1	1	2	5	-	3	-	5	-
43	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
44	-	-	1	-	1	-	-	-	1	-	2	-	-	-	1	-
45	13	20	12	10	15	15	16	10	11	16	11	15	13	9	14	9
46	-	-	9	4	7	5	1	3	1	1	3	2	6	1	3	-
47	-	-	2	2	1	-	-	-	2	1	-	-	1	-	3	-
48	21	15	8	5	5	1	12	6	10	10	15	9	6	11	6	4

Line No.	Table 18 TYPE OF ACCIDENT	ACCIDENTAL DEATHS ¹ , ACCORDING TO													
		AGE OF DECEDENTS (YEARS)													
		Total			Under 1		1 to 4		5 to 14		15 to 19		20 to 24		
			M	F	M	F	M	F	M	F	M	F	M	F	
1	GRAND TOTAL	2,447	1,416	1,031	29	22	55	46	85	47	54	12	69	16	
2	OCCUPATIONAL TOTAL	101	97	4	-	-	-	-	-	-	5	1	4	-	
3	Agriculture	3	3	-	-	-	-	-	-	-	-	-	-	-	
4	Mining, quarrying, oil and gas wells	2	2	-	-	-	-	-	-	-	-	-	-	-	
5	Manufacturing	22	19	3	-	-	-	-	-	-	-	1	-	-	
6	Construction	30	30	-	-	-	-	-	-	-	1	-	1	-	
7	Transportation	17	17	-	-	-	-	-	-	-	1	-	2	-	
8	Public Utilities	8	8	-	-	-	-	-	-	-	-	-	-	-	
9	Trade	5	5	-	-	-	-	-	-	-	1	-	-	-	
10	Service	11	10	1	-	-	-	-	-	-	1	-	1	-	
11	Other specified industry	3	3	-	-	-	-	-	-	-	1	-	-	-	
12	Unspecified industry	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	HOME TOTAL	999	407	592	25	21	22	26	13	19	3	3	3	4	
14	Poisonings (gas excepted)	15	10	5	-	-	4	2	-	-	1	-	-	-	
15	Poisonings by gases and vapors	41	27	14	-	-	2	-	2	-	-	-	-	1	
16	Fire, explosion of combustible material	164	77	87	-	1	4	14	8	13	-	3	1	2	
17	Hot substance, corrosive liquid and steam	4	2	2	-	1	-	-	-	-	-	-	-	-	
18	Mechanical suffocation	25	13	12	13	9	-	1	-	2	-	-	-	-	
19	Firearms	6	5	1	-	-	-	-	1	1	-	-	1	-	
20	Falls on same level	5	1	4	-	-	-	-	-	-	-	-	-	-	
21	Falls to different level or unspecified	669	231	438	1	1	4	4	-	1	-	-	-	1	
22	Other specified home accidents	59	32	27	11	9	6	3	1	-	-	-	1	-	
23	Unspecified home accidents	11	9	2	-	-	2	2	3	-	2	-	-	-	
24	MOTOR-VEHICLE TOTAL²	524	398	126	-	-	12	12	26	10	25	8	42	7	
25	Injury to pedestrian	240	181	59	-	-	11	7	20	7	1	1	3	-	
26	Collision with other motor vehicle	72	51	21	-	-	-	-	-	-	4	2	3	2	
27	Collision with railroad train	8	5	3	-	-	-	-	-	-	-	-	2	-	
28	Collision with streetcar	-	-	-	-	-	-	-	-	-	-	-	-	-	
29	Injury to rider of bicycle	12	10	2	-	-	-	1	4	1	2	-	1	-	
30	Collision with animal-drawn vehicle or animal	1	1	-	-	-	-	-	-	-	1	-	-	-	
31	Collision with fixed object	88	71	17	-	-	1	3	-	-	7	1	17	4	
32	Noncollision	94	73	21	-	-	-	-	1	2	10	4	16	1	
33	Other and unspecified accident	9	6	3	-	-	1	1	-	-	-	-	-	-	
34	PUBLIC NONMOTOR-VEHICLE TOTAL³	604	390	214	1	-	20	4	44	15	18	-	11	5	
35	Railroad—not with motor vehicle	24	16	8	-	-	1	1	1	2	-	-	-	-	
36	Streetcar—not with motor vehicle	1	-	1	-	-	-	-	-	-	-	-	-	-	
37	Other vehicle—not with motor vehicle	4	3	1	-	-	-	-	1	-	-	-	-	-	
38	Water transportation	31	27	4	-	-	1	-	2	-	-	-	2	3	
39	Air transportation	9	7	2	-	-	-	-	-	-	-	-	2	1	
40	Fire, explosion of combustible material	11	9	2	-	-	-	1	2	-	1	-	-	-	
41	Hot substance, corrosive liquid and steam	2	1	1	-	-	-	-	-	-	-	-	-	-	
42	Drowning	129	112	17	-	-	16	1	31	8	11	-	6	-	
43	Firearms	3	3	-	-	-	-	-	1	-	-	-	-	-	
44	Falls on same level	11	9	2	-	-	-	-	1	-	-	-	-	-	
45	Falls to different level or unspecified	310	155	155	-	-	-	-	3	2	3	-	-	-	
46	Other specified public accidents	54	36	18	1	-	1	1	-	1	2	-	1	1	
47	Unspecified public accidents	15	12	3	-	-	1	-	2	2	1	-	-	-	
48	TYPE OF ACCIDENT UNKNOWN	219	124	95	3	1	1	4	2	3	3	-	9	-	

¹ Allocated.² Includes 9 nontraffic accidents and 29 persons gainfully employed.³ Transportation accidents include 1 person gainfully employed.

TYPE OF ACCIDENT, BY AGE AND SEX: 1952.

Line No.	AGE OF DECEDENTS (YEARS)																	
	25 to 29		30 to 34		35 to 39		40 to 44		45 to 49		50 to 54		55 to 59		60 to 64		65 and over	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	67	19	50	16	46	18	60	21	60	25	76	22	98	21	103	45	564	701
2	8	-	7	-	9	-	6	-	8	1	14	-	16	-	7	-	13	2
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-
5	-	-	2	-	3	-	1	-	1	1	-	-	-	-	-	-	4	1
6	2	-	1	-	2	-	2	-	1	-	6	-	5	-	4	-	5	-
7	3	-	1	-	3	-	1	-	-	-	2	-	2	1	-	-	1	-
8	2	-	-	-	1	-	-	-	3	-	-	-	2	-	-	-	-	-
9	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-
10	1	-	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1
11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	5	-	4	7	10	6	9	13	12	12	14	9	20	9	19	19	248	444
14	1	-	-	-	2	-	-	1	1	1	-	-	-	-	1	-	-	1
15	-	-	-	1	2	-	-	1	1	3	1	-	2	-	2	-	17	6
16	2	-	2	5	4	3	6	7	3	4	6	3	5	6	7	4	29	22
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4
21	-	-	2	-	2	2	1	4	6	4	7	3	11	3	9	15	188	400
22	1	-	1	-	1	2	2	-	1	-	-	3	1	-	-	-	8	10
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
24	36	7	22	8	11	8	18	2	13	4	20	9	31	5	30	9	112	37
25	5	-	2	2	2	5	1	6	6	5	6	5	15	2	20	6	87	26
26	5	4	6	2	4	1	1	-	3	3	5	1	3	1	6	1	11	4
27	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	12	2	10	-	2	3	4	-	2	-	6	2	3	1	-	-	6	1
32	13	1	6	3	3	2	7	1	2	-	2	1	8	1	2	1	3	4
33	1	-	-	1	-	-	-	-	-	-	1	-	2	-	-	1	1	-
34	12	8	11	-	11	3	23	5	16	6	23	2	22	5	36	13	142	148
35	-	-	1	-	-	-	-	1	1	-	3	-	2	-	4	-	3	2
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
37	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
38	2	-	3	-	2	-	6	1	2	-	1	-	3	-	2	-	1	-
39	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	3	-
41	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
42	1	2	1	-	5	-	5	1	2	3	9	-	1	-	12	1	12	1
43	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
44	-	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	3	2
45	2	-	2	-	1	2	7	-	6	2	4	1	10	5	15	7	102	136
46	1	3	3	-	1	1	2	1	3	1	5	-	3	-	1	3	12	6
47	-	1	1	-	-	-	2	-	-	-	-	-	1	-	-	-	4	-
48	6	4	6	1	5	1	4	1	11	2	5	2	9	2	11	4	49	70

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS											
		THE STATE.		Accountants and auditors.		Actors and actresses.		Agents (n. e. s.). ²		Agents, advertising and salesmen.		Agents, insurance and brokers.	
		M	F	M	F	M	F	M	M	M	F		
	All Causes.	Sex	M	F	M	F	M	F	M	M	F	M	F
(1)	Tuberculosis of the respiratory system (1-8)		13,921	2,447	113	12	3	1	52	5	64	2	
(2)	All other forms of tuberculosis (10-19)		368	37	3	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)		15	4	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)		25	2	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)		4	-	-	-	-	1	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)		4	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)		5	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)		4	3	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)		17	4	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)		2,576	773	18	6	-	8	1	11	1	-	-
(19)	Benign and unspecified neoplasms (210-239)		51	20	1	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)		199	50	1	1	1	-	-	-	1	-	-
(21)	Anemias (290-293)		16	7	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)		995	249	11	1	-	3	1	8	1	-	-
(23)	Nonmeningococcal meningitis (340)		12	5	2	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)		7	3	1	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)		245	90	6	-	-	1	1	2	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)		5,118	488	43	3	2	19	1	25	-	-	-
(26)	Degenerative heart disease (421, 422)		341	56	1	-	-	-	-	1	-	-	-
(27)	Other diseases of heart (430-434)		222	28	1	-	-	-	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)		510	101	7	-	-	2	-	5	-	-	-
(29)	Hypertension without mention of heart (444-447)		68	13	-	-	-	1	-	-	-	-	-
(30)	Influenza (480-483)		3	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)		252	35	1	-	-	-	-	-	-	-	-
(32)	Bronchitis (500-502)		21	3	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)		198	12	3	-	-	2	-	1	-	-	-
(34)	Appendicitis (550-553)		44	11	-	-	-	-	-	1	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)		73	11	-	-	-	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		33	12	-	-	-	3	-	-	-	-	-
(37)	Cirrhosis of the liver (581)		371	58	2	-	-	4	-	1	-	-	-
(38)	Nephritis and nephrosis (590-594)		171	39	1	-	-	2	-	-	-	-	-
(39)	Hyperplasia of prostate (610)		23	-	1	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	13	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)		17	4	-	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		84	11	-	-	-	1	-	-	-	-	-
(46)	Arteriosclerosis (450)		64	17	1	-	-	1	-	-	1	-	-
(46)	All other diseases (residual)		736	138	3	-	-	3	-	1	-	-	-
(47)	Motor vehicle accidents (810-835)		270	36	3	1	-	1	-	1	-	-	-
(48)	Railroad accidents and injuries (800-802)		13	3	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)		11	2	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		59	18	-	-	-	-	1	-	-	-	-
(48)	Accidental drowning (850, 851, 929)		82	8	-	-	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)		175	29	1	-	1	-	-	1	-	-	-
(48)	All other accidents		142	19	-	-	-	-	-	1	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)		258	26	2	-	-	-	-	2	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)		19	9	-	-	-	-	-	1	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS															
		Sex		Authors.		Baggage-men, transportation.		Bakers.		Bank tellers.		Barbers, beauticians and manicurists.		Bartenders.		Blacksmiths.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.	4	3	4		79	4	5	2	122	17		76		21		
(1)	Tuberculosis of the respiratory system (1-8)																
(2)	All other forms of tuberculosis (10-19)									2			5				
(3)	Syphilis (20-29)									1							
(4)	Typhoid fever (40)																
(6)	Dysentery, all forms (45-48)																
(7)	Scarlet fever and streptococcal sore throat (50, 51)																
(8)	Diphtheria (55)																
(9)	Whooping cough (56)																
(10)	Meningococcal infections (57)																
(12)	Acute poliomyelitis (80)																
(14)	Measles (85)																
(16)	Malaria (110-117)																
(17)	Infectious hepatitis (92)																
(17)	All other diseases classified as infective and parasitic (residual)					1											
(18)	Malignant neoplasms (140-205)	1				21	1			25	5	16	3				
(19)	Benign and unspecified neoplasms (210-239)									1	1						
(20)	Diabetes mellitus (260)					2				1		1					
(21)	Anemias (290-293)									1							
(22)	Vascular lesions affecting central nervous system (330-334)		1			4	1		2	9	2	4	2				
(23)	Nonmeningococcal meningitis (340)																
(24)	Rheumatic fever (400-402)																
(25)	Chronic rheumatic heart disease (410-416)					2	1			2	1						
(26)	Arteriosclerotic heart disease, including coronary disease (420)	1			3	22		4		51	2	20	9				
(26)	Degenerative heart disease (421, 422)					2				1		2	1				
(27)	Other diseases of heart (430-434)					3				3		4					
(28)	Hypertension with heart disease (440-443)		1			7				5	1	2					
(29)	Hypertension without mention of heart (444-447)															1	
(30)	Influenza (480-483)																
(31)	Pneumonia (490-493)					1	1			3	1	2					
(32)	Bronchitis (500-502)									1							
(33)	Ulcer of stomach and duodenum (540, 541)		1			2				1		1					
(34)	Appendicitis (550-553)					1											
(35)	Intestinal obstruction and hernia (560, 561, 570)									1		4	1				
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)																
(37)	Cirrhosis of the liver (581)					3				3		4					
(38)	Nephritis and nephrosis (590-594)					2				4	1	5					
(39)	Hyperplasia of prostate (610)					1											
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)																
(41)	Congenital malformations (750-759)																
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)																
(46)	Arteriosclerosis (450)					1				1							
(46)	All other diseases (residual)	2		1		3				2	1	5	3				
(47)	Motor vehicle accidents (810-835)							1		2	1						
(48)	Railroad accidents and injuries (800-802)									1							
(48)	Air-transport accidents (860-866)																
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)									1							
(48)	Accidental drowning (850, 851, 929)									1							
(48)	Accidental falls (transport accidents excepted) (900-904)											1					
(48)	All other accidents					1											
(49)	Suicide and self-inflicted injury (963, 970-979)									1							
(50)	Homicide and operations of war (964, 965, 980-999)															1	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS														
			Charwomen and cleaners.		Chemists.		Chiropactors.		Clergymen.		Clerks (n.e.s.). ²		Clerks, railway mail and express messengers.		Clerks, shipping and receiving.		Collectors, bill and account.
			M	F	M	F	M	M	F	M	M	F	M	M	F	M	M
	All Causes.		16	21	17	1	57	588	266	4	118	1	4	118	1	4	4
(1)	Tuberculosis of the respiratory system (1-8)		1	-	-	-	-	18	3	1	4	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)		-	-	-	-	-	2	-	-	3	-	-	-	-	-	-
(3)	Syphilis (20-29)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)		-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)		3	6	6	-	9	100	87	-	20	1	1	-	-	-	-
(19)	Benign and unspecified neoplasms (210-239)		-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)		1	-	-	-	3	10	5	-	2	-	-	-	-	-	-
(21)	Anemias (290-293)		-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)		-	3	1	-	9	37	27	-	7	-	-	-	-	-	-
(23)	Nonmeningococcal meningitis (340)		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)		-	-	2	-	1	18	10	-	2	-	-	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)		4	7	4	-	17	227	48	1	34	-	2	-	-	-	-
(26)	Degenerative heart disease (421, 422)		2	-	1	-	4	13	4	-	4	-	-	-	-	-	-
(27)	Other diseases of heart (430-434)		-	-	-	-	1	13	4	-	3	-	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)		-	1	-	-	2	25	6	-	5	-	-	-	-	-	-
(29)	Hypertension without mention of heart (444-447)		-	-	-	-	1	2	4	-	-	-	-	-	-	-	-
(30)	Influenza (480-483)		-	-	-	-	-	1	2	4	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)		2	1	-	-	2	8	-	-	3	-	-	-	-	-	-
(32)	Bronchitis (500-502)		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)		-	-	-	-	-	5	1	-	4	-	-	-	-	-	-
(34)	Appendicitis (550-553)		1	-	-	-	-	4	2	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)		-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
(38)	Nephritis and nephrosis (590-594)		-	-	-	1	-	16	3	1	5	-	-	-	-	-	-
(39)	Hyperplasia of prostate (610)		-	-	-	-	-	9	7	-	4	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
(41)	Congenital malformations (750-759)		-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(46)	Arteriosclerosis (450)		-	-	-	-	-	5	1	-	1	-	-	-	-	-	-
(46)	All other diseases (residual)		-	2	1	-	2	38	21	1	12	-	-	-	-	-	-
(47)	Motor vehicle accidents (810-835)		1	1	1	-	-	10	9	-	-	-	-	-	-	1	-
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	-	-	2	3	1	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)		-	-	-	-	-	2	3	-	1	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)		1	-	-	-	3	8	3	-	1	-	-	-	-	-	-
(48)	All other accidents		-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)		-	-	-	-	-	5	3	-	1	-	-	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1952.

Abbreviated List No.	College presidents, professors and instructors.		Composers and typesetters.		Conductors, bus and street railway.	Conductors, railroad.	Cooks, except private household.		Counter and fountain workers.	Craftsmen and kindred workers (n.e.s.). ²	Cranemen, derrickmen and hoistmen.	Credit men.	Dancers and dancing teachers.		Dealers (n.e.s.). ²	Dealers, apparel and accessories stores, except shoe stores.
	M	F	M	F	M	M	M	F	M	F	M	M	F	M	F	M
(1)	6	2														
(2)			1			1	8			1			1			
(3)			1				1									
(4)																
(6)																
(7)																
(8)																
(9)																
(10)																
(12)																
(14)																
(16)																
(17)																
(17)																
(18)	1		19	2		8	29	17	4	1	5	8			6	6
(19)			1				6									
(20)	1		3				1									1
(21)																
(22)			8			3	12	3	1		3	1			1	3
(23)			1													
(24)																
(25)			1					2								1
(26)	1	2	31	1	1	9	61	6	7	1	8	4	2		12	1
(26)			1		1		2	2			1	1				1
(27)			2		1		1				1					1
(28)			1			1	6	1			3	2			1	1
(29)									1			1				
(30)																
(31)	1		2				7	2			1			1		
(32)																
(33)							3		1							2
(34)							2									
(35)			1				1				1					
(36)																
(37)			2				8		1							
(38)	1		2			1	1				1				1	
(39)																
(40)																
(41)			1											1		
(45)			1													
(46)			2													
(46)			5				14	4			1	2			1	1
(47)	1		3						1		1					
(48)						1										
(48)																
(48)								1		1						
(48)			1					1			2					
(48)			1		1		5	1			1	2				
(49)			5				1		1			2				
(50)							4				1					

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS																	
		Sex		Dealers, dairy products and milk retailing.		Dealers, drug stores.		Dealers, eating and drinking places.		Dealers, five and ten cent stores.		Dealers, food stores, except dairy products.		Dealers, fuel and ice retailing.		Dealers, furniture and house furnishings stores.		Dealers, gasoline service stations.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.	4	8	97	7	21	2	198	9	27	16	27							
(1)	Tuberculosis of the respiratory system (1-8)				2			3											1
(2)	All other forms of tuberculosis (10-19)																		
(3)	Syphilis (20-29)																		
(4)	Typhoid fever (40)																		
(6)	Dysentery, all forms (45-48)																		
(7)	Scarlet fever and streptococcal sore throat (50, 51)																		
(8)	Diphtheria (55)																		
(9)	Whooping cough (56)																		
(10)	Meningococcal infections (57)																		
(12)	Acute poliomyelitis (80)																		
(14)	Measles (85)																		
(16)	Malaria (110-117)																		
(17)	Infectious hepatitis (92)																		
(17)	All other diseases classified as infective and parasitic (residual)																		
(18)	Malignant neoplasms (140-205)	1	2	16	3	1	2	43	4	4	3	4							
(19)	Benign and unspecified neoplasms (210-239)							1											
(20)	Diabetes mellitus (260)				2			3		1									1
(21)	Anemias (290-293)							1	1										
(22)	Vascular lesions affecting central nervous system (330-334)		1	12	1	1		10		2	2	2							2
(23)	Nonmeningococcal meningitis (340)																		
(24)	Rheumatic fever (400-402)							1											
(25)	Chronic rheumatic heart disease (410-416)		1	1				4											
(26)	Arteriosclerotic heart disease, including coronary disease (420)	2	2	33	1	13		84	3	13	5	9							
(26)	Degenerative heart disease (421, 422)							5											1
(27)	Other diseases of heart (430-434)	1				1		4			1								
(28)	Hypertension with heart disease (440-443)				8			6	1	2		1							
(29)	Hypertension without mention of heart (444-447)							2											2
(30)	Influenza (480-483)																		
(31)	Pneumonia (490-493)				1			1											
(32)	Bronchitis (500-502)																		
(33)	Ulcer of stomach and duodenum (540, 541)						1	5											
(34)	Appendicitis (550-553)																		
(35)	Intestinal obstruction and hernia (560, 561, 570)								1										
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)																		
(37)	Cirrhosis of the liver (581)		1	8	1			4		2	1								1
(38)	Nephritis and nephrosis (590-594)			1				1			1								
(39)	Hyperplasia of prostate (610)			1				1											
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)																		
(41)	Congenital malformations (750-759)																		
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)				1			2			1								
(46)	Arteriosclerosis (450)																		
(46)	All other diseases (residual)		1	4	1	2		9		3	1								1
(47)	Motor vehicle accidents (810-835)			2															2
(48)	Railroad accidents and injuries (800-802)																		
(48)	Air-transport accidents (860-866)																		
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)																		
(48)	Accidental drowning (850, 851, 929)							1											1
(48)	Accidental falls (transport accidents excepted) (900-904)					1		1											1
(48)	All other accidents				1														
(49)	Suicide and self-inflicted injury (963, 970-979)				3			4											
(50)	Homicide and operations of war (964, 965, 980-999)																		

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS																		
			Dentists.		Designers (n.e.s.). ²		Dietitians and nutritionists.		Dispatchers and starters, vehicle.		Draftsmen.		Dressmakers and seamstresses, except factory		Drivers, bus.		Drivers, truck and tractor.				
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	All Causes.																				
(1)	Tuberculosis of the respiratory system (1-8)	M	40	F	8	M	2	F	11	M	19	F	19	M	1	F	29	M	42	F	193
(2)	All other forms of tuberculosis (10-19)		-		-		-		-		-		-		-		-		3		4
(3)	Syphilis (20-29)		-		-		-		-		-		-		-		-		-		-
(4)	Typhoid fever (40)		-		-		-		-		-		-		-		-		-		-
(6)	Dysentery, all forms (45-48)		-		-		-		-		-		-		-		-		-		-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-		-		-		-		-		-		-		-		-		-
(8)	Diphtheria (55)		-		-		-		-		-		-		-		-		-		-
(9)	Whooping cough (56)		-		-		-		-		-		-		-		-		-		-
(10)	Meningococcal infections (57)		-		-		-		-		-		-		-		-		-		-
(12)	Acute poliomyelitis (80)		-		-		-		-		-		-		-		-		-		-
(14)	Measles (85)		-		-		-		-		-		-		-		-		-		-
(16)	Malaria (110-117)		-		-		-		-		-		-		-		-		-		-
(17)	Infectious hepatitis (92)		-		-		-		-		-		-		-		-		-		-
(17)	All other diseases classified as infective and parasitic (residual)		-		-		-		-		-		-		-		-		-		-
(18)	Malignant neoplasms (140-205)		9		-		2		3		3		2		9		7		7		35
(19)	Benign and unspecified neoplasms (210-239)		-		-		-		-		-		-		-		-		-		-
(20)	Diabetes mellitus (260)		-		-		-		-		-		-		-		-		-		1
(21)	Anemias (290-293)		-		-		-		-		-		-		-		-		-		3
(22)	Vascular lesions affecting central nervous system (330-334)		-		-		-		-		-		-		-		-		-		1
(23)	Nonmeningococcal meningitis (340)		2		1		-		1		2		2		3		3		3		7
(24)	Rheumatic fever (400-402)		-		-		-		-		-		-		-		-		-		1
(25)	Chronic rheumatic heart disease (410-416)		-		-		-		-		1		2		-		3		3		4
(26)	Arteriosclerotic heart disease, including coronary disease (420)		18		5		-		2		9		7		6		15		15		63
(26)	Degenerative heart disease (421, 422)		-		-		-		-		-		-		-		-		-		3
(27)	Other diseases of heart (430-434)		1		-		-		-		-		-		1		-		-		-
(28)	Hypertension with heart disease (440-443)		2		-		-		2		2		1		1		2		2		6
(29)	Hypertension without mention of heart (444-447)		1		-		-		-		1		1		1		-		-		1
(30)	Influenza (480-483)		-		-		-		-		-		-		-		-		-		-
(31)	Pneumonia (490-493)		-		1		-		-		-		-		-		-		-		8
(32)	Bronchitis (500-502)		-		-		-		1		-		-		1		-		-		2
(33)	Ulcer of stomach and duodenum (540, 541)		1		-		-		-		1		-		-		3		3		4
(34)	Appendicitis (550-553)		-		-		-		-		-		-		-		-		-		1
(35)	Intestinal obstruction and hernia (560, 561, 570)		-		-		-		-		1		-		1		-		-		1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-		-		-		-		-		-		1		-		-		2
(37)	Cirrhosis of the liver (581)		1		-		-		-		-		-		1		1		1		6
(38)	Nephritis and nephrosis (590-594)		-		-		1		1		-		-		-		-		-		4
(39)	Hyperplasia of prostate (610)		1		-		-		-		-		-		-		-		-		-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-		-		-		-		-		-		-		-		-		-
(41)	Congenital malformations (750-759)		-		-		-		-		-		-		-		-		-		2
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-		-		-		-		-		-		-		-		-		-
(46)	Arteriosclerosis (450)		-		-		-		-		-		-		-		-		-		1
(46)	All other diseases (residual)		2		1		-		-		1		-		2		1		1		7
(47)	Motor vehicle accidents (810-835)		-		-		-		-		-		-		-		-		-		9
(48)	Railroad accidents and injuries (800-802)		-		-		-		-		-		-		-		-		-		-
(48)	Air-transport accidents (860-866)		-		-		-		-		-		-		-		-		-		-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-		-		-		-		-		-		-		-		-		4
(48)	Accidental drowning (850, 851, 929)		-		-		-		1		-		-		1		-		-		1
(48)	Accidental falls (transport accidents excepted) (900-904)		-		-		-		-		1		-		-		2		2		2
(48)	All other accidents		-		-		-		1		-		-		-		1		1		4
(49)	Suicide and self-inflicted injury (963, 970-979)		2		-		-		-		-		1		-		-		-		3
(50)	Homicide and operations of war (964, 965, 980-999)		-		-		-		-		-		-		-		-		-		1

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS									
			M	M	M	M	F	M	M	M	M	M
			Engravers, except photoengravers.	Entertainers (n.e.s.). ²	Farm laborers, wage workers.	Farmers (owners and tenants).	Filers, grinders, and polishers, metal.	Firemen, fire protection.	Firemen, locomotive.	Firemen, stationary.	Fishermen and oystermen.	
	All Causes.		23	8	25	98	2	8	88	3	81	62
(1)	Tuberculosis of the respiratory system (1-8)		-	-	2	2	-	-	2	-	5	-
(2)	All other forms of tuberculosis (10-19)		-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)		-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)		-	-	-	1	-	-	-	-	-	-
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)		-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)		4	-	4	10	1	2	16	-	18	12
(19)	Benign and unspecified neoplasms (210-239)		-	-	-	1	-	-	-	-	-	-
(20)	Diabetes mellitus (260)		-	-	1	2	-	1	-	-	1	1
(21)	Anemias (290-293)		-	-	-	-	-	-	-	-	1	-
(22)	Vascular lesions affecting central nervous system (330-334)		2	3	2	12	-	2	7	-	4	6
(23)	Nonmeningococcal meningitis (340)		-	-	-	1	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)		-	-	1	1	-	1	1	-	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)		7	4	7	31	1	2	41	2	29	19
(26)	Degenerative heart disease (421, 422)		-	-	-	6	-	-	-	-	1	1
(27)	Other diseases of heart (430-434)		-	-	1	1	-	2	-	-	2	-
(28)	Hypertension with heart disease (440-443)		1	-	-	5	-	-	1	-	3	4
(29)	Hypertension without mention of heart (444-447)		1	-	-	-	-	-	-	-	-	1
(30)	Influenza (480-483)		-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)		-	-	-	-	-	2	-	-	-	1
(32)	Bronchitis (500-502)		-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)		1	-	-	3	-	-	-	-	1	-
(34)	Appendicitis (550-553)		-	-	1	-	-	-	-	-	1	-
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	-	-	-	-	-	-	-	1	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		2	-	-	1	-	-	1	-	-	-
(37)	Cirrhosis of the liver (581)		1	-	1	1	-	-	3	-	2	-
(38)	Nephritis and nephrosis (590-594)		2	-	-	2	-	1	-	-	2	-
(39)	Hyperplasia of prostate (610)		1	-	-	1	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)		-	-	-	1	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-	-	1	-	-	-	-	-	1	2
(46)	Arteriosclerosis (450)		-	-	-	1	-	-	-	1	1	1
(46)	All other diseases (residual)		2	1	1	2	-	1	5	-	2	3
(47)	Motor vehicle accidents (810-835)		1	-	-	4	-	-	2	-	-	1
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	1	1	-	-	2	-	-	1
(48)	Accidental drowning (850, 851, 929)		-	-	-	2	-	-	-	-	1	1
(48)	Accidental falls (transport accidents excepted) (900-904)		-	-	1	1	-	-	1	-	1	-
(48)	All other accidents		-	-	-	2	-	-	-	-	2	3
(49)	Suicide and self-inflicted injury (963, 970-979)		1	-	1	3	-	-	-	-	2	3
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19 CAUSE OF DEATH, ¹	ALLOCATED DEATHS													
		Sex		M	M	M	M	M	M	M	M	M	M	M	F
		All Causes.													
(1)	Tuberculosis of the respiratory system (1-8)	11	1	19	7	1	3	88	4	161	3				
(2)	All other forms of tuberculosis (10-19)														
(3)	Syphilis (20-29)				1										
(4)	Typhoid fever (40)														
(6)	Dysentery, all forms (45-48)														
(7)	Scarlet fever and streptococcal sore throat (50, 51)														
(8)	Diphtheria (55)														
(9)	Whooping cough (56)														
(10)	Meningococcal infections (57)														
(12)	Acute poliomyelitis (80)														
(14)	Measles (85)														
(16)	Malaria (110-117)														
(17)	Infectious hepatitis (92)														
(17)	All other diseases classified as infective and parasitic (residual)														
(18)	Malignant neoplasms (140-205)	3		2	2			17	2	25					
(19)	Benign and unspecified neoplasms (210-239)												1		
(20)	Diabetes mellitus (260)									3					
(21)	Anemias (290-293)							1							
(22)	Vascular lesions affecting central nervous system (330-334)			1				13		9	1				
(23)	Nonmeningococcal meningitis (340)														
(24)	Rheumatic fever (400-402)														
(25)	Chronic rheumatic heart disease (410-416)	1						1		3					
(26)	Arteriosclerotic heart disease, including coronary disease (420)	6		10	3	1	1	20	1	74	2				
(26)	Degenerative heart disease (421, 422)	1						4		3					
(27)	Other diseases of heart (430-434)							1		3					
(28)	Hypertension with heart disease (440-443)			2				4		1					
(29)	Hypertension without mention of heart (444-447)							1							
(30)	Influenza (480-483)														
(31)	Pneumonia (490-493)							1	2	2					
(32)	Bronchitis (500-502)														
(33)	Ulcer of stomach and duodenum (540, 541)									3					
(34)	Appendicitis (550-553)									2					
(35)	Intestinal obstruction and hernia (560, 561, 570)									3					
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)												1		
(37)	Cirrhosis of the liver (581)			2				3		1					
(38)	Nephritis and nephrosis (590-594)		1	1				1		2					
(39)	Hyperplasia of prostate (610)														
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)														
(41)	Congenital malformations (750-759)														
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)									1					
(46)	Arteriosclerosis (450)				1					2					
(46)	All other diseases (residual)							6	1	9					
(47)	Motor vehicle accidents (810-835)							3		3					
(48)	Railroad accidents and injuries (800-802)														
(48)	Air-transport accidents (860-866)														
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)														
(48)	Accidental drowning (850, 851, 929)												2		
(48)	Accidental falls (transport accidents excepted) (900-904)												3		
(48)	All other accidents									4					
(49)	Suicide and self-inflicted injury (963, 970-979)			1						3			2		
(50)	Homicide and operations of war (964, 965, 980-999)														

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS										
			M	F	M	F	M	M	M	M	M	M	M
			Inspectors, wholesale and retail trade.		Janitors and sextons.		Jewelers, watchmakers, goldsmiths, and silver-smiths.	Laborers (n.e.s.). ²	Laborers, agriculture, forestry and fisheries.	Laborers, business and repair services.	Laborers, chemicals and allied products.	Laborers, construction.	
	All Causes.		8	5	228	2	13	445	38	6	8	127	
(1)	Tuberculosis of the respiratory system (1-8)		-	-	5	-	-	23	1	1	-	5	
(2)	All other forms of tuberculosis (10-19)		-	-	-	-	-	-	-	-	-	-	
(3)	Syphilis (20-29)		-	-	-	-	4	-	-	-	-	-	
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	
(6)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	
(12)	Acute poliomyelitis (80)		-	-	-	-	-	-	-	-	-	1	
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	
(17)	All other diseases classified as infective and parasitic (residual)		-	-	-	-	-	-	1	-	-	1	
(18)	Malignant neoplasms (140-205)		1	2	56	-	-	73	6	2	3	23	
(19)	Benign and unspecified neoplasms (210-239)		-	-	1	-	1	3	-	-	-	-	
(20)	Diabetes mellitus (260)		-	-	2	-	-	5	1	-	-	-	
(21)	Anemias (290-293)		-	-	-	-	-	1	1	-	-	-	
(22)	Vascular lesions affecting central nervous system (330-334)		-	-	22	1	-	24	3	-	-	13	
(23)	Nonmeningococcal meningitis (340)		-	-	-	-	-	1	-	-	-	-	
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	
(25)	Chronic rheumatic heart disease (410-416)		1	-	1	-	-	4	-	-	-	-	
(26)	Arteriosclerotic heart disease, including coronary disease (420)		2	1	73	-	8	124	9	2	3	39	
(26)	Degenerative heart disease (421, 422)		-	-	2	-	-	23	2	1	-	1	
(27)	Other diseases of heart (430-434)		-	-	6	-	-	8	3	-	-	1	
(28)	Hypertension with heart disease (440-443)		-	1	11	1	2	11	2	-	-	3	
(29)	Hypertension without mention of heart (444-447)		-	-	2	-	-	2	-	-	-	-	
(30)	Influenza (480-483)		-	-	-	-	-	-	-	-	-	-	
(31)	Pneumonia (490-493)		1	-	5	-	-	20	2	-	-	5	
(32)	Bronchitis (500-502)		-	-	1	-	-	2	-	-	-	-	
(33)	Ulcer of stomach and duodenum (540, 541)		-	-	2	-	-	6	1	-	-	1	
(34)	Appendicitis (550-553)		-	-	1	-	-	-	-	-	-	1	
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	-	1	-	-	7	-	-	-	-	
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	-	2	-	-	1	-	-	-	-	
(37)	Cirrhosis of the liver (581)		-	-	7	-	-	14	-	-	-	5	
(38)	Nephritis and nephrosis (590-594)		-	-	1	-	-	4	-	-	-	1	
(39)	Hyperplasia of prostate (610)		-	-	1	-	-	1	-	-	-	1	
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	-	-	-	-	-	
(41)	Congenital malformations (750-759)		-	-	-	-	-	-	-	-	-	-	
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-	-	-	-	-	1	2	-	-	-	
(46)	Arteriosclerosis (450)		-	-	1	-	-	6	-	-	-	1	
(46)	All other diseases (residual)		1	1	11	-	2	34	-	-	-	5	
(47)	Motor vehicle accidents (810-835)		-	-	2	-	-	7	1	-	-	8	
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	1	-	-	-	1	
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	2	-	-	5	-	-	-	-	
(48)	Accidental drowning (850, 851, 929)		-	-	-	-	-	4	1	-	-	1	
(48)	Accidental falls (transport accidents excepted) (990-904)		-	-	3	-	-	6	-	-	-	2	
(48)	All other accidents		-	-	2	-	-	11	2	-	-	4	
(49)	Suicide and self-inflicted injury (963, 970-979)		-	-	4	-	-	8	-	-	2	4	
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	1	-	-	1	-	-	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex																
		M		M		M		M		M		F						
		M	F	M	F	M	F	M	F	M	F	M	F					
	All Causes.	2		2		13		140		9		1		6		36		2
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	6	-	-	-	-	-	-	-	2	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	1	-	1	-	3	-	-	-	2	-	8	-	-
(18)	Malignant neoplasms (140-205)	-	-	2	-	2	-	17	-	3	-	-	-	2	-	8	-	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
(20)	Diabetes mellitus (260)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	-	-	-	-	1	-	13	-	-	-	-	1	-	1	-	-	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	1	-	-	-	5	-	48	3	-	-	1	1	17	-	-	-	-
(26)	Degenerative heart disease (421, 422)	-	-	1	-	3	-	4	1	-	-	-	1	-	-	-	-	-
(27)	Other diseases of heart (430-434)	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	-	-
(31)	Pneumonia (490-493)	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
(32)	Bronchitis (500-502)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	1	-	8	1	-	-	-	-	-	-	-	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(39)	Hypertrophy of prostate (610)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(46)	All other diseases (residual)	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	-	-
(47)	Motor vehicle accidents (810-835)	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
(48)	All other accidents	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS															
		Managers and superintendents, building.		Meat cutters, except slaughter and packing house.		Mechanics and repairmen (n.e.s.). ²		Mechanics and repairmen, airplane.		Mechanics and repairmen, automobile.		Mechanics and repairmen, radio and television.		Mechanics and repairmen, railroad and car shop.		Members of the armed forces.	
		M	M	M	M	M	M	M	M	M	M	M	M	F			
	All Causes.	5	21	319	2	63	9	6	128								
(1)	Tuberculosis of the respiratory system (1-8)	-	-	7	-	2	1	-	2	-	-	-	-				
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-				
(3)	Syphilis (20-29)	-	-	1	-	1	-	-	-	-	-	-	-				
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-				
(6)	Dysentery, all forms (45-48)	-	-	-	-	1	-	-	-	-	-	-	-				
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-				
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-				
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-				
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-				
(12)	Acute poliomyelitis (80)	-	-	1	-	-	-	-	-	-	-	-	-				
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-				
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-				
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-				
(17)	All other diseases classified as infective and parasitic (residual)	-	-	1	-	-	-	-	-	-	-	-	-				
(18)	Malignant neoplasms (140-205)	2	2	66	-	9	2	1	18	1	-	-	-				
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	2	-	-	-	-				
(20)	Diabetes mellitus (260)	-	-	2	-	-	-	-	-	-	-	-	-				
(21)	Anemias (290-293)	-	-	-	-	-	-	-	1	-	-	-	-				
(22)	Vascular lesions affecting central nervous system (330-334)	-	3	15	-	11	-	-	7	-	-	-	-				
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-				
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-				
(25)	Chronic rheumatic heart disease (410-416)	-	1	5	-	-	1	2	3	-	-	-	-				
(26)	Arteriosclerotic heart disease, including coronary disease (420)	1	8	113	1	20	1	1	19	-	-	-	-				
(26)	Degenerative heart disease (421, 422)	1	1	8	-	1	-	1	-	-	-	-	-				
(27)	Other diseases of heart (430-434)	-	2	2	-	-	-	-	1	-	-	-	-				
(28)	Hypertension with heart disease (440-443)	-	1	13	-	1	1	-	1	-	-	-	-				
(29)	Hypertension without mention of heart (444-447)	-	-	2	-	-	-	-	-	-	-	-	-				
(30)	Influenza (480-483)	-	-	2	-	-	-	-	-	-	-	-	-				
(31)	Pneumonia (490-493)	-	-	2	-	1	-	-	1	-	-	-	-				
(32)	Bronchitis (500-502)	-	-	1	-	-	-	-	-	-	-	-	-				
(33)	Ulcer of stomach and duodenum (540, 541)	1	1	5	-	1	-	-	2	-	-	-	-				
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-	-	-				
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	1	2	-	-	-	-	-	-	-	-	-				
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	-	-	-				
(37)	Cirrhosis of the liver (581)	-	-	15	-	-	-	1	4	-	-	-	-				
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	1	-	-	1	-	-	-	-				
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-	-	-				
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	1	-	-	-	-	-	-	-	-	-				
(41)	Congenital malformations (750-759)	-	-	1	-	-	-	-	-	-	-	-	-				
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	1	-	1	-	-	4	2	-	-	-				
(46)	Arteriosclerosis (450)	-	-	2	-	2	-	-	-	-	-	-	-				
(46)	All other diseases (residual)	-	2	20	-	2	1	-	6	-	-	-	-				
(47)	Motor vehicle accidents (810-835)	-	-	12	-	1	1	-	23	1	-	-	-				
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-				
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	9	-	-	-	-				
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	4	-	1	-	-	3	-	-	-	-				
(48)	Accidental drowning (850, 851, 929)	-	-	1	-	1	1	-	5	-	-	-	-				
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	1	1	-	-	-	4	1	-	-	-				
(48)	All other accidents	-	-	6	-	3	-	-	5	-	-	-	-				
(49)	Suicide and self-inflicted injury (963, 970-979)	-	1	10	-	3	-	-	6	-	-	-	-				
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-				

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS											
			Officials, lodge, society, union, etc.		Oilers and greasers, except auto.		Operatives (n.e.s.). ²		Operatives, agriculture, forestry and fisheries.		Operatives, apparel, and other fabricated textile products.		Operatives, business and repair services.	
			M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.		3	17	342	155	7	1	17	45	39	25	6	
(1)	Tuberculosis of the respiratory system (1-8)		-	1	14	8	-	-	-	-	1	-	-	-
(2)	All other forms of tuberculosis (10-19)		-	-	1	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)		-	-	1	1	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)		-	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)		-	-	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)		1	3	62	29	-	-	5	16	4	2	2	
(19)	Benign and unspecified neoplasms (210-239)		-	-	-	-	-	-	-	1	-	-	-	-
(20)	Diabetes mellitus (260)		-	-	10	1	-	-	-	2	1	-	-	-
(21)	Anemias (290-293)		-	1	1	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)		-	1	25	27	-	1	2	5	4	-	-	-
(23)	Nonmeningococcal meningitis (340)		-	-	-	1	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)		-	-	-	1	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)		-	-	5	6	-	1	1	1	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)		1	8	118	34	3	9	7	15	11	3	3	
(26)	Degenerative heart disease (421, 422)		-	1	5	4	1	-	-	1	3	-	-	-
(27)	Other diseases of heart (430-434)		-	-	5	4	-	-	-	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)		-	-	9	9	1	1	-	5	-	-	-	-
(29)	Hypertension without mention of heart (444-447)		-	-	1	2	-	-	-	-	1	-	-	-
(30)	Influenza (480-483)		-	-	12	1	-	-	-	-	1	-	-	-
(31)	Pneumonia (490-493)		-	1	2	-	-	-	-	-	-	-	-	-
(32)	Bronchitis (500-502)		-	-	3	-	-	-	1	1	1	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)		-	-	1	1	-	-	1	-	1	-	-	-
(34)	Appendicitis (550-553)		-	-	4	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	-	-	-	-	-	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	-	10	4	-	-	-	1	-	-	-	-
(37)	Cirrhosis of the liver (581)		-	-	2	1	-	-	-	1	-	-	-	-
(38)	Nephritis and nephrosis (590-594)		-	-	-	-	-	-	1	1	-	-	-	-
(39)	Hyperplasia of prostate (610)		-	-	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	1	-	-	-	1	-	-	-	-
(41)	Congenital malformations (750-759)		-	-	-	-	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		1	-	2	-	1	-	-	-	-	-	-	-
(46)	Arteriosclerosis (450)		-	-	3	1	-	1	-	-	-	-	-	-
(46)	All other diseases (residual)		-	-	21	10	-	-	3	7	2	1	-	-
(47)	Motor vehicle accidents (810-835)		-	-	9	2	-	-	1	-	-	-	-	-
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	1	2	-	-	-	1	-	-	-	-
(48)	Accidental drowning (850, 851, 929)		-	1	2	-	-	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)		-	-	6	2	1	-	-	-	-	-	-	-
(48)	All other accidents		-	-	-	2	-	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)		-	-	7	-	-	-	-	2	-	1	-	-
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	-	2	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS											
			Operatives, metal industries.		Operatives, mine and laborers.		Operatives, miscellaneous manufacturing industries.		Operatives, paper and allied products.		Operatives, personal services.		Operatives, petroleum and coal products.	
			M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.		M 140	F 10	M 6	M 59	F 22	M 89	F 17	M 10	F 8	M 1		
(1)	Tuberculosis of the respiratory system (1-8)		3	-	-	-	-	2	2	-	-	-	-	
(2)	All other forms of tuberculosis (10-19)		-	-	-	-	-	-	-	-	-	-	-	
(3)	Syphilis (20-29)		-	-	-	-	-	-	-	-	-	-	-	
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	-	
(6)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	-	
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-	
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-	
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-	
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	-	
(12)	Acute poliomyelitis (80)		-	-	-	-	-	-	-	-	-	-	-	
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-	
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-	
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	-	
(17)	All other diseases classified as infective and parasitic (residual)		-	-	-	-	1	-	-	-	-	-	-	
(18)	Malignant neoplasms (140-205)		24	3	1	16	5	16	5	1	3	1		
(19)	Benign and unspecified neoplasms (210-239)		1	-	-	-	1	-	-	-	-	-	-	
(20)	Diabetes mellitus (260)		3	-	-	-	-	-	2	-	-	-	-	
(21)	Anemias (290-293)		-	-	-	-	-	-	-	-	-	-	-	
(22)	Vascular lesions affecting central nervous system (330-334)		10	1	-	11	2	6	-	1	-	-	-	
(23)	Nonmeningococcal meningitis (340)		-	-	-	-	-	-	-	-	-	-	-	
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	-	
(25)	Chronic rheumatic heart disease (410-416)		3	-	-	1	1	3	-	-	1	-	-	
(26)	Arteriosclerotic heart disease, including coronary disease (420)		46	4	1	15	5	36	4	2	1	-	-	
(26)	Degenerative heart disease (421, 422)		7	-	-	-	-	4	1	1	1	-	-	
(27)	Other diseases of heart (430-434)		3	-	-	1	1	3	-	-	-	-	-	
(28)	Hypertension with heart disease (440-443)		7	-	-	4	1	3	1	-	1	-	-	
(29)	Hypertension without mention of heart (444-447)		1	-	-	-	-	-	-	-	-	-	-	
(30)	Influenza (480-483)		-	-	-	-	-	-	-	-	-	-	-	
(31)	Pneumonia (490-493)		2	-	-	1	-	1	-	-	-	-	-	
(32)	Bronchitis (500-502)		-	-	-	-	-	-	-	-	-	-	-	
(33)	Ulcer of stomach and duodenum (540, 541)		4	-	-	1	-	1	-	-	-	-	-	
(34)	Appendicitis (550-553)		-	-	-	1	-	-	-	-	-	-	-	
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	1	-	1	-	1	-	-	-	-	-	
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	-	-	1	-	-	-	-	-	-	-	
(37)	Cirrhosis of the liver (581)		1	-	-	1	1	-	-	1	-	-	-	
(38)	Nephritis and nephrosis (590-594)		3	-	-	2	-	1	1	-	-	-	-	
(39)	Hyperplasia of prostate (610)		-	-	-	-	-	-	-	-	-	-	-	
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	-	-	-	-	-	-	
(41)	Congenital malformations (750-759)		-	-	-	-	-	1	-	-	-	-	-	
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		3	-	-	-	-	-	-	-	-	-	-	
(46)	Arteriosclerosis (450)		-	-	-	-	-	-	1	-	-	1	-	
(46)	All other diseases (residual)		10	-	1	-	2	5	-	1	-	-	-	
(47)	Motor vehicle accidents (810-835)		1	1	-	-	-	-	-	-	-	-	-	
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	-	-	-	-	-	-	
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	-	
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		1	-	1	-	1	-	-	-	-	-	-	
(48)	Accidental drowning (850, 851, 929)		2	-	-	-	-	-	-	-	-	-	-	
(48)	Accidental falls (transport accidents excepted) (900-904)		1	-	-	-	-	1	-	1	-	-	-	
(48)	All other accidents		1	-	1	-	2	1	-	1	-	-	-	
(49)	Suicide and self-inflicted injury (963, 970-979)		3	-	1	3	-	3	-	1	-	-	-	
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	-	-	-	-	-	-	-	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1952.

Abbreviated List No.	Operatives, printing, publishing and allied industries.		Operatives, professional and photographic equipment, and watches.		Operatives, professional and related services.		Operatives, public administration.		Operatives, rubber products.		Operatives, stone, clay and glass products.		Operatives, textile mill products.		Operatives, tobacco manufacturers.	Operatives, transportation, communication and other public utilities.		Operatives, transportation equipment.
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	M	F	M
(1)	33	8	17	8	5	14	45	6	67	13	21	4	503	174	3	108	6	32
(2)	-	-	-	-	1	-	1	-	-	1	1	-	11	2	-	5	-	1
(3)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(4)	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	8	4	2	2	1	5	10	-	16	4	6	2	103	63	1	13	1	8
(19)	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-
(20)	1	-	-	-	-	-	-	-	1	-	-	-	10	5	-	2	-	-
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(22)	4	1	1	2	-	2	2	-	10	1	2	-	36	12	-	7	-	-
(23)	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(25)	-	-	-	1	-	1	-	-	2	1	1	-	4	5	-	-	-	-
(26)	11	2	5	1	2	2	20	1	19	2	3	-	185	35	-	44	3	15
(26)	-	-	1	-	1	1	1	-	2	-	1	-	17	9	-	3	-	1
(27)	-	-	1	-	-	1	-	-	1	-	-	-	9	-	-	2	-	-
(28)	1	-	-	-	-	-	2	1	5	-	-	1	25	8	1	4	-	-
(29)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	-	-	1	-	-	-	-	-	2	1	-	-	7	-	-	6	-	-
(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(34)	1	-	1	-	-	-	-	-	2	-	-	-	7	-	-	4	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-
(36)	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
(37)	-	-	1	-	-	-	1	1	1	1	2	-	7	5	-	1	-	-
(38)	-	-	1	1	-	-	-	1	1	1	-	-	10	8	-	-	-	1
(39)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(41)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(45)	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
(46)	1	1	-	-	-	-	-	-	-	-	-	-	3	8	-	2	1	1
(46)	1	1	1	-	1	1	1	1	4	2	2	-	27	8	1	5	1	2
(47)	1	-	-	-	-	-	-	-	1	-	1	-	8	1	-	1	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
(48)	-	-	1	-	-	-	-	-	1	-	-	-	7	2	-	1	-	-
(48)	-	-	1	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-
(49)	2	-	1	-	-	-	2	-	-	-	1	-	11	1	-	-	-	1
(50)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS											
			M	F	M	F	M	M	F	M	M	M	F	
	All Causes.		233	71	33	4		7	3	4	1	1	10	3
(1)	Tuberculosis of the respiratory system (1-8)		10	2	1	-	-	-	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)		-	-	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)		-	-	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)		1	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)		-	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)		-	-	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)		39	23	10	-	-	1	-	-	1	1	1	
(19)	Benign and unspecified neoplasms (210-239)		-	1	-	-	-	-	-	-	-	-	-	
(20)	Diabetes mellitus (260)		3	4	3	-	-	-	-	-	-	-	-	
(21)	Anemias (290-293)		-	-	1	-	-	-	-	-	-	-	-	
(22)	Vascular lesions affecting central nervous system (330-334)		20	8	1	3	-	-	-	-	-	1	-	
(23)	Nonmeningococcal meningitis (340)		-	-	-	-	-	-	-	-	-	-	-	
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	-	
(25)	Chronic rheumatic heart disease (410-416)		3	1	1	-	-	-	2	-	-	-	-	
(26)	Arteriosclerotic heart disease, including coronary disease (420)		83	12	8	-	6	1	-	1	-	8	1	
(26)	Degenerative heart disease (421, 422)		2	-	-	-	-	-	1	-	-	-	-	
(27)	Other diseases of heart (430-434)		5	-	1	-	-	-	-	-	-	-	-	
(28)	Hypertension with heart disease (440-443)		11	1	-	-	-	-	-	-	-	-	-	
(29)	Hypertension without mention of heart (444-447)		2	-	1	-	-	-	-	-	-	-	-	
(30)	Influenza (480-483)		7	5	1	1	-	-	-	-	-	-	-	
(31)	Pneumonia (490-493)		-	-	-	-	-	-	-	-	-	-	-	
(32)	Bronchitis (500-502)		-	-	-	-	-	-	-	-	-	-	-	
(33)	Ulcer of stomach and duodenum (540, 541)		3	-	-	-	-	-	-	-	-	-	-	
(34)	Appendicitis (550-553)		-	-	1	-	-	-	1	-	-	-	1	
(35)	Intestinal obstruction and hernia (560, 561, 570)		2	1	-	-	-	-	-	-	-	-	-	
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	1	-	-	-	-	-	-	-	-	-	
(37)	Cirrhosis of the liver (581)		5	1	1	-	-	-	-	-	-	-	-	
(38)	Nephritis and nephrosis (590-594)		5	3	1	-	-	-	-	-	-	-	-	
(39)	Hyperplasia of prostate (610)		-	-	-	-	-	-	-	-	-	-	-	
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	1	-	-	-	-	-	-	-	-	-	
(41)	Congenital malformations (750-759)		-	1	-	-	-	-	-	-	-	-	-	
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		1	-	-	-	-	-	-	-	-	-	-	
(46)	Arteriosclerosis (450)		-	-	-	-	-	-	-	-	-	-	-	
(46)	All other diseases (residual)		11	3	1	-	-	1	-	-	-	-	-	
(47)	Motor vehicle accidents (810-835)		5	-	1	-	-	-	-	-	-	-	-	
(48)	Railroad accidents and injuries (800-802)		-	1	-	-	-	-	-	-	-	-	-	
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	-	
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		3	1	-	-	-	-	-	-	-	-	-	
(48)	Accidental drowning (850, 851, 929)		4	-	-	-	-	-	-	-	-	-	-	
(48)	Accidental falls (transport accidents excepted) (900-904)		5	-	-	-	-	-	-	-	-	-	-	
(48)	All other accidents		1	-	-	-	1	-	-	-	-	-	-	
(49)	Suicide and self-inflicted injury (963, 970-979)		1	1	-	-	-	-	-	-	-	-	-	
(50)	Homicide and operations of war (964, 965, 980-999)		1	-	-	-	-	-	-	-	-	-	-	

¹The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH, ¹	Sex										
		M	M	M	M	F	M	M	F	M	M	F
	All Causes.	1	13	158	132	2	48	10	2	2	22	100
(1)	Tuberculosis of the respiratory system (1-8)	-	-	8	1	-	3	1	-	-	1	4
(2)	All other forms of tuberculosis (10-19)	-	-	1	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	1	1	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	1	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	-	1	32	22	-	14	2	2	7	24	
(19)	Benign and unspecified neoplasms (210-239)	-	1	1	-	-	-	-	-	-	2	
(20)	Diabetes mellitus (260)	-	-	1	3	-	-	-	-	-	1	
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	
(22)	Vascular lesions affecting central nervous system (330-334)	-	-	10	8	-	1	1	-	-	9	
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	1	-	-	-	-	
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	
(25)	Chronic rheumatic heart disease (410-416)	-	-	4	3	-	-	1	-	1	2	
(26)	Arteriosclerotic heart disease, including coronary disease (420)	1	4	48	57	2	13	3	-	2	19	
(26)	Degenerative heart disease (421, 422)	-	-	7	1	-	-	-	-	-	3	
(27)	Other diseases of heart (430-434)	-	-	3	5	-	1	-	-	1	2	
(28)	Hypertension with heart disease (440-443)	-	1	5	6	-	3	-	-	1	1	
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	1	-	-	-	-	
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	
(31)	Pneumonia (490-493)	-	-	2	2	-	-	-	-	1	6	
(32)	Bronchitis (500-502)	-	-	-	-	-	1	-	-	-	-	
(33)	Ulcer of stomach and duodenum (540, 541)	-	1	2	1	-	1	-	-	-	1	
(34)	Appendicitis (550-553)	-	-	-	1	-	-	-	-	-	-	
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	2	-	-	-	-	-	-	-	
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	2	
(37)	Cirrhosis of the liver (581)	-	1	5	2	-	-	1	-	1	3	
(38)	Nephritis and nephrosis (590-594)	-	1	2	2	-	-	-	-	-	1	
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-	
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	1	
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	1	-	-	-	-	-	-	2	
(46)	Arteriosclerosis (45)	-	-	-	-	-	1	-	-	-	1	
(46)	All other diseases (residual)	-	1	7	7	-	4	1	-	2	10	
(47)	Motor vehicle accidents (810-835)	-	1	4	2	-	-	-	-	-	1	
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	1	
(48)	Accidental drowning (850, 851, 929)	-	-	3	-	-	1	-	-	-	-	
(48)	Accidental falls (transport accidents excepted) (900-904)	-	1	5	1	-	2	-	-	-	1	
(48)	All other accidents	-	-	1	1	-	-	-	-	-	-	
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	2	6	-	-	-	-	1	1	
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	2	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	Sex	ALLOCATED DEATHS													
			Proprietors, managers and officials, transportation, communications, etc.		Proprietors, managers and officials, wholesale trade.		Recreation and group workers.		Religious workers.		Rollers and roll hands, metal.		Roofers and slaters.		Sailors and deck hands.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.		96	4	135	4	3	1	4	13	1	32	23			
(1)	Tuberculosis of the respiratory system (1-8)		2	-	1	-	-	-	2	-	-	1	1			
(2)	All other forms of tuberculosis (10-19)		-	-	-	-	-	-	-	-	-	-	-			
(3)	Syphilis (20-29)		-	-	-	-	-	-	-	-	-	-	-			
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	-			
(5)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	-			
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-			
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-			
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-			
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	-			
(12)	Acute poliomyelitis (80)		1	-	-	-	-	-	-	-	-	-	-			
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-			
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-			
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	-			
(17)	All other diseases classified as infective and parasitic (residual)		1	-	-	-	-	-	-	-	-	-	-			
(18)	Malignant neoplasms (140-205)		20	1	29	3	-	1	-	1	-	4	2			
(19)	Benign and unspecified neoplasms (210-239)		-	-	1	-	-	-	-	-	-	-	-			
(20)	Diabetes mellitus (260)		1	-	2	-	-	-	-	-	-	-	-			
(21)	Anemias (290-293)		-	-	-	-	-	-	-	-	-	-	-			
(22)	Vascular lesions affecting central nervous system (330-334)		7	-	14	-	-	-	-	3	-	1	3			
(23)	Nonmeningococcal meningitis (340)		-	-	-	-	-	-	-	-	-	-	-			
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	-			
(25)	Chronic rheumatic heart disease (410-416)		-	-	1	-	-	-	-	-	-	-	1			
(26)	Arteriosclerotic heart disease, including coronary disease (420)		42	2	58	2	-	-	4	-	-	12	8			
(26)	Degenerative heart disease (421, 422)		2	1	3	-	-	-	-	-	-	-	-			
(27)	Other diseases of heart (430-434)		4	-	-	-	-	-	1	-	-	-	1			
(28)	Hypertension with heart disease (440-443)		4	-	6	-	-	-	1	-	-	-	-			
(29)	Hypertension without mention of heart (444-447)		1	-	-	-	-	-	-	-	-	-	-			
(30)	Influenza (480-483)		-	-	-	-	-	-	-	-	-	-	-			
(31)	Pneumonia (490-493)		-	-	-	-	-	-	1	-	-	1	-			
(32)	Bronchitis (500-502)		-	-	-	-	-	-	-	-	-	-	-			
(33)	Ulcer of stomach and duodenum (540, 541)		3	-	1	-	-	-	-	-	-	-	-			
(34)	Appendicitis (550-553)		-	-	1	-	-	-	-	-	-	-	-			
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	-	-	-	-	-	-	-	-	-	-			
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	-	-	-	-	-	-	-	-	-	-			
(37)	Cirrhosis of the liver (581)		2	-	6	-	-	-	-	-	-	2	3			
(38)	Nephritis and nephrosis (590-594)		-	-	1	-	-	-	1	-	-	1	-			
(39)	Hyperplasia of prostate (610)		1	-	-	-	-	-	-	-	1	-	-			
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	-	-	-	-	-	-			
(41)	Congenital malformations (750-759)		-	-	1	-	-	-	-	-	-	-	-			
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-	-	-	-	-	-	-	-	-	1	1			
(46)	Arteriosclerosis (450)		-	-	1	-	-	-	-	-	-	-	-			
(46)	All other diseases (residual)		3	-	5	-	-	-	2	-	-	-	1			
(47)	Motor vehicle accidents (810-835)		1	1	1	1	1	-	-	-	-	1	1			
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	-	-	-	-	-	-			
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	-			
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	-	-	-	-	-	-	-	2	-			
(48)	Accidental drowning (850, 851, 929)		1	-	1	-	-	-	-	-	-	-	-			
(48)	Accidental falls (transport accidents excepted) (900-904)		-	-	-	-	-	-	-	-	-	4	-			
(48)	All other accidents		-	-	1	-	-	-	1	-	-	1	1			
(49)	Suicide and self-inflicted injury (963, 970-979)		-	-	-	-	-	-	-	-	-	1	-			
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	1	-	-	-	-	-	-	-	-			

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Table 19

ALLOCATED DEATHS

Abbreviated List No.	CAUSE OF DEATH. ¹	Sex		Statisticians and actuaries.		Stenographers, typists and secretaries.		Stone cutters and stone carvers.		Structural metal workers.		Surveyors.		Switchmen, railroad.		Tailors and tailoresses.		Taxicab drivers and chauffeurs.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.	3	1	14	143	8	28	3	8	93	3	8	93	3	182				
(1)	Tuberculosis of the respiratory system (1-8)	-	-	1	3	1	1	-	-	1	-	-	1	-	10				
(2)	All other forms of tuberculosis (10-19)	-	-	-	1	-	-	-	-	-	-	-	1	-	-				
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				1
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(18)	Malignant neoplasms (140-205)	1	1	-	49	1	3	-	1	20	1	20	1	28					
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	1	-	-	-	-	-	-	-	-	-	1				2
(20)	Diabetes mellitus (260)	-	-	-	1	-	-	-	-	-	-	-	2	-	1				2
(21)	Anemias (290-293)	-	-	-	2	-	-	-	-	-	-	-	-	-	1				1
(22)	Vascular lesions affecting central nervous system (330-334)	-	-	1	16	-	4	-	1	11	1	8	1	8					
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	12	-	-	-	1	1	-	9	1	9					
(26)	Arteriosclerotic heart disease, including coronary disease (420)	1	-	4	20	4	13	2	2	44	1	63	5	63					
(26)	Degenerative heart disease (421, 422)	-	-	2	1	-	1	-	2	2	-	5	2	5					
(27)	Other diseases of heart (430-434)	-	-	-	4	1	1	-	-	1	-	1	-	1					
(28)	Hypertension with heart disease (440-443)	1	-	-	5	-	2	1	-	3	-	9	3	9					
(29)	Hypertension without mention of heart (444-447)	-	-	-	1	-	-	-	-	-	-	1	-	1					
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(31)	Pneumonia (490-493)	-	-	1	-	-	-	-	-	-	-	-	-	-	-				3
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	1	-	-	-	-	-	1	-	5	1	5					
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-	1	-	1					
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	-	-	-	-	-	-	-				1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	2	-	-	-	-	1	-	-	1	-	-				
(37)	Cirrhosis of the liver (581)	-	-	-	5	-	-	-	1	1	-	8	1	8					
(38)	Nephritis and nephrosis (590-594)	-	-	1	2	-	-	-	-	2	-	1	-	1					
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	1	-	-	-	-					
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	1	-	-	-	-	-	-	-	-	-					
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	-	-	-					
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	1	-	-	-	-	-	-	-	-	-					
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	-	-	-	-	-	-	-					1
(46)	All other diseases (residual)	-	-	2	4	1	-	-	-	1	-	8	1	8					
(47)	Motor vehicle accidents (810-835)	-	-	-	3	-	1	-	-	2	-	2	-	2					
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-					1
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-					
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	1	-	-	-	-	-	-	-					2
(48)	Accidental drowning (850, 851, 929)	-	-	-	3	-	-	-	-	-	-	-	-	-					1
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	2	-	-	-	-	-	-	-	-	-					3
(48)	All other accidents	-	-	-	2	-	-	-	-	-	-	-	-	-					3
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	1	2	-	1	-	-	-	-	-	-	-					2
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-	-					

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 20 CAUSE OF DEATH. ¹	NUMBER OF ALLOCATED DEATHS. ²						
		1952.	1951.	1950.	1949.	1948.	1947.	1946.
		(1)	All Causes.					
(1)	Tuberculosis of the respiratory system (1-8)	51,980	52,940	50,359	50,442	52,315	51,583	51,289
(2)	All other forms of tuberculosis (10-19)	660	840	948	1,064	1,279	1,495	1,597
(3)	Syphilis (20-29)	43	55	57	59	82	89	81
(4)	Typhoid fever (40)	52	86	83	105	161	178	183
(6)	Dysentery (45-48)	-	2	-	3	2	2	3
(7)	Scarlet fever and streptococcal sore throat (50, 51)	17	12	4	5	20	28	11
(8)	Diphtheria (55)	2	1	1	7	7	11	11
(9)	Whooping cough (56)	-	8	8	44	27	12	16
(10)	Meningococcal infections (57)	5	3	11	7	11	15	16
(12)	Acute poliomyelitis (80)	27	17	20	9	16	12	21
(14)	Measles (85)	17	11	9	51	5	12	16
(16)	Malaria (110-117)	17	5	2	12	18	12	14
(17)	Infectious hepatitis (92)	-	1	-	1	2	4	1
(17)	All other diseases classified as infective and parasitic (residual)	22	34	13	13	-	-	-
(18)	Malignant neoplasms (140-205)	58	45	46	63	42	62	61
(19)	Benign and unspecified neoplasms (210-239)	8,710	8,666	8,597	8,430	8,861	8,429	8,108
(20)	Diabetes mellitus (260)	156	146	151	169	167	192	228
(21)	Anemias (290-293)	1,041	1,060	1,042	1,110	1,718	1,643	1,594
(22)	Vascular lesions affecting central nervous system (330-334)	105	114	108	112	70	92	85
(23)	Nonmeningococcal meningitis (340)	5,579	5,660	5,427	5,286	4,892	4,655	4,750
(24)	Rheumatic fever (400-402)	60	45	59	44	42	58	66
(25)	Chronic rheumatic heart disease (410-416)	19	16	35	28	14	17	26
(26)	Arteriosclerotic and degenerative heart disease (420-422)	803	879	912	950	460	414	416
(27)	Other diseases of heart (430-434)	18,339	18,421	16,945	16,379	19,615	18,847	17,848
(28)	Hypertension with heart disease (440-443)	743	752	672	591	755	769	933
(29)	Hypertension without mention of heart (444-447)	2,535	2,863	2,793	3,301	-	-	-
(30)	Influenza (480-483)	267	242	296	201	-	-	-
(31)	Pneumonia (490-493)	28	85	27	29	56	55	126
(32)	Bronchitis (500-502)	1,182	1,271	1,009	1,345	1,875	1,889	2,277
(33)	Ulcer of stomach and duodenum (540, 541)	71	69	56	67	88	90	101
(34)	Appendicitis (550-553)	390	394	341	336	304	294	300
(35)	Intestinal obstruction and hernia (560, 561, 570)	111	98	74	92	107	138	130
(36)	Gastritis, duodenitis, enteritis, and colitis except diarrhea of newborn (543, 571, 572)	316	316	274	278	308	304	356
(37)	Cirrhosis of the liver (581)	175	186	168	190	210	282	290
(38)	Nephritis and nephrosis (590-594)	747	735	672	621	752	651	610
(39)	Hyperplasia of prostate (610)	702	728	732	684	1,867	2,003	2,086
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	147	146	121	142	180	154	211
(41)	Congenital malformations (750-759)	53	35	51	58	69	91	115
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	570	505	510	569	561	587	548
(43)	Infections of the newborn (763-768)	687	652	632	620	410	415	426
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	78	57	71	73	4	3	4
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	821	717	784	804	1,173	1,342	1,340
(46)	Arteriosclerosis (450)	286	294	228	301	195	142	167
(46)	All other diseases (residual)	1,154	1,325	1,322	1,164	787	840	851
(47)	Motor-vehicle accidents (810-835)	2,272	2,276	2,017	1,946	1,898	1,878	1,889
(48)	Railroad accidents and injuries (800-802)	522	561	584	497	471	547	588
(48)	Air-transport accidents (860-866)	27	29	30	30	38	40	46
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	14	19	12	17	24	25	22
(48)	Accidental drowning (850, 851, 929)	206	130	133	153	173	163	190
(48)	Accidental falls (transport accidents excepted) (900-904)	185	193	141	166	172	203	196
(48)	All other accidents	1,153	1,242	1,161	1,204	1,289	1,257	1,234
(49)	Suicide and self-inflicted injury (963, 970-979)	340	379	403	442	507	568	560
(50)	Homicide and operations of war (964, 965, 980-999)	419	464	502	521	478	508	468
(50)		47	50	65	49	53	66	72

¹ The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses. Revision of classification adopted in 1949.

Abbreviated List No.	DEATH RATES ² PER 100,000 POPULATION.							PER CENT DISTRIBUTION.						
	1952.	1951.	1950.	1949.	1948.	1947.	1946.	1952.	1951.	1950.	1949.	1948.	1947.	1946.
(1)	1,058.7	1,117.5	1,071.5	1,082.3	1,131.5	1,124.7	1,127.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(2)	13.8	17.7	20.2	22.8	27.7	32.6	35.0	1.3	1.6	1.9	2.1	2.5	2.9	3.1
(3)	.9	1.2	1.2	1.3	1.8	1.9	1.8	.1	.1	.1	.1	.2	.2	.2
(4)	1.1	1.8	1.8	2.3	3.5	3.9	4.0	.1	.2	.2	.2	.3	.3	.4
(5)	-	-	-	.1	.1	.4	.6	-	-	-	-	-	.1	-
(6)	.4	.3	.1	.1	.4	.2	.2	.4	.4	.4	.4	.4	.1	.4
(7)	.3	.3	.1	.1	.2	.2	.2	.4	.4	.4	.4	.4	.4	.4
(8)	-	.2	.2	.9	.6	.3	.8	-	-	-	.1	.1	.4	.1
(9)	.1	.1	.2	.1	.2	.3	.4	.4	.4	.4	.4	.4	.4	.4
(10)	.6	.4	.4	.2	.4	.3	.5	.1	.4	.4	.4	.4	.4	.4
(12)	.4	.2	.2	1.1	.1	.3	.4	.4	.4	.4	.1	.4	.4	.4
(14)	.4	.1	.3	.3	.4	.3	.3	.4	.4	.4	.4	.4	.4	.4
(16)	-	-	-	.3	.3	.1	.3	-	-	-	-	-	.4	-
(17)	.5	.7	.3	.3	-	-	-	.4	.1	.4	.4	.4	-	-
(17)	1.2	.9	1.0	1.4	.9	1.4	1.5	.1	.1	.1	.1	.1	.1	.1
(18)	182.4	182.9	182.9	180.9	191.7	183.8	178.2	16.8	16.4	17.1	16.7	16.9	16.3	15.8
(19)	3.3	3.1	3.2	3.6	3.6	4.2	5.0	.3	.3	.3	.3	.3	.4	.4
(20)	21.8	22.4	22.2	23.8	37.2	35.8	35.0	2.0	2.0	2.1	2.2	3.3	3.2	3.1
(21)	2.2	2.4	2.3	2.4	1.5	2.0	1.9	.2	.2	.2	.2	.1	.2	.2
(22)	116.8	119.5	115.5	113.4	105.8	101.5	104.4	10.7	10.7	10.8	10.5	9.4	9.0	9.3
(23)	1.2	.9	1.3	.9	.9	1.3	1.2	.1	.1	.1	.1	.1	.1	.1
(24)	.4	.3	.7	.6	.3	.4	.6	.4	.4	.1	.1	.4	.4	.1
(25)	16.8	18.6	19.4	20.4	9.9	9.0	9.1	1.5	1.7	1.8	1.9	.9	.8	.8
(26)	384.1	388.9	360.5	351.4	424.3	410.9	392.3	35.3	34.8	33.7	32.5	37.5	36.5	34.8
(27)	15.6	15.9	14.3	12.7	16.3	16.8	21.0	1.4	1.4	1.3	1.2	1.4	1.5	1.9
(28)	53.1	60.4	59.4	70.8	-	-	-	4.9	5.4	5.5	6.5	-	-	-
(29)	5.6	5.1	6.3	4.3	-	-	-	.5	.5	.6	.4	-	-	-
(30)	.6	1.8	.6	.6	1.2	1.2	2.8	.1	.2	.1	.1	.1	.1	.2
(31)	24.7	26.8	21.5	28.9	40.5	41.2	50.1	2.3	2.4	2.0	2.7	3.6	3.7	4.4
(32)	1.5	1.5	1.2	1.4	1.9	2.0	2.4	.1	.1	.1	.1	.2	.2	.2
(33)	8.2	8.3	7.3	7.2	6.6	6.4	6.8	.8	.7	.7	.7	.6	.6	.6
(34)	2.3	2.1	1.6	2.0	2.3	3.0	2.9	.2	.2	.1	.2	.2	.3	.3
(35)	6.6	6.7	5.8	6.0	6.7	6.6	7.8	.6	.6	.5	.6	.6	.6	.7
(36)	3.7	3.9	3.6	4.1	4.5	6.1	6.2	.3	.3	.3	.4	.4	.6	.6
(37)	15.6	15.5	14.3	13.3	16.3	14.1	13.4	1.4	1.4	1.3	1.2	1.4	1.3	1.2
(38)	14.7	15.4	15.6	14.7	40.4	43.7	44.8	1.4	1.4	1.5	1.4	3.6	3.9	4.0
(39)	3.1	3.1	2.6	3.0	3.9	3.4	4.6	.3	.3	.2	.3	.3	.3	.4
(40)	1.1	.7	1.1	1.2	1.5	2.0	2.5	.1	.1	.1	.1	.1	.2	.2
(41)	11.9	10.7	10.8	12.2	12.1	12.8	12.0	1.1	.9	1.0	1.1	1.1	1.1	1.1
(42)	14.4	13.8	13.4	13.3	8.9	9.0	9.3	1.3	1.2	1.3	1.2	.8	.8	.8
(43)	1.6	1.2	1.5	1.6	.1	.1	.1	.1	.1	.1	.1	.4	.4	.4
(44)	17.2	15.1	16.7	17.2	25.4	29.3	29.5	1.6	1.4	1.6	1.6	2.2	2.6	2.6
(45)	6.0	6.2	4.8	6.5	4.2	3.1	3.5	.6	.6	.5	.6	.4	.3	.3
(46)	24.2	28.0	28.1	25.0	17.0	18.3	19.4	2.2	2.5	2.6	2.3	1.5	1.6	1.7
(46)	47.6	48.0	42.9	41.8	41.1	40.9	41.5	4.4	4.3	4.0	3.9	3.6	3.6	3.7
(47)	10.9	11.8	12.4	10.7	10.2	11.9	12.9	1.0	1.1	1.2	1.0	.9	1.1	1.2
(48)	.6	.6	.6	.6	.8	.9	1.1	.1	.4	.1	.1	.1	.1	.1
(48)	.3	.4	.3	.4	.5	.5	.5	.4	.4	.4	.4	.1	.1	.4
(48)	4.3	2.7	2.8	3.3	3.7	3.6	4.2	.4	.2	.3	.3	.3	.3	.4
(48)	3.9	4.1	3.0	3.6	3.7	4.4	4.2	.4	.4	.3	.3	.3	.4	.4
(48)	24.1	26.2	24.7	25.8	27.9	27.4	27.1	2.2	2.3	2.3	2.4	2.5	2.4	2.4
(48)	7.1	8.0	8.6	9.5	11.0	12.4	12.3	.7	.7	.8	.9	1.0	1.1	1.1
(49)	8.8	9.8	10.7	11.2	10.3	11.1	10.2	.8	.9	1.0	1.0	.9	1.0	.9
(50)	1.0	1.1	1.4	1.0	1.1	1.4	1.6	.1	.1	.1	.1	.1	.1	.1

² Exclusive of stillbirths.
³ Less than one-tenth of 1 per 100,000.
⁴ Less than one-tenth of 1 per cent.

Table 21

DEATHS AND DEATH RATES

NUMBER OF DEATHS¹ AND DEATH

YEARS.	Diseases of the Heart.		Cancer.		Cerebral Hemorrhage.		Lobar Pneumonia.		Nephritis.		Tuberculosis (All forms).		Pulmonary Tuberculosis.	
	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.	Rate.
1900	3,834	136.7	1,998	71.2	2,161	77.0	-	-	2,259	80.5	7,114	253.6	5,119	185.3
1901	4,471	159.4	2,080	74.1	2,277	81.2	-	-	2,239	79.8	6,627	236.2	5,033	179.4
1902	3,845	137.1	2,141	76.3	2,402	85.6	-	-	2,330	83.1	6,323	225.4	4,685	167.0
1903	4,123	146.9	2,243	80.0	2,434	86.8	-	-	2,609	93.0	6,006	214.1	4,531	161.5
1904	4,418	157.5	2,421	86.3	2,663	94.9	-	-	2,561	91.3	6,395	228.0	4,874	173.7
1905	5,430	180.8	2,501	83.3	2,843	94.7	-	-	2,556	85.1	6,394	212.9	4,702	156.5
1906	5,525	183.9	2,603	86.7	2,855	95.1	-	-	2,565	85.4	6,307	210.0	4,608	153.4
1907	6,155	204.9	2,744	91.4	3,068	102.1	-	-	2,816	93.8	5,141	171.1	4,771	158.8
1908	5,690	189.4	2,814	93.7	2,979	99.2	-	-	2,610	86.9	4,951	164.8	4,445	148.0
1909	5,504	183.2	2,871	95.5	3,128	104.1	-	-	2,882	95.9	5,929	193.3	4,393	146.2
1910	4,026	119.1	3,028	89.6	3,318	98.2	-	-	3,052	90.3	6,054	179.0	4,503	133.2
1911	3,854	111.8	3,199	92.8	3,379	98.1	-	-	3,560	103.3	5,655	164.2	4,418	128.2
1912	4,610	131.3	3,282	93.5	3,552	101.1	1,626	46.3	2,922	83.2	5,667	144.3	4,309	122.7
1913	5,402	151.0	3,526	98.5	3,498	97.8	2,523	70.5	3,330	93.1	5,049	141.1	4,253	118.9
1914	5,428	149.0	3,586	98.4	2,656	72.9	2,804	77.0	3,377	92.7	5,061	138.9	4,261	116.9
1915	6,753	182.8	3,708	100.4	3,483	94.3	3,194	86.1	3,486	94.4	5,047	136.7	4,283	116.0
1916	8,174	216.4	3,990	105.7	3,510	93.0	3,694	97.8	3,490	92.4	5,422	143.6	4,575	121.2
1917	8,314	216.4	4,057	105.6	3,991	103.9	3,786	98.6	3,508	91.3	5,409	140.9	4,651	121.1
1918	7,271	186.1	4,098	104.9	4,173	106.8	9,921	253.9	3,945	101.0	5,969	152.8	5,177	132.5
1919	6,445	168.0	4,112	107.2	4,272	111.4	2,530	66.0	3,672	95.7	4,920	128.2	4,221	110.0
1920	6,858	178.0	4,494	116.7	4,187	108.7	2,750	71.4	3,561	92.4	4,400	114.1	3,750	97.3
1921	7,197	185.2	4,645	119.5	4,268	109.8	1,749	45.0	3,157	81.2	3,867	99.5	3,272	84.2
1922	8,233	209.2	4,650	118.1	4,618	117.3	2,238	56.9	3,186	80.9	3,736	94.9	3,167	80.1
1923	8,438	212.6	4,775	120.3	4,710	118.7	2,166	54.6	3,348	84.3	3,590	90.4	3,062	77.5
1924	8,032	200.6	5,074	126.8	4,733	118.2	1,817	45.4	3,227	80.6	3,530	88.2	2,953	73.8
1925	8,894	214.6	5,196	125.4	4,911	118.5	2,274	54.9	3,032	73.2	3,459	83.6	2,883	69.6
1926	10,031	238.1	5,341	128.1	4,141	99.3	2,315	55.5	3,867	92.7	3,516	84.3	2,961	71.0
1927	9,409	223.9	5,454	130.1	3,999	95.4	1,909	45.5	3,647	87.0	3,203	76.4	2,774	66.2
1928	10,215	236.2	5,611	133.2	4,257	101.1	2,106	50.0	3,650	86.6	3,123	74.1	2,690	63.9
1929	11,528	263.2	5,672	133.9	4,172	98.5	2,154	50.9	3,460	81.7	2,922	68.8	2,561	60.4
1930	11,353	267.2	5,813	136.7	4,131	97.2	1,816	42.7	3,617	85.1	2,734	64.7	2,423	57.0
1931	11,959	279.7	5,859	137.0	4,363	102.0	1,717	40.2	3,375	78.9	2,555	59.5	2,306	53.9
1932	13,255	308.5	6,153	143.2	4,170	97.0	1,688	39.3	3,575	83.2	2,301	53.2	2,041	47.5
1933	14,119	327.0	6,382	147.8	4,359	100.9	1,825	42.3	3,394	78.6	2,281	52.8	2,059	47.7
1934	14,543	335.2	6,675	153.8	4,269	98.4	1,601	36.9	3,247	74.8	2,116	48.7	1,902	43.8
1935	14,980	344.3	6,351	146.0	4,167	95.8	1,731	39.8	3,251	74.7	1,961	45.1	1,813	41.7
1936	16,197	369.6	6,599	150.6	4,273	97.5	1,944	44.3	3,149	71.8	1,898	43.2	1,733	39.5
1937	16,233	368.6	6,669	151.4	4,350	98.8	1,846	41.9	3,128	71.0	1,887	42.8	1,761	40.0
1938	16,296	368.2	6,875	155.3	4,292	97.0	1,312	29.6	3,010	68.0	1,675	37.9	1,536	34.7
1939	17,604	395.8	6,914	155.5	4,504	101.3	1,211	27.2	2,916	65.6	1,602	36.0	1,505	33.8
1940	18,148	420.4	7,219	167.2	4,642	107.5	925	21.4	3,016	69.9	1,598	37.1	1,484	34.4
1941	18,130	419.2	7,311	169.0	4,562	105.5	860	19.9	2,680	62.0	1,633	37.8	1,521	35.2
1942	17,864	412.4	7,350	169.7	4,670	107.8	749	17.3	2,608	60.2	1,619	37.4	1,501	34.7
1943	19,807	456.5	7,401	170.6	4,920	113.4	967	22.3	2,744	63.2	1,806	41.6	1,697	39.1
1944	18,922	435.4	7,557	173.9	4,708	108.3	764	17.6	2,403	55.3	1,696	39.0	1,612	37.1
1945	18,856	417.9	7,742	171.6	4,917	108.9	622	13.8	2,255	50.0	1,636	36.2	1,557	34.5
1946	19,214	422.4	7,759	170.6	4,750	104.4	592	13.0	2,036	44.8	1,674	36.8	1,592	35.0
1947	20,030	436.7	8,091	176.4	4,655	101.5	500	10.9	2,003	43.7	1,584	34.5	1,495	32.6
1948	20,830	450.5	8,465	183.1	4,892	105.8	494	10.7	1,867	40.4	1,361	29.4	1,279	27.7
1949	21,241	455.8	8,430	180.9	5,286	113.4	318	6.8	684	14.7	1,123	24.1	1,064	22.8
1950	21,352	454.3	8,597	182.9	5,427	115.5	200	4.3	732	15.6	1,005	21.4	948	20.2
1951	22,930	484.0	8,666	182.9	5,660	119.5	248	5.2	728	15.4	895	18.9	840	17.7
1952	22,434	469.9	8,710	182.4	5,831	80.2	260	5.4	702	14.7	703	14.7	660	13.8

¹ Allocated since 1935.

FROM IMPORTANT CAUSES: 1900 TO 1952.

RATES PER 100,000 POPULATION.

Diabetes.		Cerebrospinal (Meningococci)		Polio-myelitis.		Cirrhosis of the Liver.		Scarlet Fever.		Whooping Cough.		Diphtheria.	
Rate.		Rate.		Rate.		Rate.		Rate.		Rate.		Rate.	
-	-	-	-	-	-	-	-	330	11.8	337	12.0	1,475	52.6
-	-	-	-	-	-	-	-	385	13.5	210	7.4	1,166	40.9
-	-	-	-	-	-	-	-	313	10.8	337	11.7	873	30.2
-	-	-	-	-	-	-	-	510	17.4	519	17.7	869	29.7
-	-	-	-	-	-	-	-	138	4.6	117	3.9	699	23.5
-	-	-	-	-	-	-	-	117	3.9	218	7.2	652	21.6
-	-	-	-	-	-	-	-	135	4.4	509	16.5	743	24.1
-	-	-	-	-	-	-	-	285	9.0	243	7.7	752	23.8
-	-	-	-	-	-	-	-	369	11.4	258	8.9	747	23.1
-	-	-	-	-	-	-	-	259	7.8	250	7.6	594	18.0
-	-	-	-	-	-	261	7.7	254	7.5	183	5.4	679	20.1
-	-	-	-	-	-	250	7.3	184	5.3	292	8.5	563	16.4
-	-	-	-	76	2.2	283	8.1	118	3.4	225	6.4	473	13.5
-	-	2	-	69	1.9	335	9.4	293	8.2	239	6.7	628	17.6
-	-	3	-	51	1.2	244	6.7	246	6.8	225	6.2	652	17.9
-	-	5	1	32	.9	302	8.2	182	4.9	283	7.7	720	19.5
-	-	9	2	10	.3	360	9.5	127	3.4	346	9.2	629	16.7
-	-	10	.3	13	.3	325	8.5	120	3.1	243	6.3	838	21.8
-	-	13	.3	115	2.9	256	6.6	78	2.0	729	18.7	608	15.6
-	-	71	1.9	39	1.0	181	4.7	122	3.2	323	8.4	593	15.5
-	-	39	1.0	49	1.3	196	5.1	214	5.6	546	14.2	591	15.3
-	-	47	1.2	49	1.3	147	3.8	191	4.9	201	5.2	607	15.6
-	-	41	1.0	33	.8	184	4.7	149	3.8	294	7.5	606	15.4
-	-	39	1.0	35	.9	167	4.2	155	3.9	493	12.4	579	14.6
-	-	35	.8	27	.7	177	4.4	158	4.0	147	3.7	534	13.3
835	20.0	39	.9	52	1.3	207	5.0	117	2.8	269	6.5	333	8.0
844	20.1	43	1.0	44	1.0	220	5.3	117	2.8	391	9.3	249	5.9
930	22.1	38	.9	169	4.0	218	5.2	144	3.4	149	3.5	268	6.3
997	23.5	79	1.8	65	1.6	272	6.5	90	2.1	208	4.8	249	5.8
1,021	24.0	59	1.3	21	.5	251	5.9	71	1.6	137	3.2	256	6.0
1,060	24.8	30	.7	35	.8	282	6.6	98	2.3	182	4.2	182	4.2
1,197	27.8	34	.8	114	2.7	292	6.8	101	2.4	88	2.1	130	3.0
1,234	28.6	25	.6	13	.3	257	6.0	145	3.4	107	2.5	107	2.5
1,327	30.6	28	.6	32	.7	349	8.1	108	2.5	97	2.2	86	2.0
1,303	29.9	55	1.3	9	.2	368	8.5	76	1.7	125	2.9	50	1.2
1,388	31.7	100	2.3	61	1.4	355	8.1	57	1.3	67	1.5	26	.6
1,495	33.9	72	1.6	8	.2	392	8.9	44	1.0	52	1.2	27	.6
1,436	32.4	18	.4	22	.5	436	9.9	38	.9	95	2.2	18	.4
1,506	33.9	17	.4	7	.2	436	9.9	24	.5	35	.8	19	.4
1,570	36.4	15	.3	4	.1	483	10.9	15	.3	45	1.0	15	.3
1,544	35.7	25	.6	2	.2	401	9.3	19	.4	22	.5	8	.2
1,558	36.0	34	.8	6	.1	511	11.8	13	.3	40	.9	12	.3
1,647	37.9	119	2.7	3	.1	580	13.4	10	.2	27	.6	7	.1
1,562	35.9	81	1.9	18	.3	613	14.1	19	.4	38	.9	11	.2
1,591	33.0	20	.4	17	.4	521	12.0	14	.3	15	.3	10	.2
1,594	35.0	21	.5	22	.5	584	13.0	7	.2	22	.5	10	.2
1,643	35.8	12	.3	19	.4	610	13.4	2	.2	16	.4	36	.8
1,718	37.2	16	.4	3	.1	651	14.2	4	.1	15	.3	12	.3
1,110	23.8	9	.2	5	.1	752	16.3	1	-.2	11	.3	27	.6
1,042	22.2	20	.4	51	1.1	621	13.3	1	-.2	7	.2	44	.9
1,060	22.4	17	.4	9	.2	672	14.3	-	-	11	.2	8	.2
1,041	21.8	27	.6	11	.2	735	15.5	-	-	3	.1	8	.2
-	-	-	-	17	.4	747	15.6	1	-.2	5	.1	-	-

* Less than one-tenth of 1 per 100,000.

Table 22

DEATHS¹ PRODUCED BY EXTERNAL CAUSES: 1913 TO 1952.

YEARS.	Total Accidents.	Traumatism by fall.	Auto-mobile (including rail-road and street-car collisions).	Drown-ing.	Burns. ²	Absorp-tion of poison-ous gas.	Exces-sive heat.	Exces-sive cold.	Suicide.	Homi-cide.
1913	3,222	588	165	364	311	168	25	7	486	111
1914	3,070	587	193	304	312	186	17	32	495	106
1915	3,206	621	265	362	274	197	17	11	515	113
1916	3,402	682	314	318	282	260	26	27	455	115
1917	3,584	630	415	315	309	272	91	27	493	106
1918	3,442	563	495	276	302	295	14	17	492	93
1919	3,242	535	532	292	296	207	26	13	445	102
1920	2,938	529	457	224	282	207	15	9	391	78
1921	2,996	523	526	301	202	140	31	9	472	116
1922	3,140	611	500	269	243	183	12	3	458	102
1923	3,392	646	638	260	265	192	32	4	452	106
1924	3,474	674	705	354	257	135	30	14	486	109
1925	3,573	643	743	273	215	151	135	9	459	109
1926	3,343	700	682	225	219	157	63	1	473	87
1927	3,371	692	697	296	198	136	14	7	466	86
1928	3,567	746	734	318	204	127	34	8	550	82
1929	3,584	760	785	257	191	160	37	14	540	70
1930	3,499	817	799	238	189	123	25	7	547	79
1931	3,582	851	849	242	152	133	38	3	601	89
1932	3,485	859	804	261	179	94	12	6	639	91
1933	3,505	933	816	248	126	109	23	13	597	110
1934	3,142	982	1,016	238	137	71	24	28	598	93
1935	3,006	1,109	824	232	143	72	21	28	570	74
1936	3,035	1,130	866	188	135	83	13	15	555	72
1937	3,014	1,037	864	265	113	67	72	19	642	85
1938	2,943	1,207	658	295	116	79	11	13	586	61
1939	2,750	1,206	630	211	123	72	14	12	570	61
1940	2,677	1,137	646	201	129	67	3	8	570	69
1941	2,806	1,178	727	155	133	64	12	6	545	65
1942	3,129	1,173	542	186	120	61	5	20	505	57
1943	3,111	1,323	485	199	144	108	35	19	444	33
1944	2,804	1,107	503	196	134	107	40	16	440	55
1945	2,820	1,221	513	170	129	109	2	17	483	58
1946	2,836	1,234	575	148	92	111	8	19	465	68
1947	2,803	1,257	531	166	103	84	10	16	508	66
1948	2,674	1,289	459	144	89	79	55	11	478	53
1949	2,509	1,204	497	166	153	101	29	10	521	48
1950	2,465	1,163	573	141	132	98	-	8	504	62
1951	3,067	1,242	561	193	142	67	-	8	464	48
1952	2,913	1,153	549	185	206	48	20	7	419	47

¹ Allocated since 1935.² Conflagration excepted up to and including 1948.

Table 23

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR¹ CENSUS YEARS 1915 TO 1950.

YEARS.	All causes. ²	Scarlet fever.	Diph-theria and croup.	Tuber-culosis of the respira-tory system.	Mea-sles.	Cancer.	Dia-betes.	Heart Disease.	Ne-phritis.
1915	1,470.4	5.2	18.8	116.8	7.5	102.2	18.8	214.3	94.7
1920	1,461.1	3.9	15.6	100.2	7.6	114.2	19.8	199.4	93.0
1925	1,249.8	4.1	11.1	70.6	6.2	124.3	20.0	238.4	85.6
1930	1,181.9	2.4	4.3	56.5	3.0	136.9	24.5	279.0	85.6
1935	1,167.2	1.5	1.0	42.5	1.0	149.9	30.9	347.8	75.6
1940	1,150.1	.4	.3	34.5	.3	163.3	34.9	403.0	65.1
1945	1,150.3	.2	.4	35.3	.3	170.9	35.2	429.2	50.7
1950	1,100.2	-.3	.4	20.4	.2	182.8	25.5	463.9	23.7

¹ This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.² Exclusive of stillbirths.³ Less than one-tenth of one per 100,000 population.

MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1952.			MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1952.		
		Fe-					Fe-		
		Total.	Males.	males.			Total.	Males.	males.
Infant Mortality Rate. The State	23.8								
	1,918	2,472	1,429	1,043					
Abington	7	7	3	4	Deerfield	3	3	2	1
Acton	3	3	-	3	Dennis	1	1	1	-
Acushnet	2	2	2	-	Dighton	-	-	-	-
Adams	6	7	3	4	Douglas	1	1	-	1
Agawam	2	2	1	1	Dover	-	-	-	-
Alford	-	-	-	-	Dracut	3	4	2	2
Amesbury	5	6	5	1	Dudley	5	5	2	3
Amherst	1	3	2	1	Dunstable	-	-	-	-
Andover	9	9	6	3	Duxbury	3	3	1	2
Arlington	19	21	13	8	East Bridgewater	1	1	1	-
Ashburnham	-	-	-	-	East Brookfield	-	-	-	-
Ashby	2	2	2	-	East Longmeadow	1	2	1	1
Ashfield	-	-	-	-	Eastham	3	3	1	2
Ashland	3	4	3	1	Easthampton	3	4	2	2
Athol	4	6	6	-	Easton	4	4	4	-
ATTLEBORO	13	14	9	5	Edgartown	-	-	-	-
Auburn	2	3	1	2	Egremont	-	-	-	-
Avon	-	-	-	-	Erving	1	1	-	1
Ayer	-	2	2	-	Essex	-	-	-	-
Barnstable	7	9	4	5	EVERETT	14	20	11	9
Barre	-	2	2	-	Fairhaven	5	5	3	2
Becket	-	-	-	-	FALL RIVER	43	58	32	26
Bedford	5	6	6	-	Falmouth	4	6	3	3
Belchertown	2	2	1	1	FITCHBURG	8	16	11	5
Bellingham	2	2	-	2	Florida	2	2	-	2
Belmont	7	10	7	3	Foxborough	2	2	-	2
Berkley	-	-	-	-	Framingham	13	17	11	6
Berlin	-	-	-	-	Franklin	1	1	-	1
Bernardston	-	-	-	-	Freetown	2	2	-	2
BEVERLY	13	15	7	8	GARDNER	9	11	8	3
Billerica	3	6	4	2	Gay Head	-	-	-	-
Blackstone	2	2	2	-	Georgetown	2	4	1	3
Blandford	1	1	-	1	Gill	-	1	1	-
Bolton	2	2	1	1	GLOUCESTER	16	20	15	5
BOSTON	344	437	247	190	Goshen	-	-	-	-
Bourne	1	1	1	-	Gosnold	-	-	-	-
Boxborough	-	-	-	-	Grafton	8	8	5	3
Boxford	-	-	-	-	Granby	-	-	-	-
Boylston	-	-	-	-	Granville	-	-	-	-
Braintree	8	11	6	5	Great Barrington	3	6	2	4
Brewster	-	-	-	-	Greenfield	4	6	3	3
Bridgewater	3	4	3	1	Groton	-	-	-	-
Brimfield	-	-	-	-	Groveland	-	1	-	1
BROCKTON	26	34	20	14	Hadley	1	1	-	1
Brookfield	-	-	-	-	Halifax	1	1	-	1
Brookline	20	24	15	9	Hamilton	-	-	-	-
Buckland	1	1	1	-	Hampden	2	2	2	-
Burlington	3	3	3	-	Hancock	-	-	-	-
CAMBRIDGE	47	61	35	26	Hanover	-	2	-	2
Canton	4	5	2	3	Hanson	2	2	2	-
Carlisle	1	1	-	1	Hardwick	2	2	2	-
Carver	2	2	2	-	Harvard	1	2	2	-
Charlemont	-	-	-	-	Harwich	6	7	3	4
Charlton	1	1	1	-	Hatfield	1	1	1	-
Chatham	1	1	-	1	Haverhill	17	24	12	12
Chelmsford	2	3	3	-	Hawley	1	1	-	1
CHELSEA	5	11	6	5	Heath	4	5	5	-
Cheshire	-	2	-	2	Hingham	-	-	-	-
Chester	-	1	1	-	Hinsdale	2	3	2	1
Chesterfield	2	2	-	2	Holbrook	-	2	2	-
CHICOPEE	17	23	16	7	Holden	1	2	2	-
Chilmark	-	-	-	-	Holland	-	-	-	-
Clarksburg	-	-	-	-	Holliston	1	2	2	-
Clinton	4	8	2	6	HOLYOKE	22	29	14	15
Cohasset	3	3	1	2	Hopedale	-	1	-	1
Colrain	-	-	-	-	Horkinton	-	-	-	-
Concord	3	3	2	1	Hubbardston	-	-	-	-
Conway	2	2	1	1	Hudson	-	2	1	1
Cummington	1	1	1	-	Hull	-	-	-	-
Dalton	1	1	-	1	Huntington	2	2	2	-
Danvers	3	4	2	2	Ipswich	5	5	3	2
Dartmouth	4	5	2	3	Kingston	-	-	-	-
Dedham	9	14	5	9	Lakeville	1	1	1	-
					Lancaster	-	-	-	-
					Lanesborough	1	1	1	-

¹ Exclusive of stillbirths.

MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1952.			MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1952.		
		Fe-		Total.			Fe-		Total.
		Males.	males.				Males.	males.	
LAWRENCE	31	43	22	21	Otis	-	-	-	-
Lee	3	4	2	2	Oxford	4	5	2	3
Leicester	2	3	1	2	Palmer	5	6	5	1
Lenox	3	-	-	-	Paxton	-	-	-	-
LEOMINSTER	3	7	5	2	PEABODY	10	15	12	3
Leverett	-	-	-	-	Pelham	-	-	-	-
Lexington	4	5	4	1	Pembroke	4	5	2	3
Leyden	-	-	-	-	Pepperell	1	2	1	1
Lincoln	1	2	2	-	Peru	-	-	-	-
Littleton	-	1	1	-	Petersham	2	2	2	-
Longmeadow	2	2	1	1	Phillipston	1	1	-	1
LOWELL	46	54	27	27	PITTSFIELD	32	39	26	13
Ludlow	1	6	2	4	Plainfield	-	-	-	-
Lunenburg	1	2	1	1	Plainville	-	-	-	-
LYNN	36	48	26	22	Plymouth	6	7	4	3
Lynnfield	-	-	-	-	Plympton	1	1	1	-
MALDEN	23	32	20	12	Princeton	1	1	-	1
Manchester	3	3	1	2	Provincetown	1	1	1	-
Mansfield	6	6	5	1	QUINCY	36	46	27	19
Marblehead	2	3	3	-	Randolph	5	8	4	4
Marion	-	-	-	-	Raynham	1	1	-	1
MARLBOROUGH	3	5	2	3	Reading	5	5	1	4
Marshfield	3	5	4	1	Rehoboth	-	-	-	-
Mashpee	-	-	-	-	REVERE	9	11	5	6
Mattapoisett	1	1	-	1	Richmond	-	-	-	-
Maynard	1	2	-	2	Rochester	-	1	1	-
Medfield	3	4	2	2	Rockland	3	4	2	2
MEDFORD	25	32	19	13	Rockport	2	2	2	-
Medway	4	4	1	3	Rowe	-	-	-	-
MELROSE	7	10	7	3	Rowley	1	1	-	1
Mendon	-	1	-	1	Royalston	1	1	-	1
Merrimac	-	1	-	1	Russell	-	-	-	-
Methuen	13	15	12	3	Rutland	1	1	-	1
Middleborough	2	3	3	-	SALEM	11	14	4	10
Middlefield	-	-	-	-	Salisbury	3	4	2	2
Middleton	1	1	-	1	Sandisfield	-	1	-	1
Millford	9	9	4	5	Sandwich	-	1	1	-
Millbury	7	7	7	-	Saugus	9	11	5	6
Millis	1	1	1	-	Savoy	-	-	-	-
Millville	-	1	-	1	Scituate	5	5	5	-
Milton	8	10	8	2	Seekonk	-	-	-	-
Monroe	-	-	-	-	Sharon	5	5	3	2
Monson	-	1	1	-	Sheffield	1	1	-	1
Montague	2	2	-	2	Shelburne	3	3	2	1
Monterey	-	-	-	-	Sherborn	-	-	-	-
Montgomery	-	-	-	-	Shirley	6	8	6	2
Mount Washington	-	-	-	-	Shrewsbury	6	6	4	2
Nahant	1	1	1	-	Shutesbury	-	-	-	-
Nantucket	-	-	-	-	Somerset	2	2	1	1
Natick	14	18	9	9	SOMERVILLE	49	55	36	19
Needham	9	9	4	5	South Hadley	6	7	3	4
New Ashford	-	-	-	-	Southampton	-	-	-	-
NEW BEDFORD	45	63	31	32	Southborough	1	2	2	-
New Braintree	-	-	-	-	Southbridge	9	11	5	6
New Marlborough	-	-	-	-	Southwick	1	2	1	1
New Salem	1	1	1	-	Spencer	2	3	2	1
Newbury	2	2	-	2	SPRINGFIELD	70	93	53	40
NEWBURYPORT	5	6	2	4	Sterling	-	-	-	-
NEWTON	29	38	29	9	Stockbridge	-	-	-	-
Norfolk	3	3	3	-	Stoneham	4	5	3	2
NORTH ADAMS	8	10	5	5	Stoughton	3	5	3	2
North Andover	3	4	3	1	Stow	1	2	1	1
North Attleborough	8	8	7	1	Sturbridge	1	2	1	1
North Brookfield	2	3	2	1	Sudbury	1	1	1	-
North Reading	3	5	3	2	Sunderland	-	-	-	-
NORTHAMPTON	17	21	11	10	Sutton	-	-	-	-
Northborough	-	-	-	-	Swampscott	1	3	2	1
Northbridge	4	6	4	2	Swansea	7	8	4	4
Northfield	2	2	2	-	TAUNTON	21	26	14	12
Norton	5	6	2	4	Templeton	2	2	2	-
Norwell	1	1	-	1	Tewksbury	2	2	2	-
Norwood	6	7	5	2	State Infirmary	-	-	-	-
Oak Bluffs	1	2	-	2	Tisbury	-	1	-	1
Oakham	-	-	-	-	Tolland	-	-	-	-
Orange	2	2	2	-	Topsfield	1	1	-	1
Orleans	-	-	-	-	Townsend	2	2	1	1

¹ Exclusive of stillbirths.

MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1952.				MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1952.				
		Fe-		males.				Fe-		males.		
		Total.	Males.	males.	Total.			Males.	males.			
Truro	-	-	-	-	West Stockbridge	-	-	-	-	-	-	-
Tyngsborough	1	1	-	1	West Tisbury	-	-	-	-	-	-	-
Tyringham	-	-	-	-	Westborough	2	2	1	1	2	1	1
Upton	-	1	1	-	WESTFIELD	14	18	9	9	14	18	9
Uxbridge	4	5	3	2	Westford	1	1	-	1	1	-	1
Wakefield	8	10	6	4	Westhampton	-	-	-	-	-	-	-
Wales	-	-	-	-	Westminster	3	3	1	2	3	1	2
Walpole	4	6	2	4	Weston	2	2	2	-	2	2	-
WALTHAM	24	30	17	13	Westport	-	-	-	-	-	-	-
Ware	3	3	2	1	Westwood	2	2	2	-	2	2	-
Wareham	2	4	4	-	Weymouth	17	24	10	14	17	24	14
Warren	-	-	-	-	Whately	-	-	-	-	-	-	-
Warwick	-	-	-	-	Whitman	1	1	1	-	1	1	-
Washington	-	-	-	-	Wilbraham	5	5	3	2	5	3	2
Watertown	23	29	16	13	Williamsburg	-	-	-	-	-	-	-
Wayland	3	3	2	1	Williamstown	2	2	-	2	2	-	2
Webster	4	5	4	1	Wilmington	1	3	2	1	1	3	2
Wellesley	2	4	4	-	Winchendon	2	3	1	2	2	3	1
Wellfleet	1	1	1	-	Winchester	5	7	6	1	5	7	6
Wendell	-	-	-	-	Windsor	-	-	-	-	-	-	-
Wenham	-	-	-	-	Winthrop	12	15	8	7	12	15	8
West Boylston	1	1	-	1	WOBURN	8	11	5	6	8	11	6
West Bridgewater	1	2	-	2	WORCESTER	81	106	68	38	81	106	38
West Brookfield	1	3	3	-	Worthington	-	-	-	-	-	-	-
West Newbury	2	2	1	1	Wrentham	1	4	2	2	1	4	2
West Springfield	5	7	4	3	Yarmouth	2	3	3	-	2	3	-

¹ Exclusive of stillbirths.

COUNTIES.	INFANT AND MATERNAL DEATHS ¹ AND DEATH RATES, ¹ FOR THE STATE AND COUNTIES: 1952.			
	Total deaths ² under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
The State.	2,472	23.8	53	5.1
Barnstable	34	25.8	-	-
Berkshire	74	24.1	1	3.3
Bristol	210	27.6	6	7.9
Dukes	3	27.8	-	-
Essex	268	24.4	6	5.5
Franklin	25	20.6	-	-
Hampden	200	22.6	6	6.8
Hampshire	47	25.9	-	-
Middlesex	553	22.6	12	4.9
Nantucket	-	-	-	-
Norfolk	207	23.0	6	6.7
Plymouth	100	22.7	2	4.5
Suffolk	474	25.2	8	4.2
Worcester	277	22.8	6	4.9

¹ Allocated.

² Exclusive of stillbirths.

Table 26
MUNICIPALITIES.
 (Grouped in order of population,
 1950.)

INFANT DEATHS¹ PER 1,000 LIVE BIRTHS IN MUNICIPALITIES
 HAVING OVER 15,000 INHABITANTS IN 1950: 1945 TO 1952.

	1952.	1951.	1950.	1949.	1948.	1947.	1946.	1945.
The State.² OVER 100,000	24	22	24	24	26	28	31	32
Boston	26	26	25	25	34	36	35	34
Worcester	26	25	19	22	28	28	42	38
Springfield	24	20	20	26	24	30	26	28
Cambridge	24	19	25	26	33	35	33	32
Fall River	28	26	26	26	29	31	34	41
New Bedford	31	26	24	22	25	26	29	35
Somerville	23	25	26	26	22	29	28	32
50,000 to 100,000								
Lynn	23	16	29	15	20	25	28	28
Lowell	25	29	29	27	32	22	34	26
Quincy	24	21	22	20	28	26	24	29
Newton	23	26	23	23	23	16	29	16
Lawrence	23	14	26	30	23	33	35	36
Medford	23	11	22	25	31	24	30	25
Brockton	27	17	20	22	22	31	25	29
Malden	25	19	13	23	19	22	19	32
Brookline (town)	28	19	28	14	21	21	23	16
Holyoke	23	27	20	26	23	22	31	38
Pittsfield	28	20	20	31	17	42	33	35
25,000 to 50,000								
Chicopee	18	17	20	20	28	28	23	27
Haverhill	25	17	26	25	24	32	24	27
Waltham	25	16	20	22	15	26	24	24
Everett	18	17	20	26	20	26	25	31
Arlington (town)	23	19	23	21	21	27	23	33
Fitchburg	16	9	35	24	23	22	25	25
Salem	17	17	28	15	19	20	46	29
Taunton	32	25	24	39	25	20	34	38
Chelsea	14	16	33	28	35	22	33	44
Watertown (town)	35	23	19	16	18	33	27	21
Revere	14	14	18	34	14	24	27	29
Weymouth (town)	23	24	18	19	25	31	23	44
Northampton	40	15	12	28	25	20	21	18
Beverly	20	20	23	20	21	27	27	32
Framingham (town)	24	15	26	15	19	23	33	31
Belmont (town)	21	19	11	25	10	27	26	37
Melrose	21	25	27	22	15	24	20	34
Gloucester	37	25	24	12	10	19	41	36
15,000 to 25,000								
Methuen (town)	28	28	19	26	24	21	25	52
Leominster	12	21	33	31	32	35	38	33
Attleboro	27	36	19	24	30	26	31	37
Braintree (town)	19	30	17	24	14	37	23	18
Peabody	27	16	18	26	23	34	39	28
Milton (town)	28	18	15	7	19	21	27	24
North Adams	22	19	25	17	22	15	35	25
Westfield	38	23	28	30	23	29	22	29
Wellesley (town)	11	19	26	30	17	40	33	63
Woburn	18	29	12	24	24	34	27	44
West Springfield (town)	13	25	21	16	28	22	31	34
Natick (town)	26	30	31	30	21	19	45	27
Wakefield (town)	21	17	23	20	17	19	34	22
Gardner	27	16	28	40	37	32	44	31
Winthrop (town)	35	17	15	17	18	36	34	41
Dedham (town)	33	22	21	11	18	16	26	35
Southbridge (town)	29	29	26	29	27	17	51	40
Greenfield (town)	16	17	27	20	25	37	35	17
Lexington (town)	12	12	22	-	-	-	-	-
Saugus (town)	28	17	32	20	14	23	34	32
Norwood (town)	13	14	17	15	29	29	32	36
Needham (town)	23	16	17	-	-	-	-	-
Marlborough	14	21	38	33	19	21	23	26
Danvers (town)	13	16	30	-	-	-	-	-
Winchester (town)	23	34	16	27	14	17	7	7
Milford (town)	22	19	21	38	29	18	26	34

¹ Exclusive of stillbirths.

² Allocated.

Table 27

BIRTH RATES,¹ DEATH RATES,¹ NATURAL INCREASE,
 INFANT MORTALITY RATES,¹ AND SURVIVORSHIP, IN MUNICIPALITIES
 HAVING OVER 15,000 INHABITANTS IN 1950: 1952.

MUNICIPALITIES. (Grouped in order of population, 1950.)	Births ² per 1,000 population.	Deaths ² per 1,000 population.	Natural increase per 1,000 population.	Deaths ² under 1 year per 1,000 births. ²	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births. ²
The State OVER 100,000	21.8	10.9	10.9	23.8	101,464	976
Boston	20.8	11.9	8.9	26.0	16,386	974
Worcester	20.3	11.4	8.9	25.5	4,059	975
Springfield	23.2	10.8	12.4	24.2	3,744	976
Cambridge	21.1	10.6	10.5	23.5	2,537	977
Fall River	18.5	10.9	7.6	28.0	2,012	972
New Bedford	18.9	11.6	7.3	30.6	1,997	969
Somerville	23.1	10.8	12.3	23.2	2,313	977
50,000 to 100,000						
Lynn	21.2	12.4	8.8	22.6	2,074	977
Lowell	22.2	11.9	10.3	25.0	2,102	975
Quincy	22.2	9.5	12.7	24.2	1,854	976
Newton	19.7	9.8	9.9	22.8	1,629	977
Lawrence	19.1	11.9	7.2	28.0	1,494	972
Medford	20.7	10.1	10.6	23.2	1,349	977
Brockton	19.9	14.2	5.7	27.2	1,218	973
Malden	21.3	10.8	10.5	24.9	1,251	975
Brookline (town)	14.5	11.7	2.8	28.0	834	972
Holyoke	23.3	12.2	11.1	22.7	1,249	977
Pittsfield	25.6	9.9	15.7	28.2	1,345	972
25,000 to 50,000						
Chicopee	25.9	8.1	17.8	17.7	1,278	982
Haverhill	20.2	12.9	7.3	25.0	935	975
Waltham	24.3	9.8	14.5	25.4	1,153	975
Everett	24.9	10.4	14.5	17.5	1,126	983
Arlington (town) 	20.4	9.4	11.0	22.7	903	977
Fitchburg	23.6	10.7	12.9	15.8	997	984
Salem	20.1	10.1	10.0	16.6	829	983
Taunton	19.8	10.9	8.9	32.4	776	968
Chelsea	19.6	10.6	9.0	14.4	752	986
Watertown (town)	22.2	10.0	12.2	34.6	809	965
Revere	21.8	8.9	12.9	13.6	800	986
Weymouth (town)	30.3	9.6	20.7	22.9	1,026	977
Northampton	17.3	10.1	7.2	40.4	499	960
Beverly	25.4	11.2	14.2	20.0	734	980
Framingham (town)	24.2	9.9	14.3	24.1	687	976
Belmont (town)	17.5	11.0	6.5	20.8	470	979
Melrose	17.4	10.8	6.6	21.1	465	979
Gloucester	21.3	12.8	8.5	37.0	521	963
15,000 to 25,000						
Methuen (town)	21.2	11.1	10.1	28.3	515	972
Leominster	24.8	9.9	14.9	11.5	601	988
Attleboro	21.8	10.8	11.0	26.7	511	973
Braintree (town)	23.4	9.9	13.5	19.0	567	981
Peabody	24.5	11.2	13.3	26.8	544	973
Milton (town)	15.6	11.2	4.4	27.6	352	972
North Adams	21.3	13.4	7.9	21.7	450	978
Westfield	21.9	11.9	10.0	38.4	451	962
Wellesley (town)	16.3	7.6	8.7	11.3	351	989
Woburn	29.2	12.1	17.1	18.3	591	982
West Springfield (town)	24.6	8.7	15.9	13.4	515	987
Natick (town)	32.8	10.0	22.8	26.0	674	974
Wakefield (town)	23.9	9.2	14.7	20.6	476	979
Gardner	20.7	9.4	11.3	27.2	394	973
Winthrop (town)	21.6	11.6	10.0	34.7	417	965
Dedham (town)	22.4	10.3	12.1	32.6	415	967
Southbridge (town)	21.2	9.3	11.9	29.4	363	971
Greenfield (town)	20.7	10.8	9.9	16.3	361	984
Lexington (town)	22.4	8.2	14.2	12.3	403	988
Saugus (town)	22.0	9.9	12.1	28.4	377	972
Norwood (town)	31.1	9.4	21.7	13.3	518	987
Needham (town)	23.2	9.6	13.6	22.6	389	977
Marlborough	22.0	13.1	8.9	14.3	344	986
Danvers (town)	19.0	9.7	9.3	13.2	300	987
Winchester (town)	19.9	11.7	8.2	22.5	304	977
Milford (town)	26.2	8.7	17.5	22.2	396	978

¹ Allocated.² Exclusive of stillbirths.

Table 28

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER
OF THE STATE OUTSIDE OF BOSTON: 1936 TO 1952.

YEARS.	MASSACHUSETTS.		BOSTON.		REMAINDER OF STATE OUTSIDE BOSTON.	
	Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1,000 live births.	Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1000 live births.	Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1,000 live births.
		Num- ber.		Per 1,000 live births.		Num- ber.
1936 . . .	61,184	2,854 46.6	12,117	615 50.8	49,067	2,239 45.6
1937 . . .	61,272	2,684 43.8	12,101	587 48.5	49,171	2,097 42.6
1938 . . .	62,382	2,439 39.1	11,943	522 43.7	50,439	1,917 38.0
1939 . . .	62,575	2,338 37.4	11,965	449 37.5	50,610	1,889 37.3
1940 . . .	65,369	2,450 37.5	12,429	527 42.4	52,940	1,923 36.3
1941 . . .	70,228	2,480 35.3	12,701	483 38.0	57,527	1,997 34.7
1942 . . .	83,371	2,651 31.8	15,063	510 33.9	68,308	2,141 31.3
1943 . . .	85,743	2,939 34.3	15,352	543 35.4	70,391	2,306 34.0
1944 . . .	78,140	2,582 33.0	14,264	525 36.8	63,876	2,057 32.2
1945 . . .	76,455	2,433 31.8	13,670	469 34.3	62,785	1,964 31.2
1946 . . .	96,903	2,996 30.9	16,902	588 34.8	80,001	2,408 30.1
1947 . . .	106,690	3,021 28.3	18,565	671 36.1	88,125	2,350 26.7
1948 . . .	98,933	2,614 26.4	17,076	586 34.3	81,857	2,028 24.8
1949 . . .	96,041	2,341 24.4	16,498	420 25.5	79,543	1,921 24.2
1950 . . .	95,619	2,277 23.8	16,479	419 25.4	79,140	1,858 23.5
1951 . . .	99,851	2,184 21.9	16,019	408 25.5	83,832	1,776 21.2
1952 . . .	103,936	2,472 23.8	16,823	437 26.0	87,113	2,035 23.4

¹ Allocated.

Table 29

SURVIVORS¹ AT END OF
FIRST YEAR OF LIFE:
1927 TO 1952.

YEARS.	SURVIVORS ¹ AT END OF FIRST YEAR OF LIFE: 1927 TO 1952.		YEARS.	SURVIVORS ¹ AT END OF FIRST YEAR OF LIFE: 1927 TO 1952.	
	Per 1,000 popu- lation.	Per 1,000 live births. ¹		Per 1,000 popu- lation.	Per 1,000 live births. ¹
1927 . . .	18.0	935	1940 . . .	14.6	963
1928 . . .	17.1	935	1941 . . .	15.7	965
1929 . . .	15.9	938	1942 . . .	18.6	968
1930 . . .	16.3	940	1943 . . .	19.1	966
1931 . . .	15.5	945	1944 . . .	17.4	967
1932 . . .	11.9	946	1945 . . .	16.4	968
1933 . . .	13.9	948	1946 . . .	20.6	969
1934 . . .	14.0	951	1947 . . .	22.6	972
1935 . . .	13.7	952	1948 . . .	20.8	974
1936 . . .	13.3	953	1949 . . .	20.1	976
1937 . . .	13.3	956	1950 . . .	19.9	976
1938 . . .	13.5	961	1951 . . .	20.6	978
1939 . . .	13.5	963	1952 . . .	21.3	976

¹ Allocated since 1935.

Table 30

Detailed Int. List No.	CAUSES.	INFANT DEATHS ¹ PER 1,000 LIVE BIRTHS, ¹ BY CAUSES: 1945 TO 1952.								
		1952.	1951.	1950.	1949.	1948.	1947.	1946.	1945.	
			All Causes	23.8	21.9	23.8	24.4	26.4	28.3	30.9
	Developmental and wasting diseases	11.5	11.6	11.5	12.2	16.0	16.6	18.1	17.1	
774,776	Immataturity	6.9	6.3	6.9	7.3	10.8	11.5	12.8	11.5	
750-759	Congenital malformations	4.5	5.1	4.3	4.7	5.0	5.0	5.2	5.4	
772,773	Congenital debility, etc.1	.2	.3	.2	.2	.1	.1	.2	
571,0,764	Diarrhea and enteritis3	.3	.4	.3	.9	1.4	1.6	1.5	
491	Bronchopneumonia7	.7	.9	1.1	1.6	2.1	2.6	3.1	
490	Lobar pneumonia1	.1	.1	.2	.4	.4	.4	.5	
780.2	Convulsions	-	-	-2	-2	-	-	-	.1	
500-502	Bronchitis1	.1	.1	.1	.1	.1	.1	.2	
056	Whooping cough	-3	-3	.1	-2	.1	.1	.1	.2	
057,0,340	Meningitis1	.1	.2	.1	.1	.2	.1	.3	
010	Tuberculous meningitis	-	-2	-	-	-	-2	-	-	
020-029	Syphilis	-	-	-	-	-2	-	-	-	
492,493,763	Pneumonia, other and undefined	1.2	.9	1.0	1.0	.3	.3	.4	.3	
080	Acute poliomyelitis	-	-	-	-2	-	-2	-	-	
	All other causes	9.8	8.1	9.5	9.4	6.9	7.1	7.5	8.5	

¹ Allocated.² Less than one-tenth of one per 1,000.

Table 31		DEATHS ¹ UNDER 2 YEARS OF AGE FROM DIARRHEA AND ENTERITIS (571.0, 764), BY MONTHS: 1945 TO 1952.							
		MONTHS.							
		1952.	1951.	1950.	1949.	1948.	1947.	1946.	1945.
The Year		36	30	46	93	98	157	163	118
January		5	2	7	11	14	15	9	8
February		6	-	8	7	10	20	6	9
March		4	4	7	6	7	34	7	7
April		5	5	3	12	11	23	25	9
May		1	2	5	4	12	9	17	7
June		3	2	1	6	3	7	15	11
July		1	4	4	2	4	14	9	10
August		2	2	2	7	4	5	11	17
September		4	1	2	17	7	5	9	10
October		-	3	3	7	5	6	18	8
November		2	2	2	6	9	6	19	11
December		3	3	2	8	12	13	18	11
		PER CENT DISTRIBUTION.							
The Year		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
January		13.9	6.7	15.2	11.8	14.3	9.6	5.5	6.8
February		16.6	-	17.4	7.5	10.2	12.7	3.7	7.6
March		11.1	13.3	15.2	6.5	7.1	21.7	4.3	5.9
April		13.9	16.6	6.6	12.9	11.3	14.6	15.3	7.6
May		2.8	6.7	10.9	4.3	12.2	5.7	10.4	5.9
June		8.3	6.7	2.2	6.5	3.1	4.5	9.2	9.3
July		2.8	13.3	8.7	2.1	4.1	8.9	5.5	8.5
August		5.6	6.7	4.3	7.5	4.1	3.2	6.7	14.5
September		11.1	3.3	4.3	18.3	7.1	3.2	5.5	8.5
October		-	10.0	6.6	7.5	5.1	3.8	11.1	6.8
November		5.6	6.7	4.3	6.5	9.2	3.8	11.7	9.3
December		8.3	10.0	4.3	8.6	12.2	8.3	11.1	9.3

¹ Allocated.

Table 32

DEATHS¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	DEATHS ¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1952.														
			Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State. ²	T	2,472	966	299	245	230	1,740	84	64	30	1,918	116	111	173	88	66
		M	1,429	556	168	150	125	999	57	38	14	1,108	71	63	98	53	36
		F	1,043	410	131	95	105	741	27	26	16	810	45	48	75	35	30
001-008	Tuberculosis of the respiratory system	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
010	Tuberculosis of the meninges, and central nervous system.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
011-019	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
057.0	Meningococcal meningitis	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
085	Measles	M	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273	Diseases of thymus gland	M	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Meningitis (not due to meningococcus)	M	3	1	-	-	-	1	-	-	1	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-
480-483	Influenza	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
491	Bronchopneumonia	M	42	-	-	-	-	-	-	-	-	10	9	12	6	5	-
		F	29	-	-	-	-	-	-	-	-	5	5	11	4	4	-
490, 492, 493, 763	Pneumonia	M	77	3	5	11	24	4	4	6	38	6	9	17	4	3	-
		F	60	5	2	5	10	22	3	4	33	8	9	7	1	2	-
540-545	Diseases of the stomach and duodenum	M	3	-	-	1	1	-	-	-	1	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
570	Intestinal obstruction	M	5	-	1	1	2	-	-	-	2	1	2	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	1	1	1	1	1	-
571.0, 764	Diarrhea and enteritis	M	13	-	-	-	-	-	-	1	1	1	1	2	4	3	3
		F	17	-	-	-	-	1	2	1	4	2	6	3	2	2	-
750-759	Congenital malformations	M	268	55	20	20	27	122	25	17	3	167	26	18	27	17	13
		F	203	57	14	14	19	104	9	13	6	132	19	13	21	11	7
760.0, 761.0	Injury at birth without mention of immaturity.	M	77	28	14	20	7	69	4	2	1	76	1	-	-	-	-
		F	48	23	5	6	9	43	3	1	-	47	1	-	-	-	-
760.5, 761.5	Injury at birth with immaturity	M	50	32	5	9	3	49	1	-	-	50	-	-	-	-	-
		F	41	19	10	4	5	38	1	2	-	41	-	-	-	-	-
762.0	Postnatal asphyxia and atelectasis without mention of immaturity.	M	88	32	21	20	12	85	1	1	-	87	-	-	1	-	-
		F	53	26	12	8	6	52	-	1	-	53	-	-	-	-	-
762.5	Postnatal asphyxia and atelectasis with immaturity.	M	199	89	47	31	20	187	4	4	-	195	2	2	-	-	-
		F	129	61	32	19	17	129	-	-	-	129	-	-	-	-	-
770.0-770.2	Hemolytic disease of newborn without mention of immaturity.	M	32	14	2	4	10	30	2	-	-	32	-	-	-	-	-
		F	31	16	7	5	3	31	-	-	-	31	-	-	-	-	-
770.5-770.7	Hemolytic disease of newborn with immaturity	M	7	3	1	2	1	7	-	-	-	7	-	-	-	-	-
		F	4	3	-	1	4	-	-	-	4	-	-	-	-	-	-
765-769, 771, 772	Other diseases of early infancy	M	12	4	3	1	2	10	-	1	-	11	1	-	-	-	-
		F	13	2	3	2	1	8	1	2	-	11	-	1	1	-	-
774, 776	Immaturity	M	410	286	42	36	24	388	11	3	2	404	1	2	-	2	1
		F	305	188	45	28	32	293	7	1	2	303	-	2	-	-	-
773, 780-795	Unknown or ill-defined diseases	M	17	4	3	1	2	10	-	2	-	12	1	1	2	1	-
		F	11	5	-	1	1	7	1	-	-	8	3	-	-	3	2
800-959, 980-999	External causes	M	30	-	1	-	-	1	3	-	-	4	7	4	10	3	3
		F	24	1	-	-	-	1	-	-	1	2	3	5	6	5	3
	All other causes	M	84	5	3	1	4	13	1	4	1	19	13	12	19	14	7
		F	64	4	1	3	1	9	1	-	2	12	5	9	18	8	12

¹ Exclusive of stillbirths.² Allocated.

Table 33

DEATHS¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR BOSTON: 1952.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.														
			Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
	Boston.²	T	437	166	54	59	36	315	15	10	4	344	16	19	30	12	16
		M	247	96	29	35	17	177	8	7	4	196	9	9	20	9	4
		F	190	70	25	24	19	138	7	3		148	7	10	10	3	12
001-008	Tuberculosis of the respiratory system	M	1														1
010	Tuberculosis of the meninges, and central nervous system	M															
011-019	Other forms of tuberculosis	M															
020-029	Syphilis	M															
045-048	Dysentery	M															
050	Scarlet fever	M															
055	Diphtheria	M															
056	Whooping cough	M															
057.0	Meningococcal meningitis	M															
085	Measles	M															
273	Diseases of thymus gland	M	1												1		
340	Meningitis (not due to meningococcus)	M	1	1				1				1					
480-483	Influenza	M															
491	Bronchopneumonia	M	7										1	2	2	1	1
490, 492, 493, 763	Pneumonia	M	15			1	3	4		1	1	6	1	1	2	2	1
540-545	Diseases of the stomach and duodenum	M	1				1	1				1					
570	Intestinal obstruction	M	1											1			
571.0, 784	Diarrhea and enteritis	M	2						1	1		2			1		1
750-759	Congenital malformations	M	31	10	1	4	2	17	1	2	1	21	3	2	3	2	1
760.0, 761.0, 760.5, 761.5, 762.0	Injury at birth without mention of immaturity	M	11	4	1	4	1	10	1			11					
	Injury at birth with immaturity	F	6	4		2	3	9	2			6					
	Postnatal asphyxia and atelectasis without mention of immaturity	M	23	7	4	10	1	22				22				1	
	Postnatal asphyxia and atelectasis with immaturity	F	10	4	4	1	1	10				10					
762.5	Hemolytic disease of newborn without mention of immaturity	M	53	24	14	7	4	49	2	1		52		1			
	Hemolytic disease of newborn with immaturity	F	33	12	9	8	4	33				33					
770.0-770.2	Other diseases of early infancy	M	4	1	1	1	1	4				4					
	Immaturity	F	6	3	1	1	1	6				6					
770.5-770.7	Unknown or ill-defined diseases	M	1	1				1				1					
765-769, 771, 772, 774, 776	External causes	M	3		1	1		2		1		3					
	All other causes	F	1		1	1		1				1		2		2	
773, 780-795, 800-959, 980-999	All other causes	M	65	41	6	5	4	56	2	1	1	60	1	2	1		
		F	50	32	7	5	4	48	1			49		1	1		
		M	5	3	1			4				4			1		
		F	3	2				2				2	1		1		
		M	4					1				1	2		1		1
		F	2						1	1	1	3	1	1	4	3	1
		M	13														1
		F	12	1			1	2				2		1	3	1	5

¹ Exclusive of stillbirths.

² Allocated.

Table 34

DEATHS¹ FROM LOBAR PNEUMONIA, BY MONTHS, IN MUNICIPALITIES
HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1952.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	260	30	25	55	33	18	12	8	7	10	16	25	21
Adams	1	1	-	-	-	-	-	-	-	-	-	-	-
Agawam	1	-	-	-	-	-	-	-	-	-	-	-	-
Amesbury	1	-	-	1	-	-	-	-	-	-	-	-	-
Amherst	1	1	-	-	-	-	-	-	-	-	-	-	-
Andover	1	-	-	-	-	-	-	-	-	-	-	-	1
Arlington	1	-	-	1	-	-	-	-	-	-	-	-	-
Athol	1	-	-	-	-	-	-	-	-	-	-	-	-
ATTLEBORO	1	-	1	-	-	-	-	-	-	-	-	-	-
Barnstable	1	1	-	-	-	-	-	-	-	-	-	-	-
Belmont	1	-	-	-	-	-	-	-	-	-	-	-	-
BEVERLY	1	-	-	-	-	-	-	-	-	-	-	-	-
Billerica	3	-	1	-	-	-	-	-	1	-	-	1	-
BOSTON	82	10	10	19	8	5	2	1	3	3	3	9	9
Braintree	1	-	-	-	-	-	-	-	-	-	1	-	-
BROCKTON	33	-	1	-	-	-	-	-	-	-	-	2	-
Brookline	3	1	-	-	-	-	-	-	-	-	2	-	-
CAMBRIDGE	7	1	1	1	-	-	1	1	1	1	-	-	-
CHELSEA	2	-	-	1	-	-	-	-	-	-	-	-	-
CHICOPEE	2	-	-	1	-	-	-	-	-	-	-	1	-
Clinton	2	-	1	-	1	-	-	-	-	-	-	-	-
Danvers	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartmouth	-	-	-	-	-	-	-	-	-	-	-	-	-
Dedham	-	-	-	-	-	-	-	-	-	-	-	-	-
Easthampton	2	-	-	1	-	-	-	1	-	-	-	-	-
EVERETT	1	-	-	-	1	-	-	-	-	-	-	-	-
Fairhaven	-	-	-	-	-	-	-	-	-	-	-	-	-
FALL RIVER	1	-	-	-	-	-	-	-	-	1	-	-	-
FITCHBURG	3	-	-	1	1	1	-	-	-	-	-	-	-
Framingham	2	-	-	1	-	1	-	-	-	-	-	-	-
GARDNER	2	-	1	-	-	-	-	-	-	-	1	-	-
GLOUCESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenfield	-	-	-	-	-	-	-	-	-	-	-	-	-
HAVERHILL	4	1	1	1	-	-	1	-	-	-	-	-	-
Hingham	-	-	-	-	-	-	-	-	-	-	-	-	-
HOLYOKE	3	2	-	-	1	-	-	-	-	-	-	-	-
LAWRENCE	4	2	-	1	-	-	-	1	-	-	-	-	-
LEOMINSTER	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	-	-	-	-	-	-	-	-	-	-	-	-	-
LOWELL	11	1	-	1	4	2	-	-	-	-	1	-	2
LYNN	9	1	-	2	2	2	1	-	-	-	-	-	1
MALDEN	-	-	-	-	-	-	-	-	-	-	-	-	-
Marblehead	1	-	-	1	-	-	-	-	-	-	-	-	-
MARLBOROUGH	1	-	-	-	-	1	-	-	-	-	-	-	-
MEDFORD	3	-	-	-	-	-	1	-	-	-	1	-	1
MELROSE	-	-	-	-	-	-	-	-	-	-	-	-	-
Methuen	1	-	-	-	-	-	-	-	-	-	-	1	-
Middleborough	-	-	-	-	-	-	-	-	-	-	-	-	-
Milford	1	-	-	-	-	-	-	-	-	-	-	1	-
Milton	1	-	-	1	-	-	-	-	-	-	-	-	-
Natick	1	-	-	1	-	-	-	-	-	-	-	-	-
Needham	1	-	-	1	-	-	-	-	-	-	-	-	-
NEW BEDFORD	5	-	1	-	1	-	-	1	-	-	1	1	-
NEWBURYPORT	2	-	-	-	-	1	-	-	-	-	-	1	-
NEWTON	1	-	-	1	-	-	-	-	-	-	-	-	-
NORTH ADAMS	-	-	-	-	-	-	-	-	-	-	-	-	-
North Attleborough	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTHAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
Northbridge	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood	-	-	-	-	-	-	-	-	-	-	-	-	-
PEABODY	2	-	-	-	-	-	-	-	-	-	1	-	1
PITTSFIELD	3	-	-	-	1	1	-	-	-	-	-	1	-
Plymouth	-	-	-	-	-	-	-	-	-	-	-	-	-
QUINCY	2	-	-	1	-	-	-	-	-	-	-	-	1
Reading	-	-	-	-	-	-	-	-	-	-	-	-	-
REVERE	2	-	-	1	-	-	-	-	-	-	-	1	-
SALEM	2	-	-	-	-	-	1	-	-	-	1	-	-
Saugus	-	-	-	-	-	-	-	-	-	-	-	-	-
Shrewsbury	-	-	-	-	-	-	-	-	-	-	-	-	-
SOMERVILLE	2	-	-	1	1	-	-	-	-	-	-	-	-
South Hadley	1	-	-	-	-	-	-	-	-	-	-	-	1
Southbridge	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRINGFIELD	8	1	-	-	1	-	-	1	-	2	1	1	1
Stoneham	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoughton	-	-	-	-	-	-	-	-	-	-	-	-	-
Swampscott	-	-	-	-	-	-	-	-	-	-	-	-	-
TAUNTON	2	-	-	1	1	-	-	-	-	-	-	-	-
Wakefield	-	-	-	-	-	-	-	-	-	-	-	-	-
WALTHAM	2	-	1	-	-	-	-	-	-	1	-	-	-
Watertown	3	-	1	2	-	-	-	-	-	-	-	-	-
Webster	1	1	-	-	-	-	-	-	-	-	-	-	-
Wellesley	1	-	-	1	-	-	-	-	-	-	-	-	-
West Springfield	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTFIELD	1	-	-	1	-	-	-	-	-	-	-	-	-
Weymouth	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchester	1	1	-	-	-	-	-	-	-	-	-	-	-
Winthrop	-	-	-	-	-	-	-	-	-	-	-	-	-
WOBURN	2	-	-	1	1	-	-	-	-	-	-	-	-
WORCESTER	22	3	4	5	4	2	1	-	-	-	1	-	2

¹ Allocated.

Table 35

DEATHS¹ FROM BRONCHOPNEUMONIA, BY MONTHS, IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1952.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	706	95	72	94	96	52	34	42	32	38	45	47	59
Adams	1	—	—	—	—	—	—	—	—	—	1	—	—
Agawam	2	—	—	—	2	—	—	—	—	—	—	—	—
Amesbury	1	—	—	—	1	—	—	—	—	—	—	—	—
Amherst	2	—	—	1	—	—	—	1	—	—	—	—	—
Andover	2	—	—	1	—	—	—	—	—	—	—	—	1
Arlington	5	—	—	—	—	1	2	—	1	—	1	—	—
Athol	2	1	—	1	—	—	—	—	—	—	—	—	—
ATTLEBORO	4	1	1	—	1	—	—	—	—	1	—	—	—
Barnstable	1	1	—	—	—	—	—	—	—	—	—	—	—
Belmont	5	—	—	1	2	1	—	—	—	1	—	—	—
BEVERLY	5	—	—	1	1	—	1	—	1	—	—	—	—
Billerica	2	—	2	—	—	—	—	—	—	—	—	—	—
BOSTON	173	21	18	26	15	10	8	11	8	10	13	22	11
Braintree	3	1	1	—	—	—	—	—	—	—	—	—	—
BROCKTON	23	1	3	1	4	1	1	4	1	1	3	2	1
Brookline	8	—	3	2	1	—	—	—	1	—	—	—	—
CAMBRIDGE	29	4	3	1	6	—	3	2	—	3	1	1	5
CHELSEA	3	1	—	1	—	—	—	—	—	—	1	—	—
CHICOPEE	4	—	—	—	1	—	—	—	—	1	—	—	2
Clinton	1	—	—	—	—	1	—	—	—	—	—	—	—
Danvers	1	—	—	—	—	—	—	—	—	—	1	—	—
Dartmouth	2	1	—	—	1	—	—	—	—	—	—	—	—
Dedham	2	—	—	1	1	—	—	—	—	—	—	—	—
Easthampton	1	—	—	—	1	—	—	—	—	—	—	—	—
EVERETT	3	1	—	—	1	—	—	—	1	—	—	—	—
Fairhaven	4	1	1	—	1	—	—	—	—	—	1	—	—
FALL RIVER	11	5	—	1	1	3	—	—	—	1	—	—	—
FITCHBURG	3	—	—	—	2	—	—	—	—	1	—	—	—
Frammingham	4	1	—	—	—	—	1	—	—	1	—	1	—
GARDNER	4	—	1	—	—	—	1	1	—	—	—	—	1
GLOUCESTER	4	—	2	—	—	—	—	1	1	—	—	—	—
Greenfield	5	1	—	1	—	—	—	—	—	—	2	1	—
HAVERHILL	6	—	—	1	4	—	—	—	1	—	—	—	—
Hingham	—	—	—	—	—	—	—	—	—	—	—	—	—
HOLYOKE	7	1	1	—	—	1	1	—	—	—	1	—	2
LAWRENCE	7	2	2	—	1	—	—	—	—	—	—	—	1
LEOMINSTER	1	—	—	—	—	1	—	—	—	—	—	—	—
Lexington	1	1	—	—	—	—	—	—	—	—	—	—	—
LOWELL	18	2	2	4	3	—	3	2	1	—	—	—	1
LYNN	16	6	1	—	4	1	—	1	1	1	—	—	1
MALDEN	10	—	1	4	2	—	—	—	—	—	1	—	1
Marblehead	2	1	—	—	—	—	—	—	—	—	—	—	1
MARLBOROUGH	2	—	—	—	1	—	1	—	—	—	—	—	—
MEDFORD	9	3	1	—	1	1	—	1	—	—	—	—	2
MELROSE	5	1	1	1	—	—	—	—	1	—	—	1	—
Methuen	1	1	—	—	—	—	—	—	—	—	—	—	—
Middleborough	—	—	—	—	—	—	—	—	—	—	—	—	—
Milford	3	1	—	1	—	—	—	—	—	1	—	—	—
Milton	—	—	—	—	—	—	—	—	—	—	—	—	—
Natick	3	—	—	—	1	—	1	—	1	—	—	—	—
Needham	—	—	—	—	—	—	—	—	—	—	—	—	—
NEW BEDFORD	12	3	1	1	2	—	1	—	—	—	—	1	3
NEWBURYPORT	3	1	—	—	1	—	—	—	—	—	—	—	1
NEWTON	7	—	—	2	1	—	—	—	2	—	—	—	2
NORTH ADAMS	2	—	—	—	1	—	—	—	1	—	—	—	—
North Attleborough	—	—	—	—	—	—	—	—	—	—	—	—	—
NORTHAMPTON	2	—	—	1	—	—	—	—	—	—	—	—	1
Northbridge	3	—	1	2	—	—	—	—	—	—	—	—	—
Norwood	—	—	—	—	—	—	—	—	—	—	—	—	—
PEABODY	2	—	1	—	1	—	—	—	—	—	—	—	—
PITTSFIELD	16	2	1	—	2	3	1	4	—	—	2	1	—
Plymouth	1	—	—	—	1	—	—	—	—	—	—	—	—
QUINCY	8	1	1	—	—	—	1	1	—	—	—	—	2
Reading	1	—	—	1	—	—	—	—	—	—	—	—	—
REVERE	3	—	—	1	—	1	—	—	—	—	—	1	—
SALEM	2	—	1	—	1	—	—	—	—	—	—	—	—
Saugus	—	—	—	—	—	—	—	—	—	—	—	—	—
Shrewsbury	1	—	1	—	—	—	—	—	—	—	—	—	—
SOMERVILLE	19	4	3	5	1	2	—	—	—	1	1	2	—
South Hadley	2	—	1	1	—	—	—	—	—	—	—	—	—
Southbridge	1	—	—	—	—	—	—	—	—	—	—	—	1
SPRINGFIELD	27	—	3	4	4	4	—	5	1	2	1	2	1
Stoneham	1	—	—	—	—	—	—	—	—	—	1	—	—
Stoughton	1	—	—	—	—	—	—	—	—	—	—	—	1
Swampscott	2	—	—	—	—	1	—	—	1	—	—	—	—
TAUNTON	8	1	—	1	1	—	—	1	—	2	1	1	—

¹ Allocated

Table 35

DEATHS¹ FROM BRONCHOPNEUMONIA, BY MONTHS, IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1952.

MUNICIPALITIES.	DEATHS ¹ FROM BRONCHOPNEUMONIA, BY MONTHS, IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1952.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Wakefield	1	-	-	-	-	1	-	-	-	-	-	-	2
WALTHAM	9	1	-	-	4	-	-	-	1	-	1	-	-
Watertown	1	-	-	-	-	-	-	-	-	-	-	1	-
Webster	-	-	-	-	-	-	-	-	-	-	-	-	-
Wellesley	4	1	1	1	-	-	-	-	1	-	-	-	-
West Springfield	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTFIELD	1	-	-	-	1	-	-	-	-	-	-	-	-
Weymouth	9	-	-	4	-	-	-	1	-	1	-	2	1
Winchester	1	-	-	-	-	-	-	-	-	-	1	1	-
Winthrop	3	-	-	-	1	1	-	-	-	-	-	-	-
WOBURN	-	-	-	-	-	-	-	-	-	-	-	-	-
WORCESTER	24	3	1	5	3	3	-	2	1	4	-	1	1

¹ Allocated.

Table 36

DEATHS¹ AND DEATH RATES PER 100,000 POPULATION FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT: 1928 TO 1952.

YEARS.	DEATHS.			DEATH RATES—					
	Total. 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.	PER 100,000 POPULATION.			PER 100,000 FEMALE POPULATION.		
				Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9
1941	202	97	105	4.7	2.3	2.4	9.1	4.4	4.7
1942	178	67	111	4.1	1.5	2.6	8.0	3.0	5.0
1943	170	61	109	3.9	1.4	2.5	7.6	2.7	4.9
1944	140	48	92	3.2	1.1	2.1	6.3	2.2	4.1
1945	144	41	103	3.2	.9	2.3	6.4	1.8	4.6
1946	125	38	87	2.7	.8	1.9	5.3	1.6	3.7
1947	102	30	72	2.3	.7	1.6	4.6	1.4	3.2
1948	74	21	53	1.6	.5	1.1	3.1	.9	2.2
1949	60	17	43	1.3	.4	.9	2.5	.7	1.8
1950	53	6	47	1.1	.1	1.0	2.2	.3	1.9
1951	35	5	30	.7	.1	.6	1.4	.2	1.2
1952	56	10	46	1.2	.2	1.0	2.3	.4	1.9

¹ Allocated since 1935.

Table 37

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS¹ FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT: 1928 TO 1952.

YEARS.	PER 10,000 CONFINEMENTS. ²			PER 10,000 BIRTHS. ³			PER 10,000 LIVE BIRTHS. ¹		
	Total, ¹ 640-689.	Puerperal septicemia. 680-682, 684.	All others, 640-678, 683, 685-689.	Total, ¹	Puerperal septicemia.	All others.	Total, ¹	Puerperal septicemia.	All others.
1928	56	15	41	56	15	41	58	16	42
1929	62	20	42	59	19	40	61	20	41
1930	58	19	39	57	18	39	59	19	40
1931	57	17	40	57	17	40	59	17	42
1932	53	14	39	52	14	38	54	14	40
1933	60	16	44	59	16	43	61	16	45
1934	49	14	35	48	14	34	50	15	35
1935	51	16	35	50	16	34	52	17	35
1936	45	13	32	43	13	30	44	13	31
1937	40	11	29	40	11	29	41	11	30
1938	37	10	27	36	9	27	37	10	27
1939	34	11	23	33	10	23	33	10	23
1940	27	11	16	27	11	16	28	11	17
1941	28	13	15	28	13	15	29	14	15
1942	21	8	13	21	8	13	21	8	13
1943	20	7	13	19	7	12	20	7	13
1944	18	6	12	18	6	12	18	6	12
1945	18	5	13	18	5	13	18	5	13
1946	13	4	9	13	4	9	13	4	9
1947	10	3	7	9	3	6	10	3	7
1948	7	2	5	7	2	5	7	2	5
1949	6	2	4	6	2	4	6	2	4
1950	5	1	4	5	1	4	6	1	5
1951	4	1	3	4	1	3	4	1	3
1952	5	1	4	5	1	4	5	1	4

¹ Allocated since 1935.² Inclusive of stillbirths and making proper deductions for plural births.³ Inclusive of stillbirths.

DEATHS INVESTIGATED BY

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

Detailed Int. List No.	Table 38 CAUSE OF DEATH.	Sex.	All deaths investigated.	MONTHS.																								
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.													
				All Causes.													T	10,957	-	-	-	-	-	-	-	-	-	-
		M	6,986	581	580	606	585	538	566	592	549	527	583	613	666													
		F	3,971	312	336	394	354	337	342	309	300	278	344	338	327													
		T	10,876	-	-	-	-	-	-	-	-	-	-	-	-													
	All Causes (exclusive of stillbirths).	M	6,937	574	576	603	582	536	562	590	545	522	575	608	664													
		F	3,939	310	333	388	350	333	339	308	297	278	342	336	325													
		T	2,580	-	-	-	-	-	-	-	-	-	-	-														
	VIOLENCE.	M	1,684	116	133	138	140	121	152	161	132	113	135	142	151													
		F	946	71	75	100	72	85	93	82	64	59	78	81	86													
		T	421	-	-	-	-	-	-	-	-	-	-	-														
	<i>Suicide.</i>	M	322	21	34	27	35	33	28	24	25	23	23	23	26													
		F	99	7	5	15	8	11	13	6	7	6	6	6	9													
970	Suicide and self-inflicted poisoning by analgesic and soporific substances	T	23	-	-	-	-	-	-	-	-	-	-	-	-													
		M	11	2	2	-	1	-	1	2	1	1	1	-														
		F	12	-	2	-	1	1	-	2	2	3	1	-														
.2	Barbituric acid and derivatives	T	21	-	-	-	-	-	-	-	-	-	-	-														
		M	10	2	2	-	-	-	1	2	1	1	1	-														
		F	11	-	2	-	1	1	-	2	2	3	-	-														
.8	Others	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	-	-	-	-	-	-	-	-														
		F	1	-	-	-	-	-	-	-	-	-	1	-														
.9	Unspecified drugs	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	1	-	-	-	-	-	-	-														
		F	1	-	-	-	-	-	-	-	-	-	-	-														
971	Suicide and self-inflicted poisoning by other solid and liquid substances	T	19	-	-	-	-	-	-	-	-	-	-	-														
		M	11	-	3	-	1	1	1	-	1	1	1	2														
		F	8	1	1	-	-	1	1	1	1	-	1	1														
.3	Lye and potash	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	-	-	-	-	1	-	-	-														
		F	1	-	-	-	-	-	-	-	-	-	-	-														
.4	Cresol compounds	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	-	-	-	-	-	-	-	-														
		F	1	-	-	-	-	-	1	-	-	-	-	-														
.5	Mercury and its compounds	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	-	-	-	-	-	-	-	-														
		F	1	-	-	-	-	-	-	-	-	-	-	1														
.6	Arsenic and its compounds	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	1	-	-	-	-	-	-	-	-	-														
		F	1	-	-	-	-	-	-	-	-	-	-	-														
.7	Fluorides	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	-	-	-	-	-	-	-	-														
		F	1	-	-	-	-	-	-	-	-	-	1	-														
.8	Others	T	14	-	-	-	-	-	-	-	-	-	-	-														
		M	9	-	2	-	1	1	1	-	1	1	1	2														
		F	5	1	-	1	-	1	1	-	1	-	-	-														
972	Suicide and self-inflicted poisoning by gases in domestic use	T	51	-	-	-	-	-	-	-	-	-	-	-														
		M	27	2	2	3	3	4	2	1	1	4	3	2														
		F	24	2	1	5	4	4	3	1	-	-	2	1														
973	Suicide and self-inflicted poisoning by other gases	T	30	-	-	-	-	-	-	-	-	-	-	-														
		M	30	5	3	4	5	1	2	-	-	2	3	2														
		F	-	-	-	-	-	-	-	-	-	-	-	3														
.1	Motor-vehicle exhaust gas	T	21	3	2	2	3	1	1	-	-	2	3	2														
		M	21	-	-	-	-	-	-	-	-	-	-	2														
		F	-	-	-	-	-	-	-	-	-	-	-	-														
.2	Other motor exhaust gas	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	1	-	-	-	-	-	-	-	-	-														
		F	-	-	-	-	-	-	-	-	-	-	-	-														
.3	Other carbon monoxide gas	T	7	-	-	-	-	-	-	-	-	-	-	-														
		M	7	2	-	2	2	-	1	-	-	-	-	-														
		F	-	-	-	-	-	-	-	-	-	-	-	-														
.4	Other gases	T	1	-	-	-	-	-	-	-	-	-	-	-														
		M	1	-	-	-	-	-	-	-	-	-	-	1														
		F	-	-	-	-	-	-	-	-	-	-	-	-														
974	Suicide and self-inflicted injury by hanging and strangulation	T	131	-	-	-	-	-	-	-	-	-	-	-														
		M	107	2	18	6	7	13	8	12	8	5	10	7														
		F	24	2	1	4	2	4	2	1	-	2	2	11														
975	Suicide and self-inflicted injury by submersion (drowning)	T	39	-	-	-	-	-	-	-	-	-	-	-														
		M	26	1	-	3	3	3	4	1	3	3	2	4														
		F	13	1	1	1	-	-	5	1	2	-	1	1														
976	Suicide and self-inflicted injury by firearms and explosives	T	92	-	-	-	-	-	-	-	-	-	-	-														
		M	84	6	4	10	7	8	9	7	8	6	6	7														
		F	8	1	-	2	-	-	1	-	-	1	-	3														
977	Suicide and self-inflicted injury by cutting and piercing instruments	T	10	-	-	-	-	-	-	-	-	-	-	-														
		M	9	1	2	1	2	2	-	-	1	-	-	-														
		F	1	-	-	-	-	1	-	-	-	-	-	-														

1 Not including 1,152 views for cremation.

MEDICAL EXAMINERS.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1952.

Detailed Int. List No.	AGE PERIODS.													Unknown.
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	
	73	154	96	72	53	72	206	317	729	1,346	1,832	1,371	663	2
	63	109	79	43	19	32	74	152	239	468	786	1,061	845	1
	24	154	96	72	53	72	206	317	729	1,346	1,832	1,371	663	2
	31	109	79	43	19	32	74	152	239	468	786	1,061	845	1
	2	26	57	51	41	56	164	158	175	233	250	258	164	1
		20	45	32	15	18	37	59	62	62	104	206	283	1
970					2	6	36	49	51	72	61	32	13	
						4	11	18	19	21	15	9	2	
.2							3	2	3	1	1	1		
.8							1	3	3	4	1	1		
.9						1								
971								1						
.3							1	2	2	3	5	1	1	1
.4												1		
.5											1			
.6											1			
.7														
.8						1								
972						1	1	2	1	2	4		1	
							1	5	6	6	5	1	3	
973						1	1	2	6	7	4	3		
.1							1	7	8	8	5	1		
.2							1	6	5	5	3	1		
.3									1					
.4										2	2			
										1				
974					1	4	11	13	13	27	20	12	6	
							3	4	7	2	5	3		
975						1	3	3	5	7	6	1		
						2	2	1		3	4	2	1	
976					1	1	10	17	11	13	14	12	5	
							1	4	1	1	1		1	
977								2	2	3	2			

Table 38

DEATHS DUE TO VIOLENCE AND OTHER
AND MONTHS, AND BY

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	All deaths in- vestigated.	MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
				978	Suicide and self-inflicted injury by jumping from high places	T M F	15 9 6	-	-	-	3	1	1	-	1	1	1
979	Suicide and self-inflicted injury by other and unspecified means	T M F	11 8 3	-	2	-	3	-	-	1	1	-	-	-	-	1	1
	<i>Homicide.</i>	T M F	45 24 21	1	3	2	-	5	2	3	1	3	-	-	-	1	3
964	Late effect of injury purposely inflicted by another person (not in war)	T M F	1 1 -	1	1	4	2	-	-	-	-	-	-	-	-	-	1
980	Nonaccidental poisoning by another person	T M F	4 3 1	-	-	-	-	-	-	-	1	-	-	-	-	-	2
981	Assault by firearms and explosives	T M F	12 5 7	-	2	-	-	-	-	1	1	-	1	-	-	1	2
982	Assault by cutting and piercing instruments	T M F	9 5 4	-	1	4	-	-	2	1	1	-	-	-	-	-	1
983	Assault by other means	T M F	18 9 9	-	-	1	-	3	1	-	1	2	-	1	1	-	1
984	Injury by intervention of police	T M F	1 1 -	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	<i>Accidental deaths.</i>	T M F	2,114 1,288 826	-	-	-	-	-	-	-	-	-	-	-	-	-	-
800	Railway accident involving railroad employee	T M F	2 2 -	94	96	109	105	83	122	134	106	87	112	118	122	75	75
802	Railway accident involving other and unspecified person	T M F	17 14 3	-	-	4	2	1	-	1	1	-	1	3	1	-	-
810	Motor-vehicle traffic accident involving collision with railway train	T M F	6 3 3	-	1	-	-	-	-	1	-	-	-	-	1	2	1
812	Motor-vehicle traffic accident to pedestrian	T M F	214 155 59	20	14	6	19	12	11	7	10	8	14	13	21	8	8
813	Motor-vehicle traffic accident to rider of bicycle	T M F	6 6 -	-	-	-	1	-	1	3	-	1	-	-	-	-	-
815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	T M F	3 3 -	-	-	-	-	1	-	1	-	-	-	-	1	-	-
816	Other motor-vehicle traffic accident involving two or more motor vehicles	T M F	39 32 7	-	1	1	2	-	3	5	3	-	5	5	6	-	-
817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or bicycle	T M F	3 3 -	-	-	-	-	-	1	-	-	-	-	2	-	-	-
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	T M F	38 24 14	3	2	5	-	1	2	-	2	1	1	4	3	3	-
821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	T M F	2 1 -	-	-	-	-	-	1	-	-	-	-	-	-	-	-
822	Motor-vehicle traffic accident involving overturning on highway	T M F	5 5 -	-	1	2	-	-	-	1	-	1	-	-	-	-	-
823	Motor-vehicle traffic accident involving running off highway	T M F	31 22 9	1	2	3	1	1	1	4	4	1	1	2	1	3	1
824	Other noncollision motor-vehicle traffic accident	T M F	17 16 1	-	-	1	1	2	-	1	1	1	3	4	2	-	-
825	Motor-vehicle traffic accident of unspecified nature	T M F	113 88 25	4	8	3	10	6	5	10	11	8	12	5	6	1	1
835	Motor-vehicle nontraffic accident of other and unspecified nature	T M F	2 2 -	-	-	1	-	-	-	-	-	-	-	1	-	-	-

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1952.

Detailed Int. List No.	AGE PERIODS.														80 years and over.	Unknown.	
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.			
978							2	1	1	3	1						
979							1	1	1	2	2						
980	1		2	1		1	5	7	3	1	1						
981							8	5	1		3						
982									1	1							
983																	
984	1								3	4	1						
800	1	26	57	49	39	50	123	102	121	160	185	226	149	1			
802		20	45	32	14	14	25	33	38	40	86	197	280	1			
810			1		1												
812			9	12	4	2	7	1	11	14	34	44	17				
813			8	4	2	1	1	4	1	10	8	14	6				
815								3									
816						3	9	5	3	6	4	2					
817						1	1	1	1		3	1					
819						1	8	10	1	3	1	1					
821			3			1	3	3	3	3	3	1	1				
822						1		1		3							
823																	
824			1			2	9	2	2	4	1	1	1				
825				1		1	11	29	8	8	10	7	7	2			
835				1		4	4	5	3	3	3	2	2				

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1952.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
893						1								
894												1		
895								1						
900			1	1			1	1	6	7	11	26	12	
901				1				1	1	2	7	14	14	
902			3		1	1	5	4	9	13	7	7	10	
903		1		1		1	1	1	1	3	1	13	27	
904			1					2	1	6	12	25	30	
904								2		1	7	62	89	
910	2	1	2	4	2	2	3	9	17	24	32	55	52	
910	1		2	1			1	3	8	2	28	67	122	
912						3						1		
912		1					1		2	2		1		
913				1							1			
914							3	5						
916			1						3	1	1			
916			4	6	4	2	3	9	14	15	17	16	11	
917	1	15	11	5	3	5	7	11	11	9	9	11	8	
919			1	1	2	1	4		1		1			
921				1										
921	9	3						1	3		1	3	1	
922	8	2						1						
923		1									1			
923		11	2	1										
924									1					
924		2	1			1			1	1				
925	1	6	2						1					
928				3							1		1	
928		1										2		
929								1						
929	1	18	18	16	11	8	10	11	14	18	8	2	1	
931		4	5	2	1	2	1	4	4	3	3	1	1	
931									2	1		3	1	
932											1		1	
932											1	3	1	
933												1		

Detailed Int. List No.	Table 38 CAUSE OF DEATH.	Sex.	All deaths in- vestigated.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY													
				MONTHS.													
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
935	Lightning	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
936	Other and unspecified accidents . .	T	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	64	4	5	8	3	3	8	6	5	8	2	6	6	-	-
		F	16	-	3	-	1	2	3	1	1	1	1	2	1	-	-
940	Generalized vaccinia following vac- cination	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
944	Other complications of prophylactic inoculation	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
954	Therapeutic misadventure in anes- thesia	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	6	2	-	1	-	-	2	-	-	-	-	1	-	-	-
955	Other and unspecified therapeutic misadventure	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962	Late effect of other accidental injury	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	Causes not due to violence	T	8,296	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5,303	458	443	465	442	415	410	429	413	409	440	466	513	-	-
		F	2,993	239	258	288	278	248	246	226	233	219	264	255	239	-	-
	Stillbirths	T	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	7	4	3	3	2	4	2	4	5	8	5	2	2	2
		F	32	2	3	6	4	4	3	1	3	-	2	2	2	2	2

Line No.	Table 39 CAUSE OF DEATH.	DEATHS (INCLUSIVE OF STILLBIRTHS)				
		THE STATE.		COUNTY		
		Number.	Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.
1	All Causes.	12,109	100.0	114	298	1,058
2	VIOLENCE.	2,580	21.3	48	98	225
3	<i>Suicide and Self-inflicted Injury.</i>	421	3.5	9	21	33
4	Analgesic and soporific substances (970)	23	.2	1	-	1
5	Other solid and liquid substances (971)	19	.2	1	-	3
6	Cases in domestic use (972)	51	.4	-	2	7
7	Other gases (973)	30	.3	2	2	-
8	Hanging and strangulation (974)	131	1.0	1	8	11
9	Submersion (drowning) (975)	39	.3	1	-	2
10	Firearms and explosives (976)	92	.8	3	7	6
11	Cutting and piercing instruments (977)	10	.1	-	-	2
12	Jumping from high places (978)	15	.1	-	-	1
13	Other and unspecified means (979)	11	.1	-	2	-
14	<i>Homicide and Injury Purposely Inflicted by Other Persons.</i>	45	.4	1	-	5
15	Poisonings (980)	4	-.1	-	-	-
16	Firearms and explosives (981)	12	.1	-	-	3
17	Cutting and piercing instruments (982)	9	.1	-	-	-
18	Other means (983)	19	.2	1	-	2
19	Intervention of police (984)	1	-.1	-	-	-
20	Legal execution (985)	-	-	-	-	-
21	<i>Accident and Poisoning.</i>	2,114	17.4	38	77	187
22	Railway accidents (800-802)	19	.2	-	1	1
23	Motor-vehicle traffic accidents (810-825)	477	3.9	8	25	32
24	Motor-vehicle nontraffic accidents (830-835)	2	-.1	-	1	-
25	Other road-vehicle accidents (840-845)	7	-.1	-	-	1
26	Water transport accidents (850-858)	21	.2	2	-	4
27	Aircraft accidents (860-866)	20	.2	12	-	-
28	Solid and liquid substances (870-888)	37	.3	-	-	2
29	Gases and vapors (890-895)	43	.4	-	2	10
30	Falls (900-904)	897	7.4	1	29	98
31	Burns and scalds (916, 917)	199	1.6	4	4	18
32	Drowning (929)	161	1.3	6	5	9
33	Heat and cold (931, 932)	14	.1	-	-	1
34	Others	217	1.8	5	10	11
35	CAUSES NOT DUE TO VIOLENCE.	8,296	68.5	57	200	817
36	Natural causes	8,148	67.3	54	196	804
37	Alcoholism (322)	64	.5	1	2	1
38	Senility and ill-defined conditions (780-795)	84	.7	2	2	12
39	Cremations	1,152	9.5	9	-	11
40	STILLBIRTHS	81	.7	-	-	5
41	Autopsies					
42	Number	1,087	-	10	10	44

¹ Less than one-tenth of one per cent.

Line No.	Table 40 COUNTIES.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY										
		10 YEARS, 1943 TO 1952.			1952.		1951.		1950.		1949.	
		Views.	AUTOPSIES.		Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	The State.	114,603	10,384	9.1	12,109	1,087	12,156	935	11,615	1,009	11,596	1,021
2	Barnstable	1,080	63	5.8	114	10	88	10	119	7	123	11
3	Berkshire	2,460	75	3.0	298	10	244	12	271	16	276	7
4	Bristol	10,047	414	4.1	1,058	44	1,075	19	988	45	1,021	37
5	Dukes	119	8	6.7	21	1	13	-	2	-	14	2
6	Essex	14,323	735	5.1	1,715	132	1,634	86	1,527	55	1,517	57
7	Franklin	1,013	35	3.5	138	8	126	5	105	4	117	5
8	Hampden	11,783	343	2.9	1,318	68	1,208	14	1,191	16	1,148	45
9	Hampshire	2,315	136	5.9	284	17	285	22	270	17	244	27
10	Middlesex	21,875	807	3.7	2,468	95	2,449	83	2,264	100	2,236	74
11	Nantucket	186	16	8.6	14	1	9	1	22	1	36	-
12	Norfolk	7,810	685	8.8	844	92	886	69	772	80	762	76
13	Plymouth	4,224	190	4.5	442	21	375	29	407	22	399	10
14	Suffolk	24,593	5,941	24.2	2,035	446	2,330	449	2,371	518	2,397	566
15	Worcester	12,775	936	7.3	1,364	142	1,434	136	1,306	128	1,306	104

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1952.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	21	1,715	138	1,318	284	2,464	14	844	442	2,035	1,364
2	8	287	36	195	54	495	3	173	103	509	346
3	-	39	7	37	6	74	2	37	21	88	47
4	-	-	-	4	1	3	-	3	1	6	3
5	-	1	-	3	-	3	-	1	-	5	2
6	-	3	-	2	-	11	1	8	2	13	2
7	-	3	-	2	-	5	-	4	3	2	7
8	-	12	2	11	4	26	-	14	10	16	16
9	-	10	2	1	4	3	-	-	-	18	2
10	-	9	3	12	1	15	1	7	4	10	14
11	-	-	-	-	-	5	-	-	1	1	1
12	-	-	-	2	-	1	-	-	-	11	-
13	-	1	-	-	-	2	-	-	-	6	-
14	-	9	-	2	-	2	-	2	-	17	7
15	-	-	-	-	-	-	-	-	-	1	3
16	-	4	-	-	-	2	-	1	-	2	-
17	-	-	-	1	-	-	-	-	-	7	1
18	-	5	-	1	-	-	-	1	-	7	2
19	-	-	-	-	-	-	-	-	-	-	1
20	-	-	-	-	-	-	-	-	-	-	-
21	8	239	29	156	48	419	1	134	82	404	292
22	-	-	-	-	-	7	-	2	-	5	3
23	2	37	9	45	9	98	-	34	22	85	71
24	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	2	-	-	-	1	-	3	1
26	1	4	-	1	-	3	-	1	3	2	-
27	1	2	-	3	-	-	-	-	-	1	1
28	-	1	-	1	1	7	-	2	1	21	1
29	-	-	2	1	-	7	-	1	-	16	4
30	1	113	6	50	28	199	-	48	32	147	145
31	-	15	3	24	3	36	1	14	5	60	12
32	2	25	7	9	3	28	-	15	6	19	27
33	-	-	-	-	-	5	-	1	-	-	7
34	1	42	2	20	4	29	-	15	13	45	20
35	13	1,310	101	785	195	1,733	10	659	339	1,064	1,013
36	13	1,288	95	774	188	1,718	10	651	336	1,018	1,003
37	-	9	1	1	2	4	-	-	1	39	3
38	-	13	5	10	5	11	-	8	2	7	7
39	-	108	-	327	11	232	1	6	-	446	1
40	-	10	1	11	24	4	-	6	-	16	4
41	-	-	-	-	-	-	-	-	-	-	-
42	1	132	8	68	17	95	1	92	21	446	142

MEDICAL EXAMINERS IN EACH COUNTY: 1943 TO 1952.

Line No.	1948.		1947.		1946.		1945.		1944.		1943.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	11,766	981	11,621	1,136	10,926	1,252	10,971	1,005	10,378	986	11,465	972
2	112	7	100	3	96	4	121	5	100	5	107	1
3	230	8	226	6	235	5	212	5	238	4	230	2
4	1,007	29	1,046	32	986	50	950	35	946	56	970	67
5	13	-	10	1	13	2	10	1	12	-	11	1
6	1,451	69	1,474	78	1,358	93	1,320	62	1,091	68	1,236	35
7	109	1	84	3	80	3	90	5	74	-	90	1
8	1,254	51	1,124	19	1,112	53	1,162	33	1,116	21	1,150	23
9	221	16	202	8	180	10	207	10	234	5	188	4
10	2,393	100	2,303	112	1,926	108	1,891	49	1,748	49	2,201	37
11	21	-	19	5	20	2	17	1	11	3	17	2
12	806	75	736	54	737	66	731	81	741	62	795	30
13	386	12	444	25	416	25	433	17	437	16	485	13
14	2,509	547	2,577	691	2,527	737	2,627	645	2,456	646	2,764	696
15	1,254	66	1,276	99	1,240	94	1,200	56	1,174	51	1,221	60

BIRTH STATISTICS

Introduction	268-271
Birth registration	268
Importance of birth records	268, 269
Adoptions	269
Records impounded	270
Treatment of infants' eyes	270
Allocation	270
Live births	270
Birth rate	270
Changes in birth rate	270
Stillbirths	270
Birth rates, highest	270, 271
Sex proportion at birth	271
Plural births	271
Natural increase	271
Statistical tables	272-285

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and register therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1842. During this time 6,765,425 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records. — Records of birth are becoming more important every day. Government and other agencies are demanding proof of citizenship through birth certificates. This has caused a tremendous increase in the issuance of certified copies of birth records. The applications for certified copies are being made in person and by mail from all parts of the country. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance, Social Security and for allotment purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an

*Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and military service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns are accepted unless by affidavit made by the parents, supported by written evidence at the time of birth, or by affidavit of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance, except that in cases of delayed returns when no deponent is available the clerk may under the provisions of Chapter 542, Acts of 1945, accept a return without affidavit on written evidence satisfactory to him and if he rejects an affidavit for filing a delayed return, the person concerned can appeal to a Probate Judge in the county in which the birth occurred, and if the Probate Judge orders the birth to be recorded, the clerk is then required to make a record of the birth. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, Chapter 434, Acts of 1941 requires that registrars send a supplemental report of the physician's return to the parents for their verification; and when the certificate is returned properly signed by a parent it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth.

Adoptions. — Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded. — Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected by or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court. Chapter 65, Acts of 1945 provided that in cases of illegitimate records which have been amended to appear as legitimate records through intermarriage of the parents or by adoption, no notation shall appear on certified copies that are issued that amendment has been made. This is a further protection to the illegitimate child.

Treatment of Infants' Eyes after Birth. — Chapter 46, Acts of 1943 requires attending physician to record on the birth certificate the use of a prophylactic remedy with which he has treated the eyes of a child whose birth he has personally attended.

Allocation. — Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births. — In the Commonwealth in 1952 there were 105,157 live births registered, an increase of 4,155 or 4.1 per cent as compared with the number registered in 1951. The allocated births numbered 103,936 for 1952.

Birth Rate. — In proportion to the total population, the total births registered were equivalent to a rate of 22.0 per 1,000 population, and is an increase of .7 per 1,000 over that of 1951. This rate is .4 per 1,000 above the average for the five years 1947 to 1951. The allocated births for 1952 had a birth rate of 21.8.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a marked decline, and a gradual decline since 1924. Starting with 1940 the trend has been upward with the exception of 1944 and 1945, culminating in the highest number of recorded births, in the history of the State, in 1947. Though the registered births in 1948, 1949, 1950 and 1951 are below this all-time high, they are still larger than the previous recorded high of 95,731 in 1917. During this period (with the exception of 1952), the infant death rate has also declined, the infant mortality rate for 1951 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is shown in the infant mortality tables.

Stillbirths. — Chapter 113, Acts of 1945, defines stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than 20 weeks, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle —." Previous to 1936 there was no statute defining a stillbirth, consequently many returns had been made which, under this definition, would not have been returned. The statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made.

Stillbirths allocated in 1952 numbered 1,792. The rate per 1,000 live births allocated was 17.8 in 1951, 19.0 in 1950, 18.5 in 1949 and 19.3 in 1948. The rate for 1952 is 17.2.

Birth Rates, Highest. — The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1952 are: Norwood, 71.4; Chelsea, 67.6; Winchester, 67.1; Attleboro, 48.2; Weymouth, 47.1 and Framingham, 44.8.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Natick, 32.8; Norwood, 31.1; Weymouth, 30.3; Woburn, 29.2; Milford, 26.2 and Chicopee, 25.9. Springfield which showed the highest registered rate (34.4) of any place in the State of over 100,000 population also has the highest rate (23.2) through the allocation of births.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1952 numbered 54,003 and those of females 51,154, corresponding to a ratio of 1,056 male births to 1,000 female births. Allocated births numbered 53,395 males and 50,541 females in 1952, with 1,056 as a ratio of male to female births.

Plural Births. — In 1952 there were 1,129 cases of plural births (allocated), 1,109 cases of twins, 19 cases of triplets and 1 case of quadruplets, or 10.7 pairs of twins per 1,000 live births (allocated), and .2 of one case of triplets.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1952 was 11.0 per 1,000 population for registered births and also averaged 10.4 for the five years 1947 to 1951. The rate of increase was 10.9 for allocated births in 1952.

The number of births is greatly in excess of the number of deaths, and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 88.5 per cent in 1951; 89.3 per cent in 1950; 90.9 per cent in 1949; 89.1 per cent in 1948 and 106.8 per cent in 1947. The excess of registered births over registered deaths in 1952 was 52,537 or 99.8 per cent, while the increase of allocated births over allocated deaths was 51,956 or 100 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

COUNTIES AND MUNICIPALITIES. ¹	REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.								Population (Estimated, July 1, 1952.)
	Total.	REGISTERED.			Total.	ALLOCATED.			
		SEX.		Rate.		SEX.		Rate.	
Male.	Female.	Rate.	Male.		Female.	Rate.			
The State.	105,157	54,003	51,154	22.0	103,936	53,395	50,541	21.8	4,774,616
COUNTIES.									
Barnstable	1,170	588	582	23.9	1,319	681	638	27.0	48,941
Berkshire	3,256	1,680	1,576	24.1	3,068	1,569	1,499	22.7	135,371
Bristol	7,741	4,016	3,725	20.1	7,607	3,955	3,652	19.7	385,379
Dukes	109	56	53	19.4	108	55	53	19.2	5,633
Essex	10,644	5,426	5,218	20.1	11,000	5,646	5,354	20.8	528,246
Franklin	1,050	543	507	19.6	1,211	621	590	22.6	53,487
Hampden	9,692	5,007	4,685	25.8	8,850	4,572	4,278	23.5	376,036
Hampshire	1,653	824	829	18.2	1,816	912	904	20.0	91,000
Middlesex	21,882	11,288	10,594	20.2	24,485	12,579	11,906	22.6	1,085,536
Nantucket	82	39	43	23.4	86	39	47	24.6	3,501
Norfolk	6,505	3,275	3,230	16.0	8,995	4,574	4,421	22.1	407,413
Plymouth	3,887	2,002	1,885	20.0	4,403	2,245	2,158	22.7	194,111
Suffolk	25,829	13,190	12,639	28.6	18,829	9,620	9,209	20.8	904,125
Worcester	11,657	6,069	5,588	21.0	12,159	6,327	5,832	21.9	555,837
MUNICIPALITIES.									
Abington	3	-	3	.4	258	139	119	34.5	7,480
Acton	1	-	1	.3	101	55	46	27.4	3,688
Acushnet	641	304	337	144.2	93	47	46	20.9	4,444
Adams	301	151	150	25.0	267	136	131	22.2	12,034
Agawam	1	1	-	.1	270	133	137	25.3	10,680
Alford	-	-	-	-	3	1	2	14.2	212
Amesbury	302	158	144	27.8	210	111	99	19.4	10,851
Amherst	-	-	-	-	222	113	109	18.8	11,840
Andover	1	-	1	.1	206	115	91	16.2	12,665
Arlington	525	276	249	11.6	924	447	477	20.4	45,273
Ashburnham	-	-	-	-	52	22	30	19.4	2,683
Ashby	-	-	-	-	32	14	18	20.4	1,567
Ashfield	-	-	-	-	25	14	11	25.0	1,001
Ashland	-	-	-	-	125	64	61	33.5	3,731
Athol	317	167	150	27.2	250	132	118	21.5	11,634
ATTLEBORO	1,162	629	533	48.2	525	287	238	21.8	24,109
Auburn	1	1	-	.1	265	135	130	28.4	9,320
Avon	-	-	-	-	42	17	25	15.3	2,746
Ayer	223	112	111	36.0	213	107	106	34.4	6,199
Barnstable	662	332	330	60.4	304	159	145	27.7	10,961
Barre	1	1	-	.3	77	39	38	22.6	3,406
Becket	-	-	-	-	12	8	4	15.4	779
Bedford	-	-	-	-	115	67	48	20.8	5,540
Belchertown	-	-	-	-	75	42	33	16.0	4,700
Bellingham	1	-	1	.2	114	59	55	26.2	4,343
Belmont	2	2	-	.1	480	245	235	17.5	27,484
Berkley	-	-	-	-	26	15	11	19.9	1,305
Berlin	-	-	-	-	30	20	10	21.4	1,402
Bernardston	-	-	-	-	24	8	16	21.0	1,141
BEVERLY	1,139	575	564	38.6	749	393	356	25.4	29,541
Billerica	-	-	-	-	287	167	120	24.4	11,766
Blackstone	-	-	-	-	115	61	54	22.8	5,048
Blandford	1	-	1	1.6	11	4	7	17.6	624
Bolton	-	-	-	-	33	16	17	32.7	1,009
BOSTON	22,063	11,311	10,752	27.3	16,823	8,602	8,221	20.8	807,870
Bourne	484	247	237	96.0	205	98	107	40.7	5,040
Boxborough	-	-	-	-	8	8	-	17.2	464
Boxford	1	-	1	1.1	22	11	11	23.2	949
Boylston	-	-	-	-	50	30	20	28.1	1,780
Braintree	3	1	2	.1	578	302	276	23.4	24,696
Brewster	-	-	-	-	12	5	7	11.8	1,014
Bridgewater	8	4	4	.8	171	96	75	17.7	9,649
Brimfield	-	-	-	-	28	17	11	23.2	1,209
BROCKTON	2,561	1,326	1,235	40.7	1,252	645	607	19.9	62,969
Brookfield	3	-	3	1.9	45	26	19	28.2	1,594
Brookline	955	494	461	16.1	858	449	409	14.5	59,340
Buckland	1	-	1	.6	15	7	8	9.2	1,629
Burlington	-	-	-	-	96	55	41	27.8	3,455
CAMBRIDGE	3,522	1,835	1,687	28.7	2,598	1,339	1,259	21.1	122,837
Canton	-	-	-	-	216	110	106	28.0	7,707
Carlisle	-	-	-	-	26	9	17	28.9	901
Carver	1	-	1	.6	31	13	18	19.9	1,557
Charlemont	2	-	2	2.3	19	6	13	21.6	879
Charlton	3	3	-	.9	72	33	39	22.0	3,289
Chatham	-	-	-	-	59	27	32	23.3	2,537
Chelmsford	2	1	1	.2	209	117	92	21.6	9,688
CHELSEA	2,630	1,337	1,293	67.6	763	386	377	19.6	38,912
Cheshire	1	-	1	.5	39	22	17	18.6	2,095
Chester	-	-	-	-	21	12	9	16.3	1,292

¹ Cities are printed in small capitals.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES. ¹	REGISTERED.							ALLOCATED.			Population (Estimated, July 1, 1952.)
	Total.	SEX.		Rate.	Total.	SEX.		Rate.			
		Male.	Female.			Male.	Female.				
Chesterfield	-	-	-	-	16	8	8	30.6	523		
CHICOPEE	810	426	384	16.1	1,301	676	625	25.9	50,196		
Chilmark	-	-	-	-	6	4	2	32.8	183		
Clarksburg	-	-	-	-	27	12	15	15.9	1,703		
Clinton	413	210	203	33.6	304	156	148	24.7	12,287		
Cohasset	18	10	8	4.7	90	44	46	23.3	3,865		
Colrain	6	3	3	3.9	30	13	17	19.4	1,546		
Concord	589	311	278	67.3	200	104	96	22.9	8,751		
Conway	3	1	2	3.4	16	8	8	18.3	873		
Cummington	-	-	-	-	20	8	12	32.3	620		
Dalton	-	-	-	-	110	50	60	22.5	4,893		
Danvers	75	35	40	4.7	304	152	152	19.0	16,025		
Dartmouth	1	1	-	.1	214	103	111	18.6	11,500		
Dehdam	1	1	-	.1	429	205	224	22.4	19,161		
Deerfield	-	-	-	-	76	42	34	24.1	3,160		
Dennis	-	-	-	-	59	32	27	22.6	2,606		
Dighton	1	-	1	.3	48	25	23	16.3	2,950		
Douglas	-	-	-	-	56	29	27	21.3	2,624		
Dover	-	-	-	-	35	12	23	19.4	1,802		
Dracut	2	2	-	.2	227	116	111	25.4	8,947		
Dudley	-	-	-	-	115	57	58	21.3	5,394		
Dunstable	-	-	-	-	18	8	10	32.9	547		
Duxbury	-	-	-	-	87	45	42	25.9	3,358		
East Bridgewater	1	1	-	.2	123	69	54	27.0	4,549		
East Brookfield	-	-	-	-	35	23	12	27.0	1,296		
East Longmeadow	3	2	1	.6	142	80	62	27.3	5,205		
Eastham	-	-	-	-	26	14	12	28.5	913		
Easthampton	2	-	2	.2	236	115	121	21.9	10,774		
Easton	1	-	1	.2	125	66	59	19.4	6,437		
Edgartown	1	-	1	.7	24	12	12	15.9	1,508		
Egremont	-	-	-	-	19	9	10	24.4	780		
Erving	1	1	-	.8	17	8	9	12.9	1,322		
Essex	-	-	-	-	32	15	17	17.2	1,864		
EVERETT	1,070	560	510	23.3	1,146	571	575	24.9	45,982		
Fairhaven	6	4	2	.5	244	129	115	18.6	13,085		
FALL RIVER.	2,954	1,530	1,424	26.4	2,070	1,093	977	18.5	111,963		
Falmouth	6	2	4	.7	296	161	135	32.7	9,062		
FITCHBURG	1,236	634	602	28.8	1,013	525	488	23.6	42,878		
Florida	1	-	1	2.1	10	6	4	20.9	479		
Foxborough	3	2	1	.4	167	89	78	23.2	7,192		
Framingham	1,305	721	584	44.8	704	384	320	24.2	29,134		
Franklin	3	1	2	.4	186	96	90	22.7	8,199		
Freetown	4	2	2	1.8	53	18	35	24.2	2,190		
GARDNER	589	309	280	30.1	405	214	191	20.7	19,581		
Gay Head	-	-	-	-	3	1	2	34.1	88		
Georgetown	4	3	1	1.6	59	37	22	23.3	2,528		
Gill	-	-	-	-	32	21	11	29.3	1,094		
GLOUCESTER	549	251	298	21.6	541	258	283	21.3	25,378		
Goshen	-	-	-	-	8	3	5	23.0	348		
Gosnold	-	-	-	-	1	-	1	17.9	56		
Grafton	-	-	-	-	157	73	84	18.5	8,468		
Granby	-	-	-	-	56	29	27	27.7	2,020		
Granville	-	-	-	-	17	9	8	22.2	767		
Great Barrington	340	185	155	49.4	151	78	73	21.9	6,882		
Greenfield	751	390	361	42.4	367	184	183	20.7	17,697		
Groton	80	41	39	27.0	76	39	37	25.6	2,967		
Groveland	-	-	-	-	45	26	19	18.9	2,387		
Hadley	3	2	1	1.1	64	34	30	24.0	2,666		
Halifax	-	-	-	-	23	7	16	23.7	971		
Hamilton	-	-	-	-	68	34	34	23.4	2,905		
Hampden	-	-	-	-	31	19	12	22.5	1,377		
Hancock	-	-	-	-	8	5	3	17.1	469		
Hanover	1	-	1	.3	74	35	39	21.2	3,498		
Hanson	2	-	2	.6	67	31	36	19.5	3,428		
Hardwick	-	-	-	-	50	27	23	20.8	2,401		
Harvard	-	-	-	-	37	17	20	8.3	4,463		
Harwich	-	-	-	-	75	37	38	28.0	2,676		
Hatfield	-	-	-	-	33	23	10	15.1	2,179		
HAVERHILL	1,010	509	501	21.3	959	467	492	20.2	47,374		
Hawley	2	2	-	8.2	5	5	-	20.5	244		
Heath	4	2	2	13.1	8	3	5	26.2	305		
Hingham	2	1	1	.2	287	134	153	25.5	11,266		
Hinsdale	-	-	-	-	29	16	13	17.8	1,633		
Holbrook	-	-	-	-	106	57	49	25.4	4,166		
Holden	243	124	119	37.8	146	71	75	22.7	6,428		
Holland	-	-	-	-	8	5	3	19.8	404		

¹ Cities are printed in small capitals.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES, ¹	Total.	REGISTERED.			Total.	ALLOCATED.			Population (Estimated, July 1, 1952.)
		SEX.		Rate.		SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Holliston	-	-	-	-	101	61	40	25.9	3,906
HOLYOKE	1,874	974	900	34.1	1,278	677	601	23.3	54,878
Hopedale	-	-	-	-	57	30	27	16.0	3,559
Hopkinton	-	-	-	-	111	56	55	30.3	3,664
Hubbardston	-	-	-	-	32	13	19	27.6	1,161
Hudson	123	67	56	14.9	181	80	101	22.0	8,236
Hull	-	-	-	-	129	74	55	35.3	3,652
Huntington	-	-	-	-	22	11	11	17.5	1,257
Ipswich	258	119	139	36.8	204	99	105	29.1	7,012
Kingston	-	-	-	-	88	46	42	24.3	3,625
Lakeville	-	2	-	-	77	41	36	20.6	3,734
Lancaster	2	-	-	.9	50	27	23	23.6	2,121
Lanesborough	-	-	-	-	77	41	36	20.6	3,734
LAWRENCE	1,704	891	813	21.2	1,537	786	751	19.1	80,536
Lee	-	-	-	-	67	32	35	30.2	2,215
Leicester	4	2	2	.6	110	61	49	22.3	4,941
Lenox	-	-	-	-	159	85	74	25.3	6,296
LEOMINSTER	626	332	294	25.6	74	37	37	19.6	3,773
Leverett	1	1	-	1.2	608	325	283	24.8	24,475
Lexington	1	-	1	1.1	15	11	4	18.4	815
Leyden	1	-	1	3.3	408	201	207	22.4	18,230
Lincoln	-	-	-	-	9	4	5	29.4	306
Littleton	-	-	-	-	64	37	27	25.0	2,555
Littleton	-	-	-	-	69	27	42	27.6	2,502
Longmeadow	-	-	-	-	107	55	52	16.0	6,670
LOWELL	3,093	1,622	1,471	31.8	2,156	1,117	1,039	22.2	97,249
Ludlow	399	190	209	45.5	213	108	105	24.3	8,768
Lunenburg	-	-	-	-	112	52	60	26.2	4,279
LYNN	2,220	1,133	1,087	22.2	2,122	1,113	1,009	21.2	100,043
Lynnfield	1	1	-	.2	99	53	46	23.3	4,255
MALDEN	1,244	623	621	20.7	1,283	644	639	21.3	60,188
Manchester	-	-	-	-	68	24	44	23.1	2,938
Mansfield	1	1	-	.1	148	75	73	20.3	7,291
Marblehead	95	53	42	6.6	305	149	156	21.3	14,328
Marion	-	-	-	-	68	31	37	29.5	2,305
MARLBOROUGH	525	239	286	33.1	349	173	176	22.0	15,884
Marshfield	2	1	1	.6	84	39	45	24.3	3,458
Mashpee	-	-	-	-	19	11	8	43.4	438
Mattapoisett	-	-	-	-	52	28	24	21.6	2,402
Maynard	-	-	-	-	143	72	71	20.4	7,003
Medfield	1	-	1	.2	78	44	34	17.0	4,576
MEDFORD	929	464	465	13.9	1,381	706	675	20.7	66,752
Medway	2	-	2	.5	95	46	49	24.7	3,851
MELROSE	956	471	485	35.0	475	229	246	17.4	27,347
Mendon	-	-	-	-	46	19	27	27.1	1,699
Merrimac	-	-	-	-	60	32	28	20.7	2,898
Methuen	947	484	463	37.9	530	290	240	21.2	24,993
Middleborough	304	165	139	29.2	211	114	97	20.3	10,409
Middlefield	-	-	-	-	11	3	8	34.2	322
Middleton	-	-	-	-	61	23	38	20.1	3,033
Milford	687	347	340	44.5	405	227	178	26.2	15,442
Millbury	1	-	1	.1	198	101	97	22.9	8,640
Millis	-	-	-	-	66	24	42	25.3	2,605
Millville	-	-	-	-	38	15	23	22.5	1,692
Milton	437	213	224	18.8	362	180	182	15.6	23,230
Monroe	-	-	-	-	3	3	-	17.2	174
Monson	-	-	-	-	91	44	47	14.6	6,233
Montague	272	141	131	34.6	205	107	98	26.1	7,862
Monterey	-	-	-	-	6	4	2	16.3	367
Montgomery	-	-	-	-	5	1	4	31.8	157
Mount Washington	-	-	-	-	-	-	-	-	34
Nabant	1	-	1	.4	60	26	34	21.1	2,843
Nantucket	82	39	43	23.4	86	39	47	24.6	3,501
Natick	592	296	296	28.0	692	355	337	32.8	21,117
Needham	391	188	203	22.8	398	200	198	23.2	17,175
New Ashford	-	-	-	-	5	4	1	42.4	118
NEW BEDFORD	2,058	1,083	975	18.8	2,060	1,068	992	18.9	109,189
New Braintree	-	-	-	-	14	7	7	29.3	478
New Marlborough	-	-	-	-	10	7	3	10.1	989
New Salem	-	-	-	-	10	5	5	25.5	392
Newbury	-	-	-	-	50	24	26	24.2	2,064
NEWBURYPORT	410	210	200	29.0	278	143	135	19.6	14,158
NEWTON	1,415	748	667	16.7	1,667	863	804	19.7	84,577
Norfolk	1	-	1	.4	47	31	16	16.9	2,784
NORTH ADAMS	583	299	284	27.0	460	239	221	21.3	21,567
North Andover	-	-	-	-	163	92	71	18.8	8,673
North Attleborough	8	4	4	.6	288	163	125	23.1	12,467

¹ Cities are printed in small capitals.

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES. ¹	REGISTERED.				Total.	ALLOCATED.				Population (Estimated, July 1, 1952.)
	Total.	SEX.		Rate.		Total.	SEX.		Rate.	
		Male.	Female.				Male.	Female.		
North Brookfield	1	1	-	.3	80	43	37	23.0	3,471	
North Reading	2	1	1	.4	123	64	59	26.0	4,735	
NORTHAMPTON	1,207	596	611	40.2	520	254	266	17.3	30,021	
Northborough	-	-	-	-	102	59	43	31.1	3,282	
Northbridge	372	198	174	35.3	226	122	104	21.5	10,529	
Northfield	2	-	2	.9	40	17	23	17.4	2,296	
Norton	1	1	-	.2	127	59	68	27.4	4,636	
Norwell	1	1	-	.4	59	33	26	22.2	2,652	
Norwood	1,207	590	617	71.4	525	251	274	31.1	16,905	
Oak Bluffs	108	56	52	71.0	23	10	13	15.1	1,521	
Oakham	-	-	-	-	13	5	8	28.6	455	
Orange	4	2	2	.7	140	73	67	23.6	5,944	
Orleans	-	-	-	-	32	16	16	17.4	1,839	
Otis	-	-	-	-	10	6	4	27.9	359	
Oxford	2	1	1	.3	168	85	83	27.5	6,118	
Palmer	298	153	145	31.0	240	127	113	25.0	9,614	
Paxton	-	-	-	-	26	13	13	23.2	1,119	
PEABODY	264	137	127	11.6	559	311	248	24.5	22,833	
Pelham	-	-	-	-	13	8	5	22.5	579	
Pembroke	-	-	-	-	65	37	28	23.5	2,770	
Pepperell	1	-	1	.3	72	40	32	20.4	3,538	
Peru	-	-	-	-	2	2	-	14.0	143	
Petersham	-	-	-	-	22	11	11	27.0	814	
Phillipston	-	-	-	-	10	3	7	15.0	665	
PITTSFIELD	2,029	1,044	985	37.5	1,384	701	683	25.6	54,102	
Plainfield	1	1	-	4.4	6	4	2	26.3	228	
Plainville	-	-	-	-	46	22	24	20.2	2,277	
Plymouth	448	229	219	32.7	268	131	137	19.5	13,717	
Plympton	-	-	-	-	11	8	3	15.2	724	
Princeton	-	-	-	-	26	12	14	23.4	1,112	
Provincetown	16	6	10	4.2	80	34	46	20.9	3,822	
QUINCY	1,841	961	880	21.5	1,900	985	915	22.2	85,638	
Randolph	-	-	-	-	308	162	146	29.3	10,521	
Raynham	-	-	-	-	71	39	32	28.8	2,469	
Reading	2	1	1	.1	312	153	159	21.3	14,671	
Rehoboth	2	1	1	.5	56	32	24	14.5	3,871	
REVERE	379	178	201	10.2	811	413	398	21.8	37,267	
Richmond	-	-	-	-	13	8	5	17.1	761	
Rochester	1	-	1	.8	30	12	18	22.6	1,328	
Rockland	4	2	2	.4	211	112	99	23.1	9,151	
Rockport	-	-	-	-	62	32	30	14.2	4,372	
Rowe	-	-	-	-	4	2	2	20.1	199	
Rowley	3	1	2	1.7	34	13	21	18.7	1,815	
Royalston	1	1	-	1.2	19	9	10	22.7	838	
Russell	-	-	-	-	30	9	21	23.1	1,298	
Rutland	1	1	-	.3	44	25	19	13.6	3,243	
SALEM	1,392	718	674	33.1	843	416	427	20.1	42,021	
Salisbury	-	-	-	-	60	30	30	21.7	2,765	
Sandisfield	-	-	-	-	7	4	13	16.0	437	
Sandwich	-	-	-	-	37	19	18	13.9	2,658	
Saugus	268	148	120	15.2	388	210	178	22.0	17,607	
Savoy	-	-	-	-	7	5	2	24.1	291	
Scituate	4	3	1	.6	163	84	79	25.3	6,430	
Seekonk	2	1	1	.3	136	70	66	21.5	6,318	
Sharon	2	-	2	.4	137	61	76	26.9	5,089	
Sheffield	-	-	-	-	42	23	19	18.7	2,247	
Shelburne	-	-	-	-	64	38	26	36.0	1,780	
Sherborn	-	-	-	-	21	13	8	16.2	1,295	
Shirley	574	265	309	124.0	200	100	100	43.2	4,630	
Shrewsbury	-	-	-	-	264	135	129	23.4	11,260	
Shutesbury	-	-	-	-	10	3	7	46.9	213	
Somerset	4	2	2	.4	233	117	116	25.8	9,037	
SOMERVILLE	1,201	629	572	11.7	2,368	1,234	1,134	23.1	102,376	
South Hadley	1	-	1	.1	291	142	149	26.8	10,863	
Southampton	-	-	-	-	26	12	14	17.4	1,493	
Southborough	-	-	-	-	68	38	30	23.7	2,867	
Southbridge	514	261	253	29.1	374	198	176	21.2	17,679	
Southwick	-	-	-	-	117	58	59	37.1	3,153	
Spencer	4	2	2	.6	170	98	72	23.9	7,107	
SPRINGFIELD	5,691	2,953	2,738	34.4	3,837	1,960	1,877	23.2	165,294	
Sterling	-	-	-	-	56	30	26	24.6	2,273	
Stockbridge	-	-	-	-	40	22	18	16.6	2,408	
Stoneham	653	311	342	47.4	334	158	176	24.3	13,766	
Stoughton	2	1	1	.2	336	169	167	28.7	11,711	
Stow	1	1	-	.6	47	22	25	26.1	1,803	
Sturbridge	-	-	-	-	53	28	25	18.0	2,938	

¹ Cities are printed in small capitals.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1952.

MUNICIPALITIES, ¹	REGISTERED.				Total.	ALLOCATED.			Popula- tion (Esti- mated, July 1, 1952.)	
	Total.	SEX.		Rate.		Total.	SEX.			Rate.
		Male.	Female.				Male.	Female.		
Sudbury	-	-	-	-	75	39	36	27.0	2,774	
Sunderland	-	-	-	-	34	15	19	37.6	905	
Sutton	-	-	-	-	83	39	44	26.1	3,182	
Swampscott	-	-	-	-	200	101	99	17.0	11,741	
Swansea	2	-	2	.3	178	89	89	27.9	6,378	
TAUNTON	888	449	439	21.9	802	407	395	19.8	40,601	
Templeton	2	2	-	.4	116	59	57	24.2	4,784	
Tewksbury	2	1	1	.3	181	109	72	23.3	7,781	
State Infirmary	84	39	45	-	-	-	-	-	-	
Tisbury	-	-	-	-	41	24	17	21.2	1,930	
Tolland	-	-	-	-	1	-	1	9.3	107	
Topsfield	-	-	-	-	47	15	32	32.2	1,459	
Townsend	2	1	1	.7	65	37	28	21.9	2,970	
Truro	1	-	1	1.5	8	5	3	11.6	688	
Tyngsborough	-	-	-	-	60	32	28	27.8	2,162	
Tyringham	-	-	-	-	5	3	2	21.3	235	
Upton	-	-	-	-	66	29	37	24.1	2,736	
Uxbridge	1	-	1	.1	159	83	76	22.3	7,140	
Wakefield	2	1	1	.1	486	259	227	23.9	20,348	
Wales	-	-	-	-	13	5	8	24.8	524	
Walpole	-	-	-	-	256	125	131	27.0	9,487	
WALTHAM	1,527	803	724	31.3	1,183	603	580	24.3	48,722	
Ware	436	223	213	58.0	136	72	64	18.1	7,517	
Wareham	539	265	274	68.7	261	116	145	33.3	7,842	
Warren	3	2	1	.9	66	30	36	19.4	3,406	
Warwick	-	-	-	-	8	5	3	18.6	429	
Washington	-	-	-	-	9	6	3	32.0	281	
Watertown	1	-	1	- ²	838	444	394	22.2	37,738	
Wayland	-	-	-	-	139	66	73	30.1	4,612	
Webster	296	154	142	22.4	278	143	135	21.1	13,194	
Wellesley	2	1	1	.1	355	193	162	16.3	21,760	
Wellfleet	-	-	-	-	9	6	3	7.7	1,176	
Wendell	-	-	-	-	12	8	4	35.1	342	
Wenham	-	-	-	-	53	32	21	30.5	1,738	
West Boylston	-	-	-	-	76	41	35	27.8	2,730	
West Bridgewater	1	-	1	.2	95	50	45	22.4	4,250	
West Brookfield	2	1	1	1.2	44	23	21	25.5	1,727	
West Newbury	-	-	-	-	22	13	9	13.6	1,621	
West Springfield	2	1	1	.1	522	279	243	24.6	21,196	
West Stockbridge	-	-	-	-	19	8	11	16.0	1,189	
West Tisbury	-	-	-	-	10	4	6	28.8	347	
Westborough	-	-	-	-	128	70	58	16.9	7,591	
WESTFIELD	613	307	306	28.6	469	238	231	21.9	21,450	
Westford	1	1	-	.2	111	51	60	25.4	4,365	
Westhampton	3	2	1	6.6	16	8	8	35.4	452	
Westminster	-	-	-	-	60	32	28	20.7	2,901	
Weston	-	-	-	-	105	57	48	19.7	5,332	
Westport	5	4	1	1.0	110	53	57	21.4	5,139	
Westwood	-	-	-	-	139	70	69	21.7	6,402	
Weymouth	1,634	811	823	47.1	1,050	530	520	30.3	34,682	
Whately	-	-	-	-	23	11	12	24.5	939	
Whitman	2	2	-	.2	185	89	96	21.6	8,550	
Wilbraham	-	-	-	-	98	56	42	23.2	4,220	
Williamsburg	-	-	-	-	35	18	17	16.4	2,136	
Williamstown	1	1	-	.2	118	51	67	17.9	6,583	
Wilmington	-	-	-	-	187	98	89	24.8	7,550	
Winchendon	179	102	77	27.2	144	87	57	21.9	6,585	
Winchester	1,048	538	510	67.1	311	152	159	19.9	15,612	
Windsor	-	-	-	-	5	3	2	13.4	372	
Winthrop	757	364	393	37.8	432	219	213	21.6	20,006	
WOBURN	582	305	277	28.2	602	311	291	29.2	20,645	
WORCESTER	6,155	3,213	2,942	29.9	4,165	2,156	2,009	20.3	205,671	
Worthington	-	-	-	-	10	5	5	21.6	462	
Wrentham	1	1	-	.2	76	44	35	13.8	5,593	
Yarmouth	1	1	-	.3	98	57	41	27.9	3,511	

¹ Cities are printed in small capitals.² Less than one-tenth of one per 1,000 population.

Table 42

ALLOCATED LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS: 1952.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1950. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	103,936	8,372	8,113	8,787	8,522	8,786	8,785	9,316	9,094	8,898	8,793	7,993	8,477
Average daily number of births	284	270	280	283	284	283	293	301	293	297	284	266	273
COUNTIES													
Middlesex	24,485	1,879	1,872	2,055	1,993	2,142	2,037	2,187	2,157	2,106	2,054	1,957	2,046
Suffolk	18,829	1,541	1,543	1,551	1,508	1,588	1,600	1,767	1,685	1,527	1,612	1,448	1,459
Worcester	12,159	937	922	1,046	1,051	1,069	1,022	1,056	1,073	1,053	997	925	1,008
Essex	11,000	840	812	896	965	884	987	922	984	952	954	846	958
Norfolk	8,995	811	685	776	762	789	718	837	764	799	767	597	690
Bristol	7,607	666	603	666	631	615	623	658	637	660	625	609	614
Hampden	8,850	712	740	765	692	741	721	797	745	774	743	678	742
Plymouth	4,403	385	348	377	351	340	376	417	356	395	396	321	341
Berkshire	3,068	255	239	270	224	234	303	279	265	236	257	261	245
Hampshire	1,816	141	158	132	143	167	159	162	162	148	149	147	148
Franklin	1,211	90	90	107	97	90	108	100	119	118	108	96	88
Barnstable	1,319	97	89	117	96	115	113	120	131	116	117	88	120
Dukes	108	12	10	21	1	6	8	8	10	4	9	12	7
Nantucket	86	6	2	8	8	6	10	6	6	10	5	8	11
CITIES OVER 100,000													
Boston	16,823	1,357	1,393	1,397	1,347	1,387	1,444	1,600	1,497	1,363	1,424	1,309	1,305
Worcester	4,165	310	324	373	343	411	359	356	344	371	333	319	322
Springfield	3,837	302	300	324	291	328	334	362	323	339	307	293	334
Cambridge	2,598	204	199	225	214	213	224	242	205	226	210	207	229
Fall River	2,070	183	159	204	177	164	171	182	166	151	157	174	182
New Bedford	2,060	169	167	151	169	174	174	196	163	211	172	148	166
Somerville	2,368	201	181	185	206	227	186	191	220	214	202	172	183
CITIES 50,000 TO 100,000													
Lynn	2,122	179	152	187	173	158	188	163	186	183	179	171	203
Lowell	2,156	166	154	182	174	167	198	170	197	176	212	176	184
Quincy	1,900	146	163	146	171	162	165	180	183	177	143	124	140
Newton	1,667	113	122	164	142	158	134	145	138	136	131	144	140
Lawrence	1,537	111	116	122	127	134	121	145	129	143	149	110	130
Medford	1,381	95	111	117	116	137	109	127	126	130	124	101	88
Brockton	1,252	107	113	110	106	93	112	125	95	93	109	86	103
Malden	1,283	94	101	118	101	110	124	122	107	111	98	97	100
Holyoke	1,278	109	107	118	94	97	94	113	121	111	127	100	87
Pittsfield	1,384	97	115	117	104	112	137	128	112	100	118	127	117

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1952.

COUNTIES AND MUNICIPALITIES. ¹	PLURAL BIRTHS.								
	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.			Total.	Males.	Fe-males.
	Total.	Males.	Fe-males.	Total.	Males.	Fe-males.			
The State.	2,218	1,118	1,100	57	31	26	1,792	969	823
COUNTIES.									
Barnstable	26	13	13	-	-	-	18	7	11
Berkshire	80	35	45	6	4	2	58	26	32
Bristol	168	91	77	3	1	2	160	81	79
Dukes	2	1	1	-	-	-	3	1	2
Essex	216	101	115	3	-	3	197	115	82
Franklin	22	9	13	-	-	-	31	17	14
Hampden	206	106	100	6	5	1	169	82	87
Hampshire	34	21	13	-	-	-	35	20	15
Middlesex	538	293	245	18	12	6	378	202	176
Nantucket	2	-	2	-	-	-	-	-	-
Norfolk ³	188	98	90	3	1	2	136	81	55
Plymouth	92	32	60	-	-	-	90	49	41
Suffolk	396	193	203	15	7	8	310	179	131
Worcester	248	125	123	3	1	2	207	109	98
MUNICIPALITIES.									
Abington	8	2	6	-	-	-	9	4	5
Acton	6	3	3	-	-	-	2	1	1
Acushnet	4	4	-	-	-	-	4	2	2
Adams	10	2	8	-	-	-	6	3	3
Agawam	4	4	-	-	-	-	4	1	3
Alford	-	-	-	-	-	-	-	-	-
Amesbury	6	6	-	-	-	-	7	7	-
Amherst	2	-	2	-	-	-	5	1	4
Andover	4	-	4	-	-	-	6	2	4
Arlington	18	11	7	-	-	-	10	5	5
Ashburnham	2	1	1	-	-	-	1	1	-
Ashby	4	1	3	-	-	-	-	-	-
Ashfield	-	-	-	-	-	-	-	-	-
Ashland	2	1	1	-	-	-	2	2	-
Athol	2	2	-	-	-	-	5	4	1
ATTLEBORO	12	5	7	-	-	-	7	5	2
Auburn	2	-	2	-	-	-	7	3	4
Avon	-	-	-	-	-	-	-	-	-
Ayer	8	2	6	-	-	-	3	-	3
Barnstable	-	-	-	-	-	-	2	1	1
Barre	-	-	-	-	-	-	1	-	1
Becket	-	-	-	-	-	-	-	-	-
Bedford	4	3	1	-	-	-	1	1	-
Belchertown	2	2	-	-	-	-	1	1	-
Bellingham	2	-	2	-	-	-	-	-	-
Belmont	12	6	6	-	-	-	9	7	2
Berkley	2	1	1	-	-	-	-	-	-
Berlin	-	-	-	-	-	-	3	3	-
Bernardston	-	-	-	-	-	-	1	-	1
BEVERLY	22	9	13	-	-	-	11	7	4
Billerica	8	5	3	-	-	-	1	-	1
Blackstone	-	-	-	-	-	-	1	1	-
Blandford	-	-	-	-	-	-	1	-	1
Bolton	-	-	-	-	-	-	-	-	-
BOSTON	360	182	178	15	7	8	275	161	114
Bourne	6	2	4	-	-	-	5	1	4
Boxborough	-	-	-	-	-	-	1	1	-
Boxford	-	-	-	-	-	-	1	1	-
Boylston	-	-	-	-	-	-	1	-	1
Braintree	8	5	3	-	-	-	6	5	1
Brewster	-	-	-	-	-	-	-	-	-
Bridgewater	4	2	2	-	-	-	4	2	2
Brimfield	2	-	2	-	-	-	1	-	1
BROCKTON	18	6	12	-	-	-	23	15	8
Brookfield	-	-	-	-	-	-	1	1	-
Brookline	14	5	9	-	-	-	10	4	6
Buckland	-	-	-	-	-	-	1	1	-
Burlington	-	-	-	-	-	-	1	1	-
CAMBRIDGE	36	21	15	-	-	-	46	26	20
Canton	-	-	-	-	-	-	5	1	4
Carlisle	-	-	-	-	-	-	1	1	-
Carver	-	-	-	-	-	-	1	1	-
Charlemont	4	-	4	-	-	-	1	1	-
Charlton	4	4	-	-	-	-	3	2	1
Chatham	-	-	-	-	-	-	1	-	1
Chelmsford	6	-	6	-	-	-	6	2	4
CHELSEA	10	5	5	-	-	-	15	7	8
Cheshire	-	-	-	-	-	-	1	1	-
Chester	-	-	-	-	-	-	1	-	1
Chesterfield	-	-	-	-	-	-	-	-	-
CHICOPEE	40	17	23	-	-	-	17	8	9

¹ Cities are printed in small capitals.² Allocated.³ One case of quadruplets in Weymouth, 3 males, 1 female.

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1952.

MUNICIPALITIES. ¹	PLURAL BIRTHS.									STILLBIRTHS.		
	PLURAL BIRTHS.						STILLBIRTHS.					
	TWINS.			TRIPLETS.			STILLBIRTHS.					
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.			
Chilmark	-	-	-	-	-	-	1	-	1			
Clarksburg	-	-	-	-	-	-	2	1	1			
Clinton	10	7	3	-	-	-	7	4	3			
Cohasset	4	4	-	-	-	-	2	2	-			
Colrain	-	-	-	-	-	-	2	1	1			
Concord	4	2	2	3	3	-	3	1	2			
Conway	-	-	-	-	-	-	-	-	-			
Cummington	-	-	-	-	-	-	1	-	1			
Dalton	-	-	-	-	-	-	1	-	1			
Danvers	6	2	4	-	-	-	4	3	1			
Dartmouth	6	-	6	-	-	-	9	5	4			
Dedham	6	6	-	-	-	-	5	4	1			
Deerfield	6	4	2	-	-	-	2	-	2			
Dennis	6	4	2	-	-	-	-	-	-			
Dighton	-	-	-	-	-	-	1	1	-			
Douglas	-	-	-	-	-	-	1	-	1			
Dover	2	1	1	-	-	-	-	-	-			
Dracut	6	5	1	-	-	-	2	-	2			
Dudley	4	4	-	-	-	-	4	3	1			
Dunstable	-	-	-	-	-	-	-	-	-			
Duxbury	2	-	2	-	-	-	-	-	-			
East Bridgewater	2	1	1	-	-	-	1	-	1			
East Brookfield	2	1	1	-	-	-	-	-	-			
East Longmeadow	2	2	-	-	-	-	2	2	-			
Eastham	-	-	-	-	-	-	-	-	-			
Easthampton	8	4	4	-	-	-	6	6	-			
Easton	-	-	-	-	-	-	3	3	-			
Edgartown	-	-	-	-	-	-	-	-	-			
Egremont	-	-	-	-	-	-	-	-	-			
Erving	2	-	2	-	-	-	2	1	1			
Essex	2	-	2	-	-	-	1	-	1			
EVERETT	40	22	18	-	-	-	15	7	8			
Fairhaven	2	2	-	-	-	-	7	5	2			
FALL RIVER	46	23	23	-	-	-	47	22	25			
Falmouth	10	6	4	-	-	-	7	4	3			
FITCHBURG	16	11	5	-	-	-	14	9	5			
Florida	-	-	-	-	-	-	-	-	-			
Foxborough	2	1	1	-	-	-	-	-	-			
Framingham	20	15	5	-	-	-	7	5	2			
Franklin	6	4	2	-	-	-	3	1	2			
Freetown	2	1	1	-	-	-	3	1	2			
GARDNER	4	3	1	-	-	-	6	2	4			
Gay Head	-	-	-	-	-	-	-	-	-			
Georgetown	-	-	-	-	-	-	-	-	-			
Gill	2	2	-	-	-	-	1	1	-			
GLOUCESTER	12	4	8	-	-	-	12	9	3			
Goshen	-	-	-	-	-	-	-	-	-			
Gosnold	-	-	-	-	-	-	-	-	-			
Grafton	4	2	2	-	-	-	2	1	1			
Granby	-	-	-	-	-	-	2	1	1			
Granville	-	-	-	-	-	-	-	-	-			
Great Barrington	6	6	-	-	-	-	4	2	2			
Greenfield	4	2	2	-	-	-	6	2	4			
Groton	-	-	-	-	-	-	4	2	2			
Groveland	-	-	-	-	-	-	1	-	1			
Hadley	-	-	-	-	-	-	1	1	-			
Halifax	-	-	-	-	-	-	-	-	-			
Hamilton	-	-	-	-	-	-	-	-	-			
Hampden	-	-	-	-	-	-	1	1	-			
Hancock	-	-	-	-	-	-	-	-	-			
Hanover	-	-	-	-	-	-	-	-	-			
Hanson	2	-	2	-	-	-	2	-	2			
Hardwick	-	-	-	-	-	-	-	-	-			
Harvard	-	-	-	-	-	-	-	-	-			
Harwich	-	-	-	-	-	-	-	-	-			
Hatfield	-	-	-	-	-	-	2	2	-			
HAYERHILL	12	10	2	-	-	-	7	4	3			
Hawley	-	-	-	-	-	-	-	-	-			
Heath	-	-	-	-	-	-	-	-	-			
Hingham	8	3	5	-	-	-	13	6	7			
Hinsdale	-	-	-	-	-	-	1	1	-			
Holbrook	2	2	-	-	-	-	2	1	1			
Holden	4	2	2	-	-	-	3	1	2			
Holland	-	-	-	-	-	-	-	-	-			
Holliston	6	2	4	-	-	-	1	1	-			
HOLYOKE	26	17	9	-	-	-	17	5	12			
Hopedale	2	-	2	-	-	-	-	-	-			
Honkinton	-	-	-	-	-	-	1	1	-			

¹ Cities are printed in small capitals.² Allocated.

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1952.

MUNICIPALITIES, ¹	PLURAL BIRTHS.									STILLBIRTHS.		
	PLURAL BIRTHS.						STILLBIRTHS.					
	TWINS.			TRIPLETS.								
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.			
Hubbardston	-	-	-	-	-	-	-	-	-	-	-	-
Hudson	-	-	-	-	-	-	3	-	-	-	-	3
Hull	2	1	1	-	-	-	1	-	-	-	-	1
Huntington	-	-	-	-	-	-	-	-	-	-	-	-
Ipswich	8	4	4	-	-	-	4	1	-	-	-	3
Kingston	2	-	2	-	-	-	3	3	-	-	-	-
Lakeville	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	-	-	-	-	-	-	2	1	-	-	-	1
Lanesborough	-	-	-	-	-	-	-	-	-	-	-	-
LAWRENCE	46	21	25	-	-	-	28	19	-	-	-	9
Lee	4	2	2	-	-	-	1	1	-	-	-	-
Leicester	4	4	-	-	-	-	4	1	-	-	-	3
Lenox	-	-	-	-	-	-	2	1	-	-	-	1
LEOMINSTER	8	3	5	-	-	-	17	13	-	-	-	4
Leverett	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	4	1	3	-	-	-	5	5	-	-	-	-
Leyden	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	3	3	-	-	-	-
Littleton	6	2	4	-	-	-	1	-	-	-	-	1
Longmeadow	-	-	-	-	-	-	2	-	-	-	-	2
LOWELL	56	31	25	3	3	-	46	24	-	-	-	22
Ludlow	2	2	2	-	-	-	2	-	-	-	-	2
Lunenburg	2	1	1	-	-	-	1	-	-	-	-	1
LYNN	28	15	13	-	-	-	38	17	-	-	-	21
Lynnfield	2	2	-	-	-	-	4	1	-	-	-	3
MALDEN	30	16	14	3	2	1	18	10	-	-	-	8
Manchester	2	-	2	-	-	-	1	-	-	-	-	1
Mansfield	2	1	1	-	-	-	-	-	-	-	-	-
Marblehead	4	4	-	-	-	-	3	3	-	-	-	-
Marion	2	-	2	-	-	-	-	-	-	-	-	-
Marlborough	4	3	1	-	-	-	5	2	-	-	-	3
Marshfield	8	4	4	-	-	-	2	1	-	-	-	1
Mashpee	-	-	-	-	-	-	-	-	-	-	-	-
Mattapoisett	-	-	-	-	-	-	3	1	-	-	-	2
Maynard	6	5	1	-	-	-	1	1	-	-	-	-
Medfield	2	2	-	-	-	-	2	2	-	-	-	-
MEDFORD	38	16	22	-	-	-	25	10	-	-	-	15
Medway	-	-	-	-	-	-	-	-	-	-	-	-
MELROSE	8	3	5	-	-	-	7	4	-	-	-	3
Mendon	2	-	2	-	-	-	-	-	-	-	-	-
Merrimac	4	2	2	-	-	-	1	-	-	-	-	1
Methuen	12	10	2	-	-	-	12	5	-	-	-	7
Middleborough	4	2	2	-	-	-	4	4	-	-	-	-
Middlefield	-	-	-	-	-	-	-	-	-	-	-	-
Middleton	-	-	-	-	-	-	4	3	-	-	-	1
Milford	6	4	2	-	-	-	3	1	-	-	-	2
Millbury	6	2	4	-	-	-	2	1	-	-	-	1
Millis	-	-	-	-	-	-	2	2	-	-	-	-
Millville	-	-	-	-	-	-	-	-	-	-	-	-
Milton	6	4	2	-	-	-	5	3	-	-	-	2
Monroe	-	-	-	-	-	-	-	-	-	-	-	-
Monson	-	-	-	-	-	-	1	1	-	-	-	-
Montague	2	-	2	-	-	-	7	6	-	-	-	1
Monterey	-	-	-	-	-	-	-	-	-	-	-	-
Montgomery	-	-	-	-	-	-	-	-	-	-	-	-
Mount Washington	-	-	-	-	-	-	-	-	-	-	-	-
Nahant	-	-	-	-	-	-	-	-	-	-	-	-
Natick	16	11	5	-	-	-	11	6	-	-	-	5
Needham	8	3	5	-	-	-	7	5	-	-	-	2
New Ashford	-	-	-	-	-	-	-	-	-	-	-	-
NEW BEDFORD	48	24	24	-	-	-	47	21	-	-	-	26
New Braintree	-	-	-	-	-	-	-	-	-	-	-	-
New Marlborough	-	-	-	-	-	-	1	-	-	-	-	1
New Salem	-	-	-	-	-	-	-	-	-	-	-	-
Newbury	4	1	3	-	-	-	1	1	-	-	-	-
NEWBURYPORT	2	-	2	-	-	-	7	4	-	-	-	3
NEWTON	24	14	10	-	-	-	21	13	-	-	-	8
Norfolk	2	2	-	-	-	-	-	-	-	-	-	-
NORTH ADAMS	8	-	8	-	-	-	13	6	-	-	-	7
North Andover	6	4	2	-	-	-	1	1	-	-	-	-
North Attleborough	4	3	1	-	-	-	2	1	-	-	-	1
North Brookfield	2	-	2	-	-	-	-	-	-	-	-	-
North Reading	2	1	1	-	-	-	4	3	-	-	-	1
NORTHAMPTON	12	10	2	-	-	-	11	4	-	-	-	7
Northborough	2	1	1	-	-	-	1	-	-	-	-	1
Northbridge	6	1	5	-	-	-	5	2	-	-	-	3
Northfield	-	-	-	-	-	-	2	1	-	-	-	1

¹ Cities are printed in small capitals.² Allocated.

MUNICIPALITIES, ¹	PLURAL BIRTHS ² AND STILLBIRTHS, ² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1952.								
	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.			Total.	Males.	Fe-males.
	Total.	Males.	Fe-males.	Total.	Males.	Fe-males.			
Norton	-	-	-	3	1	2	-	-	-
Norwell	-	-	-	-	-	-	1	-	1
Norwood	10	1	9	-	-	-	10	4	6
Oak Bluffs	-	-	-	-	-	-	-	-	-
Oakham	-	-	-	-	-	-	-	-	-
Orange	-	-	-	-	-	-	2	1	1
Orleans	2	1	1	-	-	-	-	-	-
Otis	-	-	-	-	-	-	1	-	1
Oxford	4	1	3	-	-	-	2	1	1
Palmer	6	2	4	-	-	-	7	4	3
Paxton	-	-	-	-	-	-	1	-	1
PEABODY	6	1	5	-	-	-	14	7	7
Pelham	-	-	-	-	-	-	-	-	-
Pembroke	-	-	-	-	-	-	1	-	1
Pepperell	-	-	-	-	-	-	1	1	-
Peru	-	-	-	-	-	-	-	-	-
Petersham	-	-	-	-	-	-	2	-	2
Phillipston	2	1	1	-	-	-	1	1	-
PITTSFIELD	46	21	25	3	3	-	22	10	12
Plainfield	-	-	-	-	-	-	-	-	-
Plainville	-	-	-	-	-	-	3	3	-
Plymouth	4	1	3	-	-	-	7	4	3
Plympton	-	-	-	-	-	-	-	-	-
Princeton	-	-	-	-	-	-	-	-	-
Provincetown	-	-	-	-	-	-	-	-	-
QUINCY	38	18	20	3	1	2	34	26	8
Randolph	12	7	5	-	-	-	5	4	1
Raynham	2	2	-	-	-	-	4	3	1
Reading	4	2	2	-	-	-	3	1	2
Rehoboth	2	1	1	-	-	-	-	-	-
REVERE	12	4	8	-	-	-	14	8	6
Richmond	-	-	-	-	-	-	-	-	-
Rochester	-	-	-	-	-	-	-	-	-
Rockland	4	1	3	-	-	-	4	3	1
Rockport	2	-	2	-	-	-	3	1	2
Rowe	-	-	-	-	-	-	-	-	-
Rowley	-	-	-	-	-	-	-	-	-
Royalston	-	-	-	-	-	-	1	-	1
Russell	2	1	1	-	-	-	1	-	1
Rutland	2	1	1	-	-	-	-	-	-
SALEM	10	4	6	3	-	3	11	8	3
Salisbury	2	-	2	-	-	-	2	2	-
Sandisfield	-	-	-	-	-	-	-	-	-
Sandwich	-	-	-	-	-	-	1	-	1
Saugus	10	2	8	-	-	-	5	3	2
Savoy	-	-	-	-	-	-	-	-	-
Scituate	8	2	6	-	-	-	3	1	2
Seekonk	-	-	-	-	-	-	2	-	2
Sharon	2	-	2	-	-	-	1	-	1
Sheffield	-	-	-	3	1	2	-	-	-
Shelburne	-	-	-	-	-	-	1	1	-
Sherborn	-	-	-	-	-	-	1	-	1
Shirley	2	1	1	-	-	-	2	1	1
Shrewsbury	6	2	4	-	-	-	5	3	2
Shutesbury	-	-	-	-	-	-	1	1	-
Somerset	8	6	2	-	-	-	5	1	4
SOMERVILLE	50	34	16	-	-	-	38	22	16
South Hadley	8	4	4	-	-	-	3	3	-
Southampton	-	-	-	-	-	-	2	1	1
Southborough	-	-	-	-	-	-	2	2	-
Southbridge	4	4	-	-	-	-	4	4	-
Southwick	2	-	2	3	3	-	2	2	-
Spencer	-	-	-	-	-	-	2	1	1
SPRINGFIELD	98	51	47	3	2	1	91	48	43
Sterling	-	-	-	-	-	-	1	-	1
Stockbridge	-	-	-	-	-	-	-	-	-
Stoneham	4	3	1	-	-	-	3	3	-
Stoughton	8	5	3	-	-	-	4	2	2
Stow	2	2	-	-	-	-	2	2	-
Sturbridge	-	-	-	-	-	-	1	-	1
Sudbury	4	2	2	-	-	-	-	-	-
Sunderland	-	-	-	-	-	-	2	1	1
Sutton	-	-	-	-	-	-	-	-	-
Swampscott	2	-	2	-	-	-	5	4	1
Swansea	4	1	3	-	-	-	2	1	1
TAUNTON	20	13	7	-	-	-	16	9	7
Templeton	2	2	-	-	-	-	1	-	1

¹ Cities are printed in small capitals.² Allocated.

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1952.

MUNICIPALITIES. ¹	PLURAL BIRTHS.									STILLBIRTHS.		
	PLURAL BIRTHS.						STILLBIRTHS.					
	TWINS.			TRIPLETS.			Total.	Males.	Fe- males.			
Total.	Males.	Fe- males.	Total.	Males.	Fe- males.							
Tewksbury	10	5	5	-	-	-	5	2	3			
State Infirmary	-	-	-	-	-	-	-	-	-			
Tisbury	-	-	-	-	-	-	2	1	1			
Tolland	-	-	-	-	-	-	-	-	-			
Topsfield	-	-	-	-	-	-	2	1	1			
Townsend	2	2	-	-	-	-	1	-	1			
Truro	-	-	-	-	-	-	-	-	-			
Tyngsborough	4	-	4	-	-	-	1	-	1			
Tyringham	-	-	-	-	-	-	-	-	-			
Upton	2	-	2	-	-	-	1	1	-			
Uxbridge	2	1	1	-	-	-	1	1	-			
Wakefield	8	6	2	-	-	-	4	1	3			
Wales	-	-	-	-	-	-	-	-	-			
Walpole	8	4	4	-	-	-	1	1	-			
WALTHAM	22	7	15	3	-	3	19	9	10			
Ware	2	1	1	-	-	-	-	-	-			
Wareham	8	5	3	-	-	-	2	1	1			
Warren	-	-	-	-	-	-	-	-	-			
Warwick	-	-	-	-	-	-	-	-	-			
Washington	2	2	-	-	-	-	-	-	-			
Watertown	16	11	5	6	4	2	9	6	3			
Wayland	2	2	-	-	-	-	2	2	-			
Webster	8	4	4	-	-	-	4	3	1			
Wellesley	12	3	9	-	-	-	8	2	6			
Wellfleet	-	-	-	-	-	-	1	1	-			
Wendell	-	-	-	-	-	-	-	-	-			
Wenham	2	-	2	-	-	-	1	-	1			
West Boylston	-	-	-	-	-	-	1	1	-			
West Bridgewater	4	2	2	-	-	-	-	-	-			
West Brookfield	4	-	4	-	-	-	-	-	-			
West Newbury	-	-	-	-	-	-	-	-	-			
West Springfield	8	3	5	-	-	-	8	5	3			
West Stockbridge	-	-	-	-	-	-	-	-	-			
West Tisbury	2	1	1	-	-	-	-	-	-			
Westborough	2	1	1	-	-	-	2	1	1			
WESTFIELD	12	8	4	-	-	-	11	5	6			
Westford	-	-	-	-	-	-	2	1	1			
Westhampton	-	-	-	-	-	-	-	-	-			
Westminster	2	-	2	3	1	2	2	1	1			
Weston	4	1	3	-	-	-	-	-	-			
Westport	4	4	-	-	-	-	1	1	-			
Westwood	2	-	2	-	-	-	2	-	2			
Weymouth ³	32	21	11	-	-	-	19	9	10			
Whately	2	1	1	-	-	-	-	-	-			
Whitman	2	-	2	-	-	-	6	3	3			
Willbraham	2	1	1	-	-	-	-	-	-			
Williamsburg	-	-	-	-	-	-	-	-	-			
Williamstown	4	2	2	-	-	-	3	-	3			
Wilmington	4	2	2	-	-	-	6	3	3			
Winchendon	-	-	-	-	-	-	2	1	1			
Winchester	6	2	4	-	-	-	5	2	3			
Windsor	-	-	-	-	-	-	-	-	-			
Winthrop	14	2	12	-	-	-	6	3	3			
WOBURN	20	9	11	-	-	-	8	1	7			
WORCESTER	114	55	59	-	-	-	76	34	42			
Worthington	-	-	-	-	-	-	1	-	1			
Wrentham	-	-	-	-	-	-	-	-	-			
Yarmouth	2	-	2	-	-	-	1	-	1			

¹ Cities are printed in small capitals.² Allocated.³ One case of quadruplets in Weymouth, 3 males, 1 female.

Table 44

LIVE BIRTHS¹ AND BIRTH RATES¹ FOR THE STATE AND CITIES HAVING
OVER 100,000 INHABITANTS IN 1950: 1900 TO 1952.

YEARS.	LIVE BIRTHS							
	The State.	Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Somerville.
1900	73,386	16,328	3,131	1,560	2,648	4,327	2,230	-
1901	71,976	15,561	3,291	1,449	2,525	4,054	2,440	-
1902	72,219	15,516	3,349	1,592	2,476	4,341	2,437	-
1903	73,584	15,664	3,501	1,647	2,528	4,448	2,469	-
1904	75,014	15,730	3,540	1,624	2,528	4,514	2,620	-
1905	75,022	15,661	3,510	1,810	2,453	4,092	2,765	-
1906	80,237	17,062	3,743	1,816	2,768	4,333	2,949	-
1907	85,001	18,229	3,998	2,019	2,826	4,622	3,272	-
1908	86,911	18,359	3,978	2,184	2,887	4,838	3,580	-
1909	84,039	17,584	3,645	2,258	2,643	4,692	3,836	-
1910	86,539	17,672	3,923	2,445	2,436	4,591	3,863	-
1911	88,327	17,844	4,122	2,512	2,621	4,617	4,160	-
1912	89,882	18,745	4,167	2,779	2,605	4,714	3,594	-
1913	91,644	19,109	4,520	2,866	2,713	4,664	3,647	-
1914	93,399	19,467	4,667	2,986	2,745	4,703	3,574	-
1915	93,155	19,713	4,504	3,099	2,610	3,910	3,533	-
1916	93,487	19,604	4,941	3,281	2,691	3,690	3,497	-
1917	95,731	19,950	5,276	3,614	2,764	3,807	3,664	-
1918	95,607	20,092	5,239	3,770	2,672	3,645	3,920	-
1919	87,827	18,799	4,596	3,268	2,757	3,421	3,386	-
1920	91,859	19,573	4,812	3,419	2,862	3,537	3,507	-
1921	92,207	19,307	4,838	3,392	3,048	3,710	3,649	-
1922	87,636	18,536	4,357	3,089	3,007	3,537	3,344	-
1923	89,210	19,056	4,517	3,358	3,033	3,645	3,295	-
1924	91,463	19,776	4,551	3,520	3,144	3,594	3,170	-
1925	86,014	18,636	4,340	3,385	2,932	3,324	3,009	-
1926	83,502	18,731	4,312	3,298	2,933	3,050	2,762	-
1927	82,273	19,079	4,310	3,158	2,902	2,872	2,432	-
1928	79,054	18,781	3,997	2,991	2,724	2,707	2,394	-
1929	74,122	17,942	3,759	3,040	2,597	2,255	2,033	-
1930	73,690	18,057	3,638	3,106	2,524	2,201	1,988	1,677
1931	69,385	17,137	3,611	2,939	2,477	2,083	1,861	1,428
1932	68,518	17,271	3,435	2,643	2,462	2,099	1,728	1,342
1933	63,457	16,249	3,101	2,414	2,169	1,977	1,666	1,220
1934	63,707	15,825	3,237	2,431	2,190	2,072	1,775	1,233
1935	62,416	12,371	2,811	2,086	1,857	1,790	1,501	1,630
1936	61,184	12,117	2,688	2,044	1,742	1,669	1,545	1,658
1937	61,272	12,101	2,862	1,971	1,784	1,690	1,472	1,636
1938	62,382	11,943	2,822	1,989	1,822	1,709	1,467	1,719
1939	62,575	11,965	2,784	1,930	1,832	1,699	1,400	1,656
1940	65,369	12,429	2,920	2,040	1,906	1,806	1,490	1,755
1941	70,228	12,701	3,105	2,497	2,070	1,889	1,620	1,833
1942	83,371	15,063	3,824	2,950	2,362	2,354	2,047	2,092
1943	85,743	15,352	3,831	3,079	2,521	2,487	1,983	2,124
1944	78,140	14,264	3,354	2,763	2,251	2,234	1,773	1,867
1945	76,455	14,670	3,209	2,870	2,218	2,100	1,808	1,865
1946	96,903	16,902	4,200	3,535	2,859	2,539	2,311	2,461
1947	106,690	18,565	4,582	3,979	3,155	2,774	2,435	2,548
1948	98,933	17,076	4,036	3,640	2,858	2,398	2,210	2,452
1949	96,041	16,498	4,040	3,585	2,743	2,261	2,055	2,121
1950	95,619	16,479	3,995	3,421	2,496	2,071	2,035	2,118
1951	99,851	16,019	4,080	3,732	2,659	1,998	2,082	2,154
1952	103,936	16,823	4,165	3,837	2,598	2,070	2,060	2,368
BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1925 TO 1950.								
1925	20.8	23.9	22.8	23.8	24.5	25.8	25.2	-
1930	17.3	23.1	18.6	20.7	22.2	19.1	17.7	16.1
1935	14.3	15.1	14.8	13.9	15.7	15.2	13.6	16.2
1940	15.1	16.1	15.1	13.6	17.2	15.6	13.5	17.2
1945	16.9	17.8	16.1	17.8	12.0	18.3	16.4	17.6
1950	20.3	20.5	19.6	21.0	20.6	18.5	18.6	20.7

¹ Allocated for the years 1935 to 1952, inclusive.

Table 45	NATURAL INCREASE.				SEX.				
	YEARS.	Population.	Birth rate per 1,000 population.	Excess of births over deaths, ¹	Excess of births over deaths per 1,000 population.	Total number. ³	Males.	Fe-males.	Un-known.
1900	2,805,346	26.2	22,230	8.0	73,386	37,772	35,614	-	1,060
1901	2,849,047	25.3	23,701	8.4	71,976	37,004	34,972	-	1,058
1902	2,889,386	25.0	24,728	8.6	72,219	37,057	35,162	-	1,054
1903	2,929,725	25.1	24,530	8.4	73,584	38,210	35,374	-	1,080
1904	2,970,064	25.3	26,532	9.0	75,014	38,689	36,325	-	1,065
1905	3,015,872	24.9	24,536	8.2	75,022	38,484	36,538	-	1,080
1906	3,089,029	26.0	29,613	9.6	80,237	41,217	39,020	-	1,056
1907	3,162,186	26.9	30,767	9.7	85,001	43,486	41,515	-	1,047
1908	3,235,343	26.9	35,123	10.9	86,911	44,796	42,090	25	1,064
1909	3,308,500	25.4	32,803	9.9	84,039	43,339	40,679	21	1,061
1910	3,380,151	25.6	32,132	9.5	86,539	44,243	42,276	20	1,047
1911	3,446,079	25.6	35,265	10.2	88,327	45,352	42,961	14	1,056
1912	3,512,007	25.6	37,482	10.7	89,882	46,436	43,440	6	1,069
1913	3,577,935	25.6	38,242	10.7	91,644	47,099	44,541	4	1,057
1914	3,643,863	25.6	40,426	11.1	93,399	47,671	45,725	3	1,043
1915	3,709,792	25.2	40,045	10.8	93,155	47,786	45,363	6	1,053
1916	3,775,720	24.8	37,121	9.9	93,487	48,256	45,227	4	1,067
1917	3,841,648	24.9	39,103	10.2	95,731	49,017	46,714	-	1,049
1918	3,907,576	24.5	16,765	4.3	95,607	49,138	46,465	4	1,058
1919	3,835,614	22.9	35,482	9.3	87,827	44,713	43,113	1	1,037
1920	3,852,356	23.8	38,227	9.9	91,859	47,288	44,569	2	1,061
1921	3,885,836	23.7	44,427	11.4	92,207	47,414	44,791	2	1,050
1922	3,936,056	22.3	36,521	9.3	87,636	45,035	42,595	6	1,057
1923	3,969,536	22.5	36,830	9.3	89,210	45,631	43,572	7	1,047
1924	4,003,016	22.8	41,997	10.4	91,463	46,957	44,500	6	1,055
1925	4,144,205	20.8	34,124	8.3	86,014	44,082	41,930	2	1,051
1926	4,170,560 ²	20.0 ²	30,614	7.3 ²	83,502	42,681	40,821	-	1,046
1927	4,191,644 ²	19.6 ²	32,949	7.8 ²	82,273	42,270	40,003	-	1,057
1928	4,212,728 ²	18.8 ²	27,612	6.6 ²	79,054	40,518	38,536	-	1,051
1929	4,233,812 ²	17.5 ²	21,951	5.2 ²	74,122	38,125	35,994	-	1,059
1930	4,249,614	17.3	24,187	5.7	73,690	37,687	36,002	1	1,047
1931	4,275,969	16.2	20,642	4.8	69,385	35,534	33,850	1	1,050
1932	4,297,053	15.9	18,987	4.4	68,518	35,080	33,437	-	1,049
1933	4,318,137	14.7	12,625	2.9	63,457	32,462	30,995	-	1,047
1934	4,339,221	14.7	13,007	3.0	63,767	32,815	30,952	-	1,060
1935	4,350,910	14.3	12,782	2.9	62,416	32,117	30,299	-	1,060
1936	4,382,896	14.0	9,749	2.3	61,184	31,290	29,894	-	1,047
1937	4,404,220	13.9	9,533	2.2	61,272	31,623	29,649	-	1,067
1938	4,425,544	14.1	13,097	3.0	62,382	31,852	30,530	-	1,043
1939	4,446,868	14.1	12,283	2.8	62,575	32,048	30,527	-	1,050
1940	4,316,721	15.1	14,671	3.4	65,369	33,634	31,735	-	1,060
1941	4,325,106	16.2	19,772	4.5	70,228	35,861	34,367	-	1,043
1942	4,331,814	19.2	32,848	7.5	83,371	42,931	40,440	-	1,062
1943	4,338,530	19.8	31,332	7.2	85,743	44,291	41,452	-	1,068
1944	4,345,238	18.0	26,686	6.1	78,140	40,197	37,943	-	1,059
1945	4,511,866	16.9	25,692	5.7	76,455	39,484	36,970	1	1,068
1946	4,549,036	21.3	45,614	10.0	96,903	49,878	47,023	2	1,061
1947	4,586,206	23.3	55,107	12.1	106,690	55,074	51,615	1	1,067
1948	4,623,376	21.4	46,618	10.1	98,933	50,812	48,121	-	1,056
1949	4,660,546	20.6	45,599	9.8	96,041	49,296	46,745	-	1,053
1950	4,699,859	20.3	45,260	9.6	95,619	49,416	46,203	-	1,070
1951	4,737,238	21.1	46,911	9.9	99,851	51,217	48,634	-	1,053
1952	4,774,616	21.8	51,956	10.9	103,936	53,395	50,541	-	1,056

¹ Exclusive of stillbirths.² Revised figures.³ Allocated since 1935.

Table 46	PLURAL BIRTHS: ¹ 1900 TO 1952.		STILLBIRTHS: ² 1900 TO 1952.					Rate per 1,000 total births.
	YEARS.	Twins. ² Triplets. ²	Total number.	Per 1,000 live births. ²	SEX.			
					Males.	Females.	Unknown.	
1900	814	4	2,873	39	1,694	1,128	51	38
1901	726	9	2,682	37	1,415	1,298	59	36
1902	728	7	2,836	39	1,696	1,098	42	38
1903	850	11	2,635	36	1,533	1,014	88	35
1904	834	4	2,846	38	1,614	1,162	70	37
1905	803	14	2,618	35	1,515	1,043	60	34
1906	878	10	2,760	34	1,586	1,134	40	33
1907	928	10	3,079	36	1,757	1,274	48	35
1908	965	6	3,179	37	1,863	1,278	38	35
1909	881	4	3,102	37	1,834	1,219	49	36
1910	940	17	3,158	36	1,829	1,263	66	35
1911	915	14	3,280	37	1,825	1,408	47	36
1912	996	8	3,188	35	1,871	1,263	29	34
1913	996	13	3,175	35	1,872	1,275	28	33
1914	1,008	15	3,349	36	1,936	1,369	44	35
1915	952	9	3,161	34	1,815	1,312	34	33
1916	942	13	3,300	35	1,916	1,334	50	34
1917	1,065	7	3,324	35	1,937	1,330	57	34
1918	1,054	10	3,779	40	2,173	1,570	36	38
1919	986	7	3,092	35	1,750	1,332	10	34
1920	1,006	6	3,336	36	1,948	1,374	14	35
1921	1,059	13	3,428	37	1,983	1,429	16	36
1922	916	11	3,268	37	1,886	1,373	9	36
1923	976	8	3,332	37	1,891	1,413	28	36
1924	1,003	13	3,548	39	1,965	1,490	93	37
1925	869	17	3,141	37	1,807	1,317	17	35
1926	898	10	2,997	36	1,675	1,313	9	35
1927	894	10	2,969	36	1,606	1,356	7	35
1928	857	9	2,821	36	1,605	1,207	9	34
1929	804	4	2,540	34	1,414	1,123	3	33
1930	783	15	2,597	35	1,442	1,148	7	34
1931	731	13	2,440	35	1,350	1,079	11	34
1932	735	6	2,350	34	1,317	1,025	8	33
1933	645	4	2,173	34	1,206	959	8	33
1934	635	7	1,997	31	1,108	889	-	30
1935	612	5	1,886	30	1,000	885	1	29
1936	634	8	1,816	30	980	835	1	29
1937	622	2	1,744	28	987	757	-	28
1938	621	6	1,730	28	922	808	-	27
1939	651	6	1,765	28	949	816	-	27
1940	625	11	1,774	27	958	816	-	26
1941	721	9	1,768	25	933	835	-	25
1942	856	9	2,066	25	1,094	972	-	24
1943	800	9	2,016	24	1,080	936	-	23
1944	774	11	1,821	23	996	825	-	23
1945	758	8	1,748	23	917	831	-	22
1946	1,060	6	2,135	22	1,151	984	-	22
1947	1,030	8	2,123	20	1,137	986	-	20
1948	1,048	10	1,922	19	1,045	877	-	19
1949	974	6	1,780	19	976	804	-	18
1950	1,050	12	1,815	19	990	825	-	19
1951	1,052	3	1,775	18	985	790	-	18
1952	1,109	19	1,792	17	969	823	-	17

¹ There was one case of quadruplets in 1901, 1903, 1906, 1910, 1912, 1926, 1951 and 1952.

² Allocated since 1935.

MARRIAGE STATISTICS

	PAGE
Introduction	286, 287
Marriage registration	286
Source of data	286
Decrease of marriages	286
Solemnization	286, 287
Accuracy	287
Purpose, marriage requirements	287
Statistical tables	288-298

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1952, inclusive, there have been 5,630,250 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. Chapter 561, Acts of 1943 provides that in cases of persons, one or both of whom is in the armed forces, such notice may be given by either party provided one is a resident. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed, unless a court waives the requirement, the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses are required to be returned by the clergyman or magistrate to the office or offices issuing the same.

Decrease of Marriages. — There has been a decrease in the number of marriages solemnized in 1952, 37,699, which was 2,716 less than 1951. This is the lowest number for the five-year period. The year 1947 showed the greatest number with 49,803 marriages, and in 1948 there were 45,940.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a non-resident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination including ordained deacons in the Methodist Church; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to

P.D. 1.
solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and it may be solemnized among the Baha'is, by the Chairman of an incorporated local spiritual assembly of the Baha'is according to the usage of their society; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of General Laws, Chap. 207, Sec. 39; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

Chapter 273 of the Acts of 1946 provides for filing evidence of marriage of residents of Massachusetts who have been married in another State or without the United States, with the city or town clerk of their place of domicile at the time of the marriage.

Chapter 113 of the Acts of 1950 provides for premarital blood examination. Certificates of medical examinations must be presented by both parties to the intended marriage before the marriage certificate is issued.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, copies have been prepared of the marriage laws and are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 47

COUNTIES AND MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				
	NATIVITY.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.	
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—	Native groom and foreign bride.	Foreign groom and native bride.					
		Native.	Foreign.						
The State.	37,699	34,277	1,129	1,404	889	15,492	12,509	2,427	7,271
COUNTIES.									
Barnstable	480	435	8	13	24	101	31	131	217
Berkshire	943	870	13	29	31	458	65	267	153
Bristol	3,457	3,149	75	80	153	1,588	175	918	776
Dukes	42	38	1	9	2	14	1	13	14
Essex	3,736	3,439	70	92	135	1,621	282	1,271	562
Franklin	414	396	1	6	11	109	40	165	100
Hampden	3,031	2,836	60	79	56	1,207	237	1,069	518
Hampshire	631	595	5	13	18	165	32	260	174
Middlesex	8,251	7,521	192	230	308	2,723	544	3,216	1,768
Nantucket	29	25	1	2	1	15	1	5	8
Norfolk	3,149	2,877	60	104	108	843	242	1,214	850
Plymouth	1,409	1,285	21	50	53	522	125	483	279
Suffolk	8,009	7,030	296	294	389	4,170	402	2,191	1,246
Worcester	4,118	3,781	86	136	115	1,956	250	1,306	606
MUNICIPALITIES.									
Abington	37	34	-	2	1	10	2	19	6
Acton	27	26	-	1	-	8	3	12	4
Acushnet	41	37	2	-	2	6	1	24	10
Adams	68	64	1	-	3	36	3	26	3
Agawam	61	61	-	-	-	16	7	28	10
Alford	-	-	-	-	-	-	-	-	-
Amesbury	135	131	1	2	1	36	13	42	44
Amherst	51	47	-	-	4	9	5	27	10
Andover	65	65	-	-	-	16	2	40	7
Arlington	234	225	2	2	5	66	16	127	25
Ashburnham	17	14	2	1	-	3	4	8	2
Ashby	23	20	1	1	1	1	1	2	20
Ashfield	4	4	-	-	-	1	1	1	-
Ashland	16	15	-	-	1	2	1	11	-
Athol	95	84	2	7	2	47	5	30	13
ATTLEBORO	175	156	4	8	7	70	13	62	30
Auburn	113	103	1	5	4	20	7	24	62
Ayon	13	12	-	-	1	1	-	4	8
Ayer	186	179	-	3	4	6	3	15	162
Barnstable	121	103	5	7	6	22	11	38	50
Barre	25	24	-	1	-	3	1	13	8
Becket	4	4	-	-	-	-	1	3	-
Bedford	20	19	-	1	-	2	3	9	6
Belchertown	27	26	-	-	1	8	5	9	5
Bellingham	41	37	-	1	3	3	5	17	16
Belmont	231	210	8	3	10	50	15	90	76
Berkley	5	5	-	-	-	3	-	2	-
Berlin	54	48	1	1	4	2	-	2	50
Bernardston	10	10	-	-	-	2	-	6	2
BEVERLY	197	192	1	2	2	84	16	81	16
Billerica	73	63	-	3	7	26	8	25	14
Blackstone	30	29	1	-	-	5	-	23	2
Blandford	4	4	-	-	-	2	-	1	1
Bolton	4	3	-	1	-	-	-	3	-
BOSTON	7,262	6,331	277	274	380	3,902	354	1,934	1,072
Bourne	36	34	-	-	2	4	2	11	19
Boxborough	2	2	-	-	-	-	-	1	-
Boxford	6	6	-	-	-	1	2	3	-
Boylston	9	7	1	1	-	5	-	3	1
Braintree	105	97	1	1	6	33	6	48	18
Brewster	7	7	-	-	-	1	-	4	2
Bridgewater	49	44	-	4	1	19	2	18	10
Brimfield	3	3	-	-	-	-	-	-	3
BROCKTON	458	413	10	16	19	236	40	138	44
Brookfield	15	15	-	-	-	7	-	4	4
Brookline	827	731	28	25	43	97	54	216	460
Buckland	15	15	-	-	-	2	1	4	8
Burlington	16	15	-	1	-	4	3	7	2
CAMBRIDGE	1,045	905	47	31	62	322	72	386	265
Canton	47	42	-	2	3	19	3	22	3
Carlisle	4	4	-	-	-	1	2	1	-
Carver	7	5	1	-	1	1	-	4	2
Charlemont	4	4	-	-	-	-	1	1	-
Charlton	33	30	-	1	2	9	2	11	11
Chatham	11	11	-	-	-	5	1	2	3
Chelmsford	56	51	-	4	1	10	6	20	20
CHELSEA	243	224	12	5	2	96	13	85	49
Cheshire	16	15	-	1	-	5	1	7	3

¹ Cities are printed in small capitals.

Table 47 MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		Native.	For- eign.						
Chester	5	5	-	-	-	2	-	1	2
Chesterfield	4	3	-	-	1	1	-	2	1
CHICOPEE	536	518	3	10	5	81	64	191	200
Chilmark	1	1	-	-	-	-	-	1	-
Clarksburg	4	3	-	-	1	-	-	3	1
Clinton	76	70	-	4	2	32	8	33	3
Cohasset	29	27	-	-	2	7	4	12	6
Colrain	13	13	-	-	-	3	1	8	1
Concord	68	65	2	-	1	15	10	28	15
Conway	9	9	-	-	-	3	1	3	2
Cummington	1	1	-	-	-	-	-	1	-
Dalton	39	36	1	1	1	8	3	22	6
Danvers	77	73	-	1	3	30	4	35	8
Dartmouth	70	68	-	1	1	10	7	25	28
Dedham	130	114	6	6	4	32	8	72	18
Deerfield	37	29	1	2	5	3	4	10	20
Dennis	14	14	-	-	-	4	2	3	5
Dighton	31	28	-	-	3	6	4	16	5
Douglas	14	14	-	-	-	2	-	9	3
Dover	7	7	-	-	-	-	1	4	2
Dracut	42	40	1	-	1	12	3	18	9
Dudley	6	6	-	-	-	-	1	3	2
Dunstable	4	4	-	-	-	-	-	3	1
Duxbury	22	21	-	-	1	8	2	5	7
East Bridgewater	27	27	-	-	-	9	4	9	5
East Brookfield	20	17	-	2	1	3	2	5	10
East Longmeadow	31	28	-	-	3	6	4	13	8
Eastham	3	3	-	-	-	1	-	1	1
Easthampton	157	149	2	2	4	33	7	43	74
Easton	41	35	1	-	5	12	6	13	10
Edgartown	10	8	1	-	1	2	-	3	5
Egremont	2	1	-	-	1	-	-	-	2
Erving	7	6	-	-	1	-	-	2	5
Essex	11	11	-	-	-	2	1	5	3
EVERETT	447	407	15	16	9	132	21	180	114
Fairhaven	83	71	5	2	5	19	6	45	13
FALL RIVER	929	858	15	25	31	609	24	250	46
Falmouth	141	130	2	4	5	31	8	27	75
FITCHBURG	350	310	5	18	17	171	16	125	38
Florida	3	3	-	-	-	-	-	1	2
Foxborough	28	24	1	3	-	9	1	11	7
Framingham	187	179	2	4	2	75	18	71	23
Franklin	59	52	2	3	2	23	8	23	5
Freetown	23	22	-	-	1	1	3	6	13
GARDNER	149	124	5	6	14	89	4	46	10
Gay Head	-	-	-	-	-	-	-	-	-
Georgetown	9	9	-	-	-	2	2	3	2
Gill	5	5	-	-	-	1	-	1	3
GLOUCESTER	211	195	6	5	5	143	7	56	5
Goshen	4	4	-	-	-	1	1	2	-
Gosnold	-	-	-	-	-	-	-	-	-
Grafton	50	44	1	3	2	10	8	13	19
Granby	10	10	-	-	-	2	2	6	-
Granville	4	4	-	-	-	-	3	-	1
Great Barrington	39	37	1	-	1	11	4	15	9
Greenfield	155	147	-	3	5	69	12	47	27
Groton	21	20	-	-	1	4	1	10	6
Groveland	14	14	-	-	-	3	1	8	2
Hadley	12	12	-	-	-	2	-	7	3
Halifax	10	10	-	-	-	4	-	1	5
Hamilton	27	25	2	-	-	3	2	5	17
Hampden	11	11	-	-	-	2	2	7	-
Hancock	1	1	-	-	-	1	-	1	-
Hanover	43	39	1	1	2	3	5	13	22
Hanson	12	11	-	-	1	-	2	9	1
Hardwick	17	17	-	-	-	6	1	9	1
Harvard	6	4	-	1	1	1	-	3	2
Harwich	39	36	-	1	2	8	3	8	20
Hatfield	20	19	1	-	-	4	-	14	2
HAVERHILL	303	283	6	6	8	178	21	88	16
Hawley	1	1	-	-	-	1	-	-	-
Heath	3	3	-	-	-	-	-	40	1
Hingham	70	63	-	3	4	14	6	20	10
Hinsdale	3	3	-	-	-	-	-	3	-
Holbrook	11	10	-	1	-	4	2	4	1

¹ Cities are printed in small capitals.

Table 47

MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				
	NATIVITY.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non- residents.	
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.					Foreign groom and native bride.
	Native.	For- eign.							
Holden	43	40	1	1	1	13	7	18	5
Holland	2	2	-	-	-	1	-	-	1
Holliston	26	26	-	-	-	4	3	16	3
HOLYOKE	389	354	12	14	9	175	20	163	31
Hopedale	23	19	-	2	2	3	3	12	5
Hopkinton	24	22	-	2	-	8	3	10	3
Hubbardston	5	5	-	-	-	3	1	1	-
Hudson	52	52	-	-	-	19	3	25	5
Hull	27	22	1	1	3	5	-	12	10
Huntington	9	8	-	1	-	-	1	5	3
Ipswich	61	56	1	-	4	27	6	20	8
Kingston	21	19	-	-	2	6	-	9	6
Lakeville	13	12	-	1	-	-	2	1	10
Lancaster	23	22	-	1	-	5	1	10	7
Lanesborough	5	5	-	-	-	1	-	2	2
LAWRENCE	559	509	15	14	21	261	57	163	78
Lee	29	27	-	1	1	15	3	10	1
Leicester	29	28	-	-	1	4	2	21	2
Lenox	19	18	1	-	-	5	2	6	6
LEOMINSTER	168	159	2	6	1	74	8	77	9
Leverett	8	8	-	-	-	2	1	4	1
Lexington	103	96	1	3	3	30	5	47	21
Leyden	-	-	-	-	-	-	-	-	-
Lincoln	11	11	-	-	-	1	-	6	4
Littleton	21	18	-	3	-	8	1	5	7
Longmeadow	46	43	-	2	1	9	5	26	6
LOWELL	863	796	11	27	29	515	44	231	73
Ludlow	71	68	1	2	-	29	8	27	7
Lunenburg	20	19	-	1	-	2	3	5	10
LYNN	824	724	17	36	47	436	42	227	119
Lynnfield	26	25	1	-	-	-	3	9	14
MALDEN	436	400	8	9	19	140	36	169	91
Manchester	15	13	-	1	1	-	4	4	7
Mansfield	36	36	-	-	-	13	4	15	4
Marblehead	70	66	1	-	3	28	3	25	14
Marion	12	12	-	-	-	6	1	4	1
MARLBOROUGH	100	96	1	1	2	51	6	37	6
Marshfield	27	25	-	2	-	6	-	15	6
Mashpee	-	-	-	-	-	-	-	-	-
Mattapoisett	10	10	-	-	-	2	-	4	4
Maynard	56	48	5	1	2	15	8	23	10
Medfield	11	10	-	1	-	3	-	6	2
MEDFORD	529	491	6	20	12	155	26	240	108
Medway	25	25	-	-	-	4	6	6	9
MELROSE	171	159	1	6	5	62	9	74	26
Mendon	6	6	-	-	-	1	1	-	4
Merrimac	33	31	-	-	2	5	2	6	20
Methuen	114	102	1	3	8	31	7	47	29
Middleborough	86	80	-	2	4	26	16	26	18
Middlefield	4	4	-	-	-	1	-	-	3
Middleton	18	16	-	2	-	6	4	7	1
Milford	117	114	-	2	1	55	10	44	8
Millbury	73	71	-	2	-	18	3	40	12
Millis	27	25	1	1	-	5	2	13	7
Millville	9	8	-	-	1	2	1	4	2
Milton	175	162	3	7	3	38	11	94	32
Monroe	-	-	-	-	-	-	-	-	-
Monson	52	51	1	-	-	21	5	12	14
Montague	70	69	-	1	-	7	10	43	10
Monterey	6	5	-	1	-	1	-	2	3
Montgomery	-	-	-	-	-	-	-	-	-
Mount Washington	-	-	-	-	-	-	-	-	-
Nahant	14	13	1	-	-	-	2	10	2
Nantucket	29	25	1	2	1	15	1	5	8
Natick	107	102	3	2	-	35	9	53	10
Needham	126	111	3	7	5	33	6	40	47
New Ashford	-	-	-	-	-	-	-	-	-
NEW BEDFORD	941	832	34	26	49	552	53	242	94
New Braintree	-	-	-	-	-	-	-	-	-
New Marlborough	7	7	-	-	-	3	-	2	2
New Salem	1	1	-	-	-	-	-	1	-
Newbury	15	15	-	-	-	2	1	7	5
NEWBURYPORT	103	101	-	-	2	34	10	50	9
NEWTON	639	579	23	18	19	172	45	285	137
Norfolk	16	14	-	1	1	6	2	4	4

¹ Cities are printed in small capitals.

MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				
	NATIVITY.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non- residents.	
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.					Foreign groom and native bride.
NORTH ADAMS	149	143	-	2	4	86	11	42	10
North Andover	40	38	1	1	-	11	5	19	5
North Attleborough	105	95	2	2	6	41	3	36	25
North Brookfield	25	24	-	-	1	9	2	11	3
North Reading	33	31	1	1	-	8	5	17	3
NORTHAMPTON	178	169	1	4	4	71	3	83	21
Northborough	22	22	-	-	-	8	3	10	1
Northbridge	73	72	-	1	-	27	2	34	10
Northfield	19	19	-	-	-	-	4	9	6
Norton	68	64	-	4	-	12	1	8	47
Norwell	10	10	-	-	-	4	1	4	1
Norwood	123	120	1	2	-	44	13	53	13
Oak Bluffs	15	15	-	-	-	7	1	3	4
Oakham	-	-	-	-	-	-	-	-	-
Orange	35	35	-	-	-	10	3	16	6
Orleans	40	33	-	1	6	6	2	9	23
Otis	3	2	-	-	1	-	1	1	1
Oxford	40	40	-	-	-	18	1	16	5
Palmer	99	96	1	1	1	27	7	29	36
Paxton	5	4	-	1	-	2	1	2	-
PEABODY	170	151	2	5	12	68	13	62	27
Pelham	-	-	-	-	-	-	-	-	-
Pembroke	12	12	-	-	-	4	1	6	1
Pepperell	27	27	-	-	-	8	-	5	14
Peru	2	2	-	-	-	-	-	-	2
Petersham	7	6	-	-	1	1	-	6	-
Phillipston	3	3	-	-	-	1	1	-	1
PITTSFIELD	430	388	7	19	16	266	24	94	46
Plainfield	-	-	-	-	-	-	-	-	-
Plainville	14	12	-	-	2	6	1	4	3
Plymouth	136	123	3	5	5	74	9	34	19
Plympton	4	4	-	-	-	2	-	1	1
Princeton	4	4	-	-	-	-	-	3	1
Provincetown	27	26	-	-	1	9	1	14	3
QUINCY	675	629	7	29	10	278	48	288	61
Randolph	58	54	1	-	3	22	7	21	8
Raynham	9	8	1	-	-	-	1	4	4
Reading	99	90	4	2	3	35	7	37	20
Rehoboth	30	26	-	3	1	5	1	3	21
REVERE	394	373	7	7	7	131	28	124	111
Richmond	12	11	-	1	-	-	1	2	9
Rochester	5	4	1	-	-	2	1	2	-
Rockland	105	101	-	3	1	30	10	33	32
Rockport	23	20	2	1	-	6	3	8	6
Rowe	-	-	-	-	-	-	-	-	-
Rowley	7	7	-	-	-	4	1	-	2
Royalston	5	5	-	-	-	2	1	-	2
Russell	7	7	-	-	-	5	1	-	5
Rutland	16	15	-	1	-	5	-	6	1
SALEM	345	315	9	8	13	147	29	127	42
Salisbury	13	13	-	-	-	-	2	5	6
Sandisfield	11	11	-	-	-	-	-	-	11
Sandwich	16	16	-	-	-	3	-	6	7
Saugus	118	115	1	-	2	39	7	56	16
Savoy	1	1	-	-	-	-	-	-	1
Scituate	45	38	-	5	2	14	5	14	12
Seekonk	379	346	5	4	24	15	7	18	339
Sharon	55	46	2	4	3	12	4	20	19
Sheffield	24	22	-	2	-	5	3	5	11
Shelburne	11	11	-	-	-	5	-	2	4
Sherborn	4	4	-	-	-	1	-	3	-
Shirley	23	22	-	-	1	8	1	9	5
Shrewsbury	50	50	-	-	-	11	3	30	6
Shutesbury	-	-	-	-	-	-	-	-	-
Somerset	43	39	2	1	1	10	3	27	3
SOMERVILLE	694	608	22	24	40	266	39	280	109
South Hadley	81	74	-	5	2	9	6	24	42
Southampton	2	2	-	-	-	1	-	1	-
Southborough	12	12	-	-	-	2	3	4	3
Southbridge	135	134	-	1	-	64	10	43	18
Southwick	13	13	-	-	-	2	1	4	6
Spencer	45	44	-	1	-	25	5	13	2
SPRINGFIELD	1,320	1,224	32	44	20	715	87	411	107
Sterling	12	12	-	-	-	2	3	3	4
Stockbridge	11	9	1	1	-	3	-	3	5

¹ Cities are printed in small capitals.

MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1952.				
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		Native.	For- eign.						
Stoneham	125	108	4	7	6	33	8	56	28
Stoughton	61	58	2	1	-	24	8	29	-
Stow	12	12	-	-	-	2	2	5	3
Sturbridge	17	16	-	-	1	4	-	4	9
Sudbury	61	57	2	1	1	2	2	5	52
Sunderland	5	5	-	-	-	-	1	2	2
Sutton	7	6	-	-	1	-	2	1	4
Swampscott	88	81	2	5	-	15	8	42	23
Swansea	62	60	-	-	2	12	7	25	18
TAUNTON	343	320	4	4	15	179	26	91	47
Templeton	27	26	-	1	-	10	2	11	4
Tewksbury	49	47	-	1	1	11	9	16	13
Tisbury	15	13	-	1	1	5	-	5	5
Tolland	-	-	-	-	-	-	-	-	-
Topsfield	10	9	-	-	1	2	1	7	-
Townsend	21	19	-	1	1	3	1	8	9
Truro	3	3	-	-	-	1	-	1	1
Tyngsborough	14	13	-	1	-	1	3	2	8
Tyringham	2	2	-	-	-	1	-	-	1
Upton	12	12	-	-	-	5	2	3	2
Uxbridge	53	49	1	1	2	16	5	23	9
Wakefield	153	146	2	2	3	45	17	68	23
Wales	-	-	-	-	-	-	-	-	-
Walpole	51	49	-	2	-	17	4	26	4
WALTHAM	359	324	10	7	18	153	18	131	57
Ware	51	48	1	-	2	18	2	27	4
Wareham	68	60	3	4	1	15	7	26	20
Warren	24	23	-	1	-	2	-	7	15
Warwick	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-
Watertown	306	265	8	13	20	76	22	135	73
Wayland	40	38	-	-	2	4	3	16	17
Webster	135	124	4	6	1	40	18	43	34
Wellesley	138	130	-	3	5	22	12	74	30
Wellfleet	16	14	-	-	2	6	1	3	6
Wendell	1	1	-	-	-	-	-	1	-
Wenham	7	7	-	-	-	-	-	3	4
West Boylston	24	23	1	-	-	3	4	8	9
West Bridgewater	20	18	1	-	1	5	1	9	5
West Brookfield	12	12	-	-	-	3	-	4	5
West Newbury	8	8	-	-	-	1	1	1	5
West Springfield	171	160	3	3	5	41	14	79	37
West Stockbridge	6	6	-	-	-	2	1	2	1
West Tisbury	1	1	-	-	-	-	-	1	-
Westborough	29	28	-	-	1	12	1	9	7
WESTFIELD	179	157	7	3	12	70	6	61	42
Westford	23	19	-	-	4	3	4	13	3
Westhampton	8	8	-	-	-	1	-	4	3
Westminster	8	7	-	-	1	2	3	2	1
Weston	30	27	-	-	3	6	-	13	11
Westport	43	43	-	-	-	13	5	6	19
Westwood	29	28	-	-	1	1	-	9	19
Weymouth	225	214	2	4	5	89	21	86	29
Whately	1	1	-	-	-	-	-	1	-
Whitman	73	68	-	3	2	17	8	27	21
Willbraham	27	27	-	-	-	3	3	16	5
Williamsburg	11	10	-	1	-	4	-	4	3
Williamstown	46	43	1	-	2	10	6	15	15
Wilmington	39	36	-	2	1	14	2	19	4
Winchendon	57	50	2	2	3	16	4	17	20
Winchester	122	114	2	4	2	20	8	66	28
Windsor	1	1	-	-	-	-	1	-	-
Winthrop	110	102	-	8	-	41	7	48	14
WOBURN	177	169	-	2	6	73	9	76	19
WORCESTER	1,660	1,504	56	53	47	1,071	75	394	120
Worthington	1	1	-	-	-	-	-	1	-
Wrentham	43	37	-	-	6	11	5	8	19
Yarmouth	6	5	1	-	-	-	-	4	2

¹ Cities are printed in small capitals.

Table 48

MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1952.

AGE AT MARRIAGE.	Both sexes.	MALES.				FEMALES.			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
The State.									
13 Years and Over	75,398	37,699	32,620	2,004	3,075	37,699	32,553	1,711	3,435
Under 20 years . . .	10,689	2,240	2,239	-	1	8,449	8,419	1	29
20 to 29 years . . .	46,948	25,230	24,581	54	595	21,718	20,421	112	1,185
30 to 39 years . . .	10,249	5,939	4,475	227	1,237	4,310	2,719	343	1,248
40 to 49 years . . .	3,970	2,113	955	393	765	1,857	727	458	672
50 to 59 years . . .	2,149	1,241	289	600	352	908	192	468	248
60 to 69 years . . .	1,098	710	70	536	104	388	63	279	46
70 to 79 years . . .	267	201	9	173	19	66	11	48	7
80 years and over . .	28	25	2	21	2	3	1	2	1

Table 49

MARRIAGES, BY MONTHS IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS: 1952.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1950. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	The State.	37,699	1,956	2,588	1,460	3,052	3,577	5,308	2,912	3,490	3,982	3,775	3,454
Average daily number of marriages . . .	103	63	89	47	102	115	177	94	113	133	122	115	69
COUNTIES.													
Middlesex . . .	8,251	422	569	254	730	816	1,178	594	721	911	865	731	460
Suffolk . . .	8,009	426	582	358	681	696	1,085	586	704	843	821	717	510
Worcester . . .	4,118	236	288	125	318	455	564	354	361	410	380	430	197
Essex . . .	3,736	182	247	158	295	340	528	308	350	382	372	349	225
Norfolk . . .	3,149	157	198	181	209	269	483	197	313	356	309	278	199
Bristol . . .	3,457	187	239	138	287	327	503	294	333	363	305	305	176
Hampden . . .	3,031	164	232	99	228	329	404	235	278	316	306	288	152
Plymouth . . .	1,409	69	86	49	124	123	205	117	139	141	146	130	80
Berkshire . . .	943	42	54	34	61	92	133	95	102	86	112	87	45
Hampshire . . .	631	29	46	26	48	61	99	42	66	62	60	57	35
Franklin . . .	414	17	19	14	27	34	65	36	55	41	39	38	29
Barnstable . . .	480	25	24	24	40	30	49	51	56	56	55	41	29
Dukes . . .	42	-	3	-	1	3	6	-	7	12	2	3	5
Nantucket . . .	29	-	1	-	3	2	6	3	5	3	3	-	3
CITIES OVER 100,000													
Boston . . .	7,262	382	530	332	618	634	995	517	642	757	746	642	467
Worcester . . .	1,660	91	107	59	115	192	236	138	124	173	163	173	89
Springfield . . .	1,320	68	97	37	111	132	171	112	118	136	134	141	63
Cambridge . . .	1,045	49	72	31	84	101	160	90	82	112	119	87	58
Fall River . . .	929	35	54	27	79	104	138	73	96	124	77	82	40
New Bedford . . .	941	53	85	26	76	80	138	95	80	108	82	66	52
Somerville . . .	694	47	53	19	67	76	92	41	56	80	74	49	40
CITIES 50,000 TO 100,000													
Lynn . . .	824	35	56	38	65	67	106	84	79	84	76	89	45
Lowell . . .	863	51	67	27	74	75	121	59	94	90	89	78	38
Quincy . . .	675	31	28	35	60	67	95	52	58	83	71	63	32
Newton . . .	639	26	32	22	67	69	97	47	46	78	58	58	39
Lawrence . . .	559	29	38	20	51	54	75	31	51	55	66	59	30
Medford . . .	529	24	34	14	57	52	78	28	41	64	62	52	23
Brockton . . .	458	21	30	20	45	32	64	27	47	54	49	43	26
Malden . . .	436	22	27	13	32	44	67	23	39	49	50	46	24
Holyoke . . .	389	23	34	14	18	45	49	30	46	36	40	34	20
Pittsfield . . .	430	23	25	14	27	43	62	50	41	33	51	38	23

Line No.	Table 50 COUNTIES AND SEX.	MARRIAGES IN EACH COUNTY,								
		All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	Grooms . . .	37,699	-	-	3	35	176	620	1,406	15,540
2	Brides . . .	37,699	1	13	104	526	1,222	2,925	3,658	15,765
	Barnstable:									
3	Grooms . . .	480	-	-	-	-	5	8	17	205
4	Brides . . .	480	-	-	2	9	18	55	47	174
	Berkshire:									
5	Grooms . . .	943	-	-	1	3	5	18	48	410
6	Brides . . .	943	-	1	3	19	41	91	116	385
	Bristol:									
7	Grooms . . .	3,457	-	-	-	3	18	75	175	1,457
8	Brides . . .	3,457	1	-	10	69	147	353	386	1,287
	Dukes:									
9	Grooms . . .	42	-	-	-	-	1	-	2	14
10	Brides . . .	42	-	-	-	1	2	3	3	15
	Essex:									
11	Grooms . . .	3,736	-	-	1	2	27	66	142	1,561
12	Brides . . .	3,736	-	1	10	52	139	352	339	1,516
	Franklin:									
13	Grooms . . .	414	-	-	-	3	6	15	19	142
14	Brides . . .	414	-	1	2	13	20	40	40	138
	Hampden:									
15	Grooms . . .	3,031	-	-	-	1	18	50	124	1,356
16	Brides . . .	3,031	-	3	9	58	122	279	318	1,214
	Hampshire:									
17	Grooms . . .	631	-	-	-	-	4	19	23	250
18	Brides . . .	631	-	1	3	3	22	63	65	259
	Middlesex:									
19	Grooms . . .	8,251	-	-	-	10	24	115	302	3,555
20	Brides . . .	8,251	-	2	19	94	226	530	835	3,711
	Nantucket:									
21	Grooms . . .	29	-	-	-	-	-	2	2	7
22	Brides . . .	29	-	-	2	-	1	2	2	10
	Norfolk:									
23	Grooms . . .	3,149	-	-	-	2	10	28	73	1,299
24	Brides . . .	3,149	-	2	5	13	53	183	321	1,487
	Plymouth:									
25	Grooms . . .	1,409	-	-	-	2	8	32	72	573
26	Brides . . .	1,409	-	-	7	26	60	113	131	562
	Suffolk:									
27	Grooms . . .	8,009	-	-	1	5	26	108	235	3,022
28	Brides . . .	8,009	-	2	23	102	205	522	658	3,326
	Worcester:									
29	Grooms . . .	4,118	-	-	-	4	24	84	172	1,689
30	Brides . . .	4,118	-	-	9	67	166	339	397	1,681

Line No.	BY SEX AND AGE: 1952.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	9,690	3,925	2,014	1,234	879	661	580	410	300	146	55	25
2	5,953	2,782	1,528	1,067	790	551	357	244	144	49	17	3
3	99	50	33	14	13	12	14	3	4	-	3	-
4	68	36	21	19	14	8	2	3	1	3	-	-
5	225	88	39	30	23	12	16	15	3	7	-	-
6	114	48	39	30	21	17	3	7	5	3	-	-
7	787	336	189	118	77	73	61	35	28	14	7	4
8	484	267	146	100	72	57	33	22	15	7	-	1
9	8	3	4	3	4	-	1	1	1	-	-	-
10	5	4	1	2	5	1	-	-	-	-	-	-
11	930	362	186	145	91	62	51	39	43	18	7	3
12	572	274	140	107	74	60	43	31	14	4	7	1
13	95	42	19	21	20	8	9	8	4	1	1	1
14	58	30	19	15	15	12	4	4	2	-	1	-
15	721	318	154	80	61	48	41	22	26	7	3	1
16	443	228	128	79	57	38	25	14	14	2	-	-
17	162	70	41	6	19	5	13	5	9	3	1	1
18	84	43	30	17	11	10	9	7	4	-	-	-
19	2,216	808	417	252	155	119	102	78	56	25	10	7
20	1,362	578	290	207	149	101	71	44	22	7	3	-
21	7	2	4	4	1	-	-	-	-	-	-	-
22	5	2	2	3	-	-	-	-	-	-	-	-
23	924	317	146	88	75	52	49	49	21	10	3	3
24	532	191	111	71	65	54	35	16	7	1	2	-
25	306	146	75	40	27	35	32	27	15	15	4	-
26	190	103	65	46	39	23	10	13	17	4	-	-
27	2,181	980	488	303	215	149	132	71	56	22	11	4
28	1,385	704	380	262	179	111	74	42	22	8	3	1
29	1,029	403	219	130	98	86	59	57	34	24	5	1
30	651	274	156	109	89	59	48	41	21	10	1	-

Table 51

MARRIAGES, BY SEX AND AGE: 1952.

AGE OF GROOMS.	AGE OF BRIDES.															
	All ages.	Un-der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over	
All Ages.	37,699	8,449	15,765	5,953	2,782	1,528	1,067	790	551	357	244	144	49	17	3	
Under 20 . . .	2,240	1,804	421	13	-	2	-	-	-	-	-	-	-	-	-	
20 to 24 . . .	15,540	5,492	8,912	997	114	16	8	-	-	-	-	-	-	-	-	
25 to 29 . . .	9,690	965	5,163	2,823	593	120	20	5	1	-	-	-	-	-	-	
30 to 34 . . .	3,925	150	992	1,387	990	293	88	17	6	1	1	-	-	-	-	
35 to 39 . . .	2,014	26	204	500	591	451	169	58	11	1	1	2	-	-	-	
40 to 44 . . .	1,234	10	59	152	305	308	255	110	29	4	1	1	-	-	-	
45 to 49 . . .	879	1	9	57	121	186	240	176	65	17	3	3	1	-	-	
50 to 54 . . .	661	1	3	11	34	99	154	178	119	47	12	2	1	-	-	
55 to 59 . . .	580	-	1	10	16	33	79	139	143	118	31	9	-	-	1	
60 to 64 . . .	410	-	1	2	13	12	35	67	103	78	74	18	6	-	1	
65 to 69 . . .	300	-	-	1	4	7	11	30	51	63	72	43	14	3	1	
70 to 74 . . .	146	-	-	-	1	1	5	7	17	21	31	48	13	2	-	
75 to 79 . . .	55	-	-	-	-	-	1	-	5	5	15	15	10	4	-	
80 and over . . .	25	-	-	-	-	-	2	2	1	2	3	3	4	8	-	

Table 52

FIRST MARRIAGES, BY SEX AND AGE: 1952.

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (MAIDS).															
	All ages.	Un-der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over	
All Ages.	30,368	8,247	14,854	4,685	1,571	546	261	121	47	22	9	4	1	-	-	
Under 20 . . .	2,227	1,801	416	10	-	-	-	-	-	-	-	-	-	-	-	
20 to 24 . . .	15,072	5,440	8,689	866	67	6	4	-	-	-	-	-	-	-	-	
25 to 29 . . .	8,590	878	4,816	2,427	405	53	11	-	-	-	-	-	-	-	-	
30 to 34 . . .	2,701	113	772	1,032	625	127	26	5	1	-	-	-	-	-	-	
35 to 39 . . .	978	11	128	271	299	187	65	15	2	-	-	-	-	-	-	
40 to 44 . . .	411	2	28	54	128	100	66	25	7	1	-	-	-	-	-	
45 to 49 . . .	200	1	4	20	31	36	56	40	9	2	1	-	-	-	-	
50 to 54 . . .	95	1	-	1	9	28	22	20	11	2	1	-	-	-	-	
55 to 59 . . .	52	-	-	3	4	6	7	12	9	7	3	1	-	-	-	
60 to 64 . . .	26	-	1	1	2	1	3	4	7	6	1	-	-	-	-	
65 to 69 . . .	10	-	-	-	1	2	-	-	1	2	2	1	1	-	-	
70 to 74 . . .	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	
75 to 79 . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
80 and over . . .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	

Table 53

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1952.

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (WIDOWS). ¹															
	All ages.	Un-der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over	
All Ages.	2,252	27	352	580	485	334	201	132	75	34	19	8	4	1	-	
Under 20 . . .	12	2	5	3	-	2	-	-	-	-	-	-	-	-	-	
20 to 24 . . .	348	21	163	108	45	9	2	-	-	-	-	-	-	-	-	
25 to 29 . . .	571	4	131	246	135	44	5	5	1	-	-	-	-	-	-	
30 to 34 . . .	476	-	41	146	160	88	33	6	1	1	-	-	-	-	-	
35 to 39 . . .	320	-	8	57	90	95	47	19	2	1	1	-	-	-	-	
40 to 44 . . .	206	-	3	13	37	50	56	30	9	2	-	-	-	-	-	
45 to 49 . . .	138	-	1	5	13	24	36	31	23	2	1	1	1	-	-	
50 to 54 . . .	89	-	-	1	4	12	15	26	18	8	4	1	-	-	-	
55 to 59 . . .	53	-	-	1	-	3	6	10	17	12	4	-	-	-	-	
60 to 64 . . .	26	-	-	-	1	1	1	5	2	6	7	3	-	-	-	
65 to 69 . . .	8	-	-	-	-	-	-	2	2	2	1	1	1	-	-	
70 to 74 . . .	3	-	-	-	-	-	-	-	-	2	1	1	-	-	-	
75 to 79 . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
80 and over . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	

¹ Includes divorced.

Table 54	REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1952.														
	AGE OF BRIDES (MAIDS).														
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	2,185	172	458	424	337	265	195	150	94	29	29	21	7	3	1
Under 20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24	91	30	44	16	-	1	-	-	-	-	-	-	-	-	-
25 to 29	384	81	179	86	29	9	-	-	-	-	-	-	-	-	-
30 to 34	437	37	150	124	96	21	6	2	1	-	-	-	-	-	-
35 to 39	344	15	55	114	85	58	14	3	-	-	-	-	-	-	-
40 to 44	253	8	23	47	68	63	33	9	1	-	1	-	-	-	-
45 to 49	202	-	3	20	37	59	51	27	4	1	-	-	-	-	-
50 to 54	169	-	3	9	6	34	43	47	25	1	1	-	-	-	-
55 to 59	131	-	1	6	8	10	26	33	28	11	4	3	-	-	1
60 to 64	77	-	-	1	6	6	14	16	17	7	8	2	-	-	-
65 to 69	52	-	-	1	2	4	2	9	10	6	8	8	1	1	-
70 to 74	30	-	-	-	-	-	4	3	6	3	4	4	5	1	-
75 to 79	11	-	-	-	-	-	1	-	2	-	2	4	1	1	-
80 and over	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-

¹ Includes divorced.

Table 55	REMARRIAGES OF BOTH PARTIES, BY AGE: 1952.														
	AGE OF BRIDES (WIDOWS). ¹														
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	2,894	3	101	264	389	383	410	387	335	272	187	111	37	13	2
Under 20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24	29	1	16	7	2	-	2	1	-	-	-	-	-	-	-
25 to 29	145	2	37	64	24	14	4	-	-	-	-	-	-	-	-
30 to 34	311	-	29	85	109	57	23	4	3	-	1	-	-	-	-
35 to 39	372	-	13	58	117	111	43	21	7	-	-	2	-	-	-
40 to 44	364	-	5	38	72	89	100	46	12	1	-	1	-	-	-
45 to 49	339	-	1	12	40	67	97	78	29	12	1	2	-	-	-
50 to 54	308	-	-	-	15	25	74	85	65	36	6	1	1	-	-
55 to 59	344	-	-	-	4	14	40	84	89	88	20	5	-	-	-
60 to 64	281	-	-	-	4	4	17	42	77	59	58	13	6	-	1
65 to 69	230	-	-	-	1	1	9	21	38	53	60	33	11	2	1
70 to 74	109	-	-	-	1	1	1	4	11	17	26	40	7	1	-
75 to 79	42	-	-	-	-	-	-	3	4	13	11	8	8	3	-
80 and over	20	-	-	-	-	-	-	1	1	2	2	3	4	7	-

¹ Includes divorced.

Table 56	FIRST MARRIAGES AND REMARRIAGES: 1952.					
	GROOMS.	BRIDES.				
		Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.
Total Number	37,699	32,553	4,663	446	36	1
First marriage	32,620	30,368	2,108	132	11	1
Second marriage	4,658	2,080	2,298	264	16	-
Third marriage	404	102	246	48	8	-
Fourth marriage	14	3	8	2	1	-
Fifth marriage	3	-	3	-	-	-

Table 57

YEARS.	MARRIAGES, MARRIAGE RATES AND NATIVITY OF PERSONS MARRIED: 1928 TO 1952.						
	Total Number.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		NATIVITY — PERCENTAGES.			
		Annual.	Five-year averages.	BRIDE AND GROOM — BOTH —		Native groom and foreign bride.	Foreign groom and native bride.
		Native.	Foreign.				
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4	16.3	80.4	4.7	5.8	9.1
1939	38,784	17.4		82.3	3.9	5.8	8.0
1940	44,836	20.8		83.5	3.4	5.6	7.5
1941	52,992	24.5		85.6	2.9	5.0	6.5
1942	48,098	22.2		86.4	2.7	4.7	6.2
1943	37,232	17.2	19.4	86.2	3.1	4.3	6.4
1944	34,681	16.0		86.1	2.9	4.3	6.7
1945	38,197	17.0		87.5	2.5	4.1	5.9
1946	56,498	24.8		89.2	1.8	3.9	5.1
1947	49,803	21.7		89.7	2.0	3.9	4.4
1948	45,940	19.9	20.2	89.9	2.0	3.4	4.7
1949	39,639	17.0		90.8	2.0	3.1	4.1
1950	41,711	17.8		90.9	2.1	3.0	4.0
1951	40,415	17.1		91.3	2.0	2.8	3.9
1952	37,699	15.8		90.9	2.4	3.0	3.7

Table 58

YEARS.	MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1950: 1928 TO 1952.							
	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1950.						
		Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Somerville.
1928	29,082	6,691	1,195	1,012	986	848	659	-
1929	30,568	6,828	1,378	1,044	1,039	925	860	-
1930	27,431	6,238	1,122	983	1,008	831	698	666
1931	26,296	5,863	1,027	787	948	937	660	638
1932	22,817	5,193	840	659	769	769	528	492
1933	25,949	5,366	989	769	823	961	740	539
1934	30,241	6,288	1,318	991	958	1,085	912	621
1935	30,019	6,114	1,317	986	886	944	814	580
1936	31,985	6,415	1,447	997	977	1,060	984	628
1937	33,652	6,682	1,547	1,169	941	1,112	980	633
1938	31,904	6,299	1,390	1,161	887	1,017	842	630
1939	38,784	7,359	1,740	1,340	1,004	1,292	1,151	705
1940	44,836	8,429	2,020	1,682	1,491	1,219	1,291	786
1941	52,992	10,025	2,475	1,885	1,312	1,651	1,493	860
1942	48,098	9,976	2,194	1,757	1,467	1,307	1,365	881
1943	37,232	8,508	1,591	1,323	1,231	1,092	1,044	739
1944	34,681	7,849	1,417	1,279	1,131	1,031	958	721
1945	38,197	8,266	1,726	1,414	1,112	1,184	1,056	727
1946	56,498	10,985	2,609	2,169	1,474	1,505	1,732	1,067
1947	49,803	9,742	2,406	1,936	1,253	1,802	1,585	882
1948	45,940	9,202	2,127	1,729	1,209	1,331	1,322	868
1949	39,639	8,072	1,758	1,450	1,051	1,161	1,050	765
1950	41,711	8,158	1,776	1,503	1,083	1,075	1,138	740
1951	40,415	7,828	1,793	1,437	995	988	1,115	783
1952	37,699	7,262	1,660	1,320	1,045	929	941	694

MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS: 1920 TO 1950.								
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	-
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	-
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	12.8
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	11.5
1940	20.8	21.9	20.9	24.9	22.0	25.8	23.4	15.4
1945	17.0	21.6	17.4	17.7	20.0	20.6	19.1	13.7
1950	17.8	20.3	17.4	18.5	17.9	19.2	20.8	14.5

DIVORCE STATISTICS

	PAGE
Introduction	299, 300
Causes for divorce	299
Source of data	299
Applications for divorce	299
Contested cases	299
Number of divorces	299
Divorce rates	299, 300
Party to which granted	300
Divorces classified by causes	300
Annulled cases	300
Duration of marriages	300
Statistical tables	301-319

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1928 to 1952, the highest proportion of applications being granted in 1940 (90.7 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 86.3 per cent of all applications were granted, .5 per cent were refused, and 13.2 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1928 to 1952, only 31.8 per cent were contested. In 1952, of the 7,003 applications for divorce, only 2,398 or 34.2 per cent, were contested, and of the 5,891 divorces granted, 1,820 or 30.9 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (32 per cent) than for those granted to the husband (27.1 per cent).

Number of Divorces. — Divorces granted in 1952 numbered 5,891, a decrease of 397, or 6.3 per cent less than the number granted in 1951, and 1,439 less than the average number granted for the five-year period 1947 to 1951.

Divorce Rates. — The number of divorces granted per 100,000 population was 123.4 as compared with 132.7 in 1951, 135.4 in 1950, 143.5 in 1949 and 161.6 in 1948.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 63, page 316, for the census years 1925 to 1950. In this table the number of divorces shown for the census years 1925 to 1950 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over three-fourths (75.9 per cent) of the total number of divorces in the period 1928 to 1952 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife, and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 72.3 per cent in 1946, and 78.4 in 1950, as compared with 75.9 per cent for the entire period from 1928 to 1952.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have decreased 17.8 per cent in the twenty-five year period 1928 to 1952, while the number of divorces granted for adultery has decreased slightly more than two-thirds.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 60.9 per cent of all the divorces granted in the period 1928 to 1952, for 38 per cent of all those granted to the husband in this period, and for 68.2 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1928 to 1952, are shown in Table 65, page 317.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments". In 2,773 cases, or 2.1 per cent of the total number of divorces granted during the period 1928 to 1952, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 11.6 years in 1944 and 9.6 years in 1947. The average number of years the libellants were married in 1952 was 9.9.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1952, 61.3 per cent made application for divorce before they had been married ten years, as compared with 61.2 in 1951, 61.4 in 1950, 59.6 in 1949, 60.1 in 1948 and 57.5 for the twenty-five year period 1928 to 1952.

Table 59

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
The State.	7,003¹	1,253	5,367	117	159	76	4	27	136
Husband	1,814	524	1,166	86	36	-	2	-	57
Wife	5,189	729	4,201	31	123	76	2	27	79
Granted	5,891	1,169	4,391	101	134	70	2	24	112
Husband	1,312	465	747	73	26	-	1	-	42
Wife	4,579	704	3,644	28	108	70	1	24	70
Refused	68	3	63	1	1	-	-	-	5
Husband	36	3	31	1	1	-	-	-	3
Wife	32	-	32	-	-	-	-	-	2
Dismissed	1,044	81	913	15	24	6	2	3	19
Husband	466	56	388	12	9	-	1	-	12
Wife	578	25	525	3	15	6	1	3	7
Contested	2,398	214	2,060	42	56	20	3	3	40
Husband	669	105	510	34	19	-	1	-	19
Wife	1,729	109	1,550	8	37	20	2	3	21
Not Contested	4,605	1,039	3,307	75	103	56	1	24	96
Husband	1,145	419	656	52	17	-	1	-	38
Wife	3,460	620	2,651	23	86	56	-	24	58
DURATION OF MARRIAGE.									
Less than 6 months	96	-	94	1	1	-	-	-	33
Husband	26	-	25	1	-	-	-	-	11
Wife	70	-	69	-	1	-	-	-	22
6 to 11 months	201	-	190	3	7	1	-	-	17
Husband	50	-	47	1	2	-	-	-	9
Wife	151	-	143	2	5	1	-	-	8
1 to 4 years	2,111	129	1,853	42	42	28	3	14	55
Husband	541	68	423	34	14	-	2	-	25
Wife	1,570	61	1,430	8	28	28	1	14	30
5 to 9 years	1,886	344	1,435	36	45	19	-	7	21
Husband	512	151	326	26	9	-	-	-	9
Wife	1,374	193	1,109	10	36	19	-	7	12
10 to 19 years	1,739	380	1,268	25	42	17	1	6	9
Husband	396	135	235	19	7	-	-	-	3
Wife	1,343	245	1,033	6	35	17	1	6	6
20 to 29 years	725	264	428	7	17	9	-	-	1
Husband	210	111	93	2	4	-	-	-	-
Wife	515	153	335	5	13	9	-	-	1
30 years and over	245	136	99	3	5	2	-	-	-
Husband	79	59	17	3	-	-	-	-	-
Wife	166	77	82	-	5	2	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.9	15.8	8.6	8.3	10.0	9.6	6.4	6.3	3.1
Number of Libels pending January 1, 1952									10,674
Number of Libels filed during the year 1952									9,542
Number of Divorces granted during the year 1952									5,891
Number of Divorces refused during the year 1952									68
Number of Libels contested during the year 1952									2,398
Number of Libels uncontested during the year 1952									4,605
Number of cases finally determined in 1952									8,559
Number of petitions for annulment in 1952									144

¹ Fifty-three libels were received from the Superior Court; eight thousand, five hundred and six from the Probate Court. Four decrees revoked. Three libels transferred. Eleven decrees vacated. One thousand, five hundred and thirty-six libels and eight petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 59a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	130¹	28	100	1	1	-	-	-	3
Husband	45	12	31	1	1	-	-	-	-
Wife	85	16	69	-	-	-	-	-	3
Granted	110	28	81	1	-	-	-	-	3
Husband	31	12	18	1	-	-	-	-	-
Wife	79	16	63	-	-	-	-	-	3
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	20	-	19	-	1	-	-	-	-
Husband	14	-	13	-	1	-	-	-	-
Wife	6	-	6	-	-	-	-	-	-
Contested	45	4	40	-	1	-	-	-	-
Husband	18	-	17	-	1	-	-	-	-
Wife	27	4	23	-	-	-	-	-	-
Not Contested	85	24	60	1	-	-	-	-	3
Husband	27	12	14	1	-	-	-	-	-
Wife	58	12	46	-	-	-	-	-	3
DURATION OF MARRIAGE.									
Less than 6 months	2	-	2	-	-	-	-	-	1
Husband	1	-	1	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	1
6 to 11 months	5	-	5	-	-	-	-	-	-
Husband	2	-	2	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-	-
1 to 4 years	45	2	42	-	1	-	-	-	1
Husband	13	-	12	-	1	-	-	-	-
Wife	32	2	30	-	-	-	-	-	1
5 to 9 years	30	7	22	1	-	-	-	-	1
Husband	9	3	5	1	-	-	-	-	-
Wife	21	4	17	-	-	-	-	-	1
10 to 19 years	20	7	13	-	-	-	-	-	-
Husband	8	3	5	-	-	-	-	-	-
Wife	12	4	8	-	-	-	-	-	-
20 to 29 years	24	8	16	-	-	-	-	-	-
Husband	11	5	6	-	-	-	-	-	-
Wife	13	3	10	-	-	-	-	-	-
30 years and over	4	4	-	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-	-
Wife	3	3	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	10.1	17.5	8.1	8.7	4.0	-	-	-	3.3

Number of Libels pending January 1, 1952	219
Number of Libels filed during the year 1952	189
Number of Divorces granted during the year 1952	110
Number of Divorces refused during the year 1952	-
Number of Libels contested during the year 1952	45
Number of Libels uncontested during the year 1952	85
Number of cases finally determined in 1952	167
Number of petitions for annulment in 1952	3

¹ No libels were received from the Superior Court; one hundred and sixty-seven from the Probate Court. Four decrees revoked. Thirty-three libels dismissed under Rule 43 of the Probate Court.

Table 59b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.	
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.		Imprisonment.
Berkshire County.	200¹	31	134	9	10	15	-	1	11
Husband	43	15	18	8	2	-	-	-	7
Wife	157	16	116	1	8	15	-	1	4
Granted	175	30	116	7	6	15	-	1	7
Husband	35	14	15	6	-	-	-	-	4
Wife	140	16	101	1	6	15	-	1	3
Refused	6	-	4	1	1	-	-	-	3
Husband	2	-	-	1	1	-	-	-	2
Wife	4	-	4	-	-	-	-	-	1
Dismissed	19	1	14	1	3	-	-	-	1
Husband	6	1	3	1	1	-	-	-	1
Wife	13	-	11	-	2	-	-	-	-
Contested	79	3	59	8	3	6	-	-	3
Husband	16	-	8	7	1	-	-	-	2
Wife	63	3	51	1	2	6	-	-	1
Not Contested	121	28	75	1	7	9	-	1	8
Husband	27	15	10	1	1	-	-	-	5
Wife	94	13	65	-	6	9	-	1	3
DURATION OF MARRIAGE.									
Less than 6 months	3	-	3	-	-	-	-	-	5
Husband	-	-	-	-	-	-	-	-	4
Wife	3	-	3	-	-	-	-	-	1
6 to 11 months	1	-	1	-	-	-	-	-	1
Husband	1	-	1	-	-	-	-	-	1
Wife	-	-	-	-	-	-	-	-	-
1 to 4 years	63	2	47	3	2	9	-	-	4
Husband	10	2	4	3	1	-	-	-	2
Wife	53	-	43	-	1	9	-	-	2
5 to 9 years	52	6	37	4	2	3	-	-	1
Husband	12	2	7	3	-	-	-	-	-
Wife	40	4	30	1	2	3	-	-	1
10 to 19 years	52	9	34	1	6	1	-	1	-
Husband	12	5	5	1	1	-	-	-	-
Wife	40	4	29	-	5	1	-	1	-
20 to 29 years	20	8	10	1	-	1	-	-	-
Husband	5	3	1	1	-	-	-	-	-
Wife	15	5	9	-	-	1	-	-	-
30 years and over	9	6	2	-	-	1	-	-	-
Husband	3	3	-	-	-	-	-	-	-
Wife	6	3	2	-	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	10.0	19.1	8.4	7.2	11.0	7.1	-	10.0	1.5
Number of Libels pending January 1, 1952									323
Number of Libels filed during the year 1952									293
Number of Divorces granted during the year 1952									175
Number of Divorces refused during the year 1952									6
Number of Libels contested during the year 1952									79
Number of Libels uncontested during the year 1952									121
Number of cases finally determined in 1952									250
Number of petitions for annulment in 1952									11

¹ One libel was received from the Superior Court; two hundred and forty-nine from the Probate Court. Seven decrees vacated. Forty-three libels dismissed under Rule 43 of the Probate Court.

Table 59c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
Bristol County.	586 ¹	118	405	28	18	13	1	3	6
Husband	148	47	78	20	2	-	1	-	1
Wife	438	71	327	8	16	13	-	3	5
Granted	496	111	332	25	16	9	-	3	5
Husband	114	42	53	17	2	-	-	-	1
Wife	382	69	279	8	14	9	-	3	4
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	90	7	73	3	2	4	1	-	1
Husband	34	5	25	3	-	-	1	-	-
Wife	56	2	48	-	2	4	-	-	1
Contested	23	1	18	4	-	-	-	-	2
Husband	13	1	8	4	-	-	-	-	-
Wife	10	-	10	-	-	-	-	-	2
Not Contested	563	117	387	24	18	13	1	3	4
Husband	135	46	70	16	2	-	1	-	1
Wife	428	71	317	8	16	13	-	3	3
DURATION OF MARRIAGE.									
Less than 6 months	4	-	4	-	-	-	-	-	-
Husband	4	-	4	-	-	-	-	-	-
Wife	4	-	4	-	-	-	-	-	-
6 to 11 months	18	-	18	-	-	-	-	-	-
Husband	2	-	2	-	-	-	-	-	-
Wife	16	-	16	-	-	-	-	-	-
1 to 4 years	178	12	149	8	5	2	1	1	5
Husband	46	7	30	7	1	-	1	-	1
Wife	132	5	119	1	4	2	-	1	4
5 to 9 years	160	36	101	9	6	7	-	1	1
Husband	42	15	20	7	-	-	-	-	-
Wife	118	21	81	2	6	7	-	1	1
10 to 19 years	144	42	85	9	5	2	-	1	-
Husband	37	12	18	6	1	-	-	-	-
Wife	107	30	67	3	4	2	-	1	-
20 to 29 years	66	18	42	2	2	2	-	-	-
Husband	16	9	7	-	-	-	-	-	-
Wife	50	9	35	2	2	2	-	-	-
30 years and over	16	10	6	-	-	-	-	-	-
Husband	5	4	1	-	-	-	-	-	-
Wife	11	6	5	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	10.1	14.9	8.8	9.0	10.4	9.4	4.2	5.9	2.9
Number of Libels pending January 1, 1952									345
Number of Libels filed during the year 1952									742
Number of Divorces granted during the year 1952									496
Number of Divorces refused during the year 1952									-
Number of Libels contested during the year 1952									23
Number of Libels uncontested during the year 1952									563
Number of cases finally determined in 1952									693
Number of petitions for annulment in 1952									7

¹ One libel was received from the Superior Court; six hundred and ninety-two from the Probate Court. One hundred and seven libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 59d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	
Dukes County.	17¹	4	13	-	-	-	-	-
Husband	3	1	2	-	-	-	-	-
Wife	14	3	11	-	-	-	-	-
Granted	16	4	12	-	-	-	-	-
Husband	3	1	2	-	-	-	-	-
Wife	13	3	10	-	-	-	-	-
Refused	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Dismissed	1	-	1	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-
Contested	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Not Contested	17	4	13	-	-	-	-	-
Husband	3	1	2	-	-	-	-	-
Wife	14	3	11	-	-	-	-	-
DURATION OF MARRIAGE.								
Less than 6 months	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
6 to 11 months	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
1 to 4 years	5	-	5	-	-	-	-	-
Husband	2	-	2	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-
5 to 9 years	6	2	4	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-
Wife	5	1	4	-	-	-	-	-
10 to 19 years	3	1	2	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	3	1	2	-	-	-	-	-
20 to 29 years	2	1	1	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	2	1	1	-	-	-	-	-
30 years and over	1	-	1	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Average number of years	10.6	13.3	9.8	-	-	-	-	-
Number of Libels pending January 1, 1952	19
Number of Libels filed during the year 1952	16
Number of Divorces granted during the year 1952	18
Number of Divorces refused during the year 1952	-
Number of Libels contested during the year 1952	-
Number of Libels uncontested during the year 1952	17
Number of cases finally determined in 1952	21
Number of petitions for annulment in 1952	-

¹ No libels were received from the Superior Court; twenty-one from the Probate Court. Four libels dismissed under Rule 43 of the Probate Court.

Table 59c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.	
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-tency.		Im-prison-ment.
Essex County.	672¹	221	423	16	8	2	-	2	9
Husband	161	98	48	12	3	-	-	-	6
Wife	511	123	375	4	5	-	-	2	3
Granted	617	207	386	14	6	2	-	2	9
Husband	136	88	36	10	2	-	-	-	6
Wife	481	119	350	4	4	2	-	2	3
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	55	14	37	2	2	-	-	-	-
Husband	25	10	12	2	1	-	-	-	-
Wife	30	4	25	-	1	-	-	-	-
Contested	68	16	48	2	2	-	-	-	1
Husband	30	11	16	2	1	-	-	-	-
Wife	38	5	32	-	1	-	-	-	1
Not Contested	604	205	375	14	6	2	-	2	8
Husband	131	87	32	10	2	-	-	-	6
Wife	473	118	343	4	4	2	-	2	2
DURATION OF MARRIAGE.									
Less than 6 months	5	-	5	-	-	-	-	-	2
Husband	1	-	1	-	-	-	-	-	1
Wife	4	-	4	-	-	-	-	-	1
6 to 11 months	6	-	6	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	6	-	6	-	-	-	-	-	-
1 to 4 years	155	19	128	5	2	-	-	1	7
Husband	38	14	19	4	1	-	-	-	5
Wife	117	5	109	1	1	-	-	1	2
5 to 9 years	217	63	144	7	1	1	-	1	-
Husband	49	28	14	6	1	-	-	-	-
Wife	168	35	130	1	-	1	-	1	-
10 to 19 years	169	62	99	4	3	1	-	-	-
Husband	38	26	9	2	1	-	-	-	-
Wife	131	36	90	2	2	1	-	-	-
20 to 29 years	81	49	31	-	1	-	-	-	-
Husband	24	20	4	-	-	-	-	-	-
Wife	57	29	27	-	1	-	-	-	-
30 years and over	39	28	10	-	1	-	-	-	-
Husband	11	10	1	-	-	-	-	-	-
Wife	28	18	9	-	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	11.2	16.1	8.8	6.8	14.0	8.0	-	4.5	1.9
Number of Libels pending January 1, 1952									1,280
Number of Libels filed during the year 1952									895
Number of Divorces granted during the year 1952									617
Number of Divorces refused during the year 1952									-
Number of Libels contested during the year 1952									68
Number of Libels uncontested during the year 1952									604
Number of cases finally determined in 1952									833
Number of petitions for annulment in 1952									11

¹ No libels were received from the Superior Court; eight hundred and thirty-three from the Probate Court. One hundred and sixty-one libels and two petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 59f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	
Franklin County.								
Husband	87 ¹	14	71	2	-	-	-	-
Wife	25	9	14	2	-	-	-	-
Granted	62	5	57	-	-	-	-	-
Husband	70	14	54	2	-	-	-	-
Wife	20	9	9	2	-	-	-	-
Refused	50	5	45	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Dismissed	17	-	17	-	-	-	-	-
Husband	5	-	5	-	-	-	-	-
Wife	12	-	12	-	-	-	-	-
Contested	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Not Contested	87	14	71	2	-	-	-	-
Husband	25	9	14	2	-	-	-	-
Wife	62	5	57	-	-	-	-	-
DURATION OF MARRIAGE.								
Less than 6 months	1	-	1	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-
6 to 11 months	7	-	7	-	-	-	-	-
Husband	2	-	2	-	-	-	-	-
Wife	5	-	5	-	-	-	-	-
1 to 4 years	21	-	20	1	-	-	-	-
Husband	5	-	4	1	-	-	-	-
Wife	16	-	16	-	-	-	-	-
5 to 9 years	28	6	22	-	-	-	-	-
Husband	8	5	3	-	-	-	-	-
Wife	20	1	19	-	-	-	-	-
10 to 19 years	17	3	13	1	-	-	-	-
Husband	5	2	2	1	-	-	-	-
Wife	12	1	11	-	-	-	-	-
20 to 29 years	10	3	7	-	-	-	-	-
Husband	4	2	2	-	-	-	-	-
Wife	6	1	5	-	-	-	-	-
30 years and over	3	2	1	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-
Wife	2	2	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Average number of years	9.7	16.5	8.3	11.2	-	-	-	-

Number of Libels pending January 1, 1952									114
Number of Libels filed during the year 1952									106
Number of Divorces granted during the year 1952									70
Number of Divorces refused during the year 1952									-
Number of Libels contested during the year 1952									-
Number of Libels uncontested during the year 1952									87
Number of cases finally determined in 1952									100
Number of petitions for annulment in 1952									-

¹ One libel was received from the Superior Court; ninety-nine from the Probate Court. One libel transferred. Twelve libels dismissed under Rule 43 of the Probate Court.

Table 59g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- pris- onment.	
Hampden County.									
Granted	504 ¹	58	401	3	34	3	2	3	10
Husband	136	15	115	1	4	-	1	-	4
Wife	368	43	286	2	30	3	1	3	6
Refused	411	52	318	3	30	3	2	3	10
Husband	102	15	82	1	3	-	1	-	4
Wife	309	37	236	2	27	3	1	3	6
Dismissed	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Contested	93	6	83	-	4	-	-	-	-
Husband	34	-	33	-	1	-	-	-	-
Wife	59	6	50	-	3	-	-	-	-
Not Contested	217	13	187	-	15	-	2	-	5
Husband	56	2	50	-	3	-	1	-	2
Wife	161	11	137	-	12	-	1	-	3
Average number of years	287	45	214	3	19	3	-	3	5
Husband	80	13	65	1	1	-	-	-	2
Wife	207	32	149	2	18	3	-	3	3
DURATION OF MARRIAGE.									
Less than 6 months	4	-	3	-	1	-	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	3	-	2	-	1	-	-	-	-
6 to 11 months	14	-	13	1	-	-	-	-	-
Husband	5	-	5	-	-	-	-	-	-
Wife	9	-	8	1	-	-	-	-	-
1 to 4 years	151	2	141	-	5	-	1	2	4
Husband	46	1	43	-	1	-	1	-	2
Wife	105	1	98	-	4	-	-	2	2
5 to 9 years	151	23	111	1	14	1	-	1	3
Husband	40	5	32	1	2	-	-	-	1
Wife	111	18	79	-	12	1	-	1	2
10 to 19 years	121	15	95	1	8	1	1	-	2
Husband	27	4	22	-	1	-	-	-	1
Wife	94	11	73	1	7	1	1	-	1
20 to 29 years	51	13	32	-	5	1	-	-	1
Husband	15	4	11	-	-	-	-	-	-
Wife	36	9	21	-	5	1	-	-	1
30 years and over	12	5	6	-	1	-	-	-	-
Husband	2	1	1	-	-	-	-	-	-
Wife	10	4	5	-	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.2	14.7	8.3	5.9	10.5	14.0	10.0	4.0	7.3
Number of Libels pending January 1, 1952	636
Number of Libels filed during the year 1952	1,034
Number of Divorces granted during the year 1952	411
Number of Divorces refused during the year 1952	-
Number of Libels contested during the year 1952	217
Number of Libels uncontested during the year 1952	287
Number of cases finally determined in 1952	662
Number of petitions for annulment in 1952	10

¹ No libels were received from the Superior Court; six hundred and sixty-two from the Probate Court. One hundred and fifty-eight libels dismissed under Rule 43 of the Probate Court.

Table 59h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	
Hampshire County.	73 ¹	13	53	5	2	-	-	-
Husband	22	8	10	4	-	-	-	-
Wife	51	5	43	1	2	-	-	-
Granted	61	10	46	3	2	-	-	-
Husband	15	5	7	3	-	-	-	-
Wife	46	5	39	-	2	-	-	-
Refused	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Dismissed	12	3	7	2	-	-	-	-
Husband	7	3	3	1	-	-	-	-
Wife	5	-	4	1	-	-	-	-
Contested	32	4	26	2	-	-	-	-
Husband	10	3	5	2	-	-	-	-
Wife	22	1	21	-	-	-	-	-
Not Contested	41	9	27	3	2	-	-	-
Husband	12	5	5	2	-	-	-	-
Wife	29	4	22	1	2	-	-	-
DURATION OF MARRIAGE.								
Less than 6 months	3	-	3	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-
6 to 11 months	4	-	4	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-
1 to 4 years	23	1	17	4	1	-	-	-
Husband	6	-	3	3	-	-	-	-
Wife	17	1	14	1	1	-	-	-
5 to 9 years	18	4	12	1	1	-	-	-
Husband	5	3	1	1	-	-	-	-
Wife	13	1	11	-	1	-	-	-
10 to 19 years	19	5	14	-	-	-	-	-
Husband	6	3	3	-	-	-	-	-
Wife	13	2	11	-	-	-	-	-
20 to 29 years	5	3	2	-	-	-	-	-
Husband	2	2	-	-	-	-	-	-
Wife	3	1	2	-	-	-	-	-
30 years and over	1	-	1	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Average number of years	8.7	14.8	7.8	3.8	5.0	-	-	-

Number of Libels pending January 1, 1952	176
Number of Libels filed during the year 1952	100
Number of Divorces granted during the year 1952	61
Number of Divorces refused during the year 1952	-
Number of Libels contested during the year 1952	32
Number of Libels uncontested during the year 1952	41
Number of cases finally determined in 1952	78
Number of petitions for annulment in 1952	-

¹ Forty-seven libels were received from the Superior Court; thirty-one from the Probate Court. One libe transferred. Four libels dismissed under Rule 43 of the Probate Court.

Table 591

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							An- nul- ments.	
	All causes.	Deser- tion.	Cruel and abusiv- e treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- ten- cy.		Im- pris- on- ment.
Middlesex County.	1,587¹	301	1,227	15	27	10	1	6	35
Husband	409	128	265	10	6	-	-	-	13
Wife	1,178	173	962	5	21	10	1	6	22
Granted	1,279	270	959	12	24	9	-	5	28
Husband	270	106	150	8	6	-	-	-	7
Wife	1,009	164	809	4	18	9	-	5	21
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	308	31	268	3	3	1	1	1	7
Husband	139	22	115	2	-	-	-	-	6
Wife	169	9	153	1	3	1	1	1	1
Contested	827	81	719	8	10	6	1	2	14
Husband	212	42	163	5	2	-	-	-	7
Wife	615	39	556	3	8	6	1	2	7
Not Contested	760	220	508	7	17	4	-	4	21
Husband	197	86	102	5	4	-	-	-	6
Wife	563	134	406	2	13	4	-	4	15
DURATION OF MARRIAGE.									
Less than 6 months	20	-	19	1	-	-	-	-	11
Husband	5	-	4	1	-	-	-	-	3
Wife	15	-	15	-	-	-	-	-	8
6 to 11 months	31	-	31	-	-	-	-	-	7
Husband	7	-	7	-	-	-	-	-	2
Wife	24	-	24	-	-	-	-	-	5
1 to 4 years	477	41	410	8	11	5	1	1	9
Husband	126	21	96	6	3	-	-	-	5
Wife	351	20	314	2	8	5	1	1	4
5 to 9 years	417	77	326	4	6	2	-	2	5
Husband	116	35	78	2	1	-	-	-	2
Wife	301	42	248	2	5	2	-	2	3
10 to 19 years	411	89	309	1	6	3	-	3	3
Husband	91	34	55	1	1	-	-	-	1
Wife	320	55	254	-	5	3	-	3	2
20 to 29 years	176	63	108	1	4	-	-	-	-
Husband	47	24	22	-	1	-	-	-	-
Wife	129	39	86	1	3	-	-	-	-
30 years and over	55	31	24	-	-	-	-	-	-
Husband	17	14	3	-	-	-	-	-	-
Wife	38	17	21	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	10.4	15.6	9.3	6.2	9.2	7.7	1.5	10.4	3.0
Number of Libels pending January 1, 1952									2,414
Number of Libels filed during the year 1952									1,899
Number of Divorces granted during the year 1952									1,279
Number of Divorces refused during the year 1952									-
Number of Libels contested during the year 1952									827
Number of Libels uncontested during the year 1952									760
Number of cases finally determined in 1952									1,932
Number of petitions for annulment in 1952									39

¹ Two libels were received from the Superior Court; one thousand, nine hundred and thirty from the Probate Court. One libel transferred. Three hundred and forty-four libels and four petitions for annulment dismissed under Rule 43 of the Probate Court.

LIBELS AND LIBELLANTS.	LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.							Annulments.
	CAUSES.							
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	
Nantucket County.								
Husband	11 ¹	4	7	-	-	-	-	-
Wife	3	3	-	-	-	-	-	-
Granted	8	1	7	-	-	-	-	-
Husband	9	3	6	-	-	-	-	-
Wife	2	2	-	-	-	-	-	-
Refused	7	1	6	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Dismissed	2	1	1	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-
Contested	1	1	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Not Contested	10	3	7	-	-	-	-	-
Husband	2	2	-	-	-	-	-	-
Wife	8	1	7	-	-	-	-	-
DURATION OF MARRIAGE.								
Less than 6 months	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
6 to 11 months	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
1 to 4 years	2	-	2	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-
5 to 9 years	4	2	2	-	-	-	-	-
Husband	2	2	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-
10 to 19 years	4	1	3	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-
20 to 29 years	1	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	1	1	-	-	-	-	-	-
30 years and over	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Average number of years	10.2	14.5	9.1	-	-	-	-	-
Number of Libels pending January 1, 1952								18
Number of Libels filed during the year 1952								9
Number of Divorces granted during the year 1952								9
Number of Divorces refused during the year 1952								-
Number of Libels contested during the year 1952								1
Number of Libels uncontested during the year 1952								10
Number of cases finally determined in 1952								11
Number of petitions for annulment in 1952								-

¹ No libels were received from the Superior Court; eleven from the Probate Court.

Table 59k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.									
Husband	484 ¹	59	417	1	5	1	-	1	9
Wife	121	17	102	1	1	-	-	-	4
Granted	363	42	315	-	4	1	-	1	5
Husband	404	56	341	1	4	1	-	1	7
Wife	84	14	69	1	-	-	-	-	3
Refused	320	42	272	-	4	1	-	1	4
Husband	13	2	11	-	-	-	-	-	-
Wife	5	2	3	-	-	-	-	-	-
Dismissed	8	-	8	-	-	-	-	-	-
Husband	67	1	65	-	1	-	-	-	2
Wife	32	1	30	-	1	-	-	-	1
Contested	35	-	35	-	-	-	-	-	1
Husband	32	2	30	-	-	-	-	-	1
Wife	10	2	8	-	-	-	-	-	1
Not Contested	22	-	22	-	-	-	-	-	-
Husband	452	57	387	1	5	1	-	1	8
Wife	111	15	94	1	1	-	-	-	3
DURATION OF MARRIAGE.	341	42	293	-	4	1	-	1	5
Less than 6 months	6	-	6	-	-	-	-	-	2
Husband	1	-	1	-	-	-	-	-	1
Wife	5	-	5	-	-	-	-	-	1
6 to 11 months	18	-	18	-	-	-	-	-	1
Husband	6	-	6	-	-	-	-	-	-
Wife	12	-	12	-	-	-	-	-	1
1 to 4 years	149	12	135	-	1	-	-	1	4
Husband	41	4	37	-	-	-	-	-	2
Wife	108	8	98	-	1	-	-	1	2
5 to 9 years	129	12	117	-	-	-	-	-	1
Husband	32	2	30	-	-	-	-	-	1
Wife	97	10	87	-	-	-	-	-	-
10 to 19 years	128	18	105	1	3	1	-	-	1
Husband	26	5	20	1	-	-	-	-	-
Wife	102	13	85	-	3	1	-	-	1
20 to 29 years	43	12	30	-	1	-	-	-	-
Husband	13	4	8	-	1	-	-	-	-
Wife	30	8	22	-	-	-	-	-	-
30 years and over	11	5	6	-	-	-	-	-	-
Husband	2	2	-	-	-	-	-	-	-
Wife	9	3	6	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	8.5	15.3	7.4	14.0	14.1	19.1	-	4.8	3.0

Number of Libels pending January 1, 1952	608
Number of Libels filed during the year 1952	574
Number of Divorces granted during the year 1952	404
Number of Divorces refused during the year 1952	13
Number of Libels contested during the year 1952	32
Number of Libels uncontested during the year 1952	452
Number of cases finally determined in 1952	604
Number of petitions for annulment in 1952	10

¹ One libel was received from the Superior Court; six hundred and three from the Probate Court. Four decrees vacated. One hundred and sixteen libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 591

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.	
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.		Imprisonment.
Plymouth County.	307¹	42	245	3	8	9	-	-	4
Husband	83	21	59	2	1	-	-	-	4
Wife	224	21	186	1	7	9	-	-	-
Granted	256	41	197	3	6	9	-	-	3
Husband	62	20	40	2	-	-	-	-	3
Wife	194	21	157	1	6	9	-	-	-
Refused	6	-	6	-	-	-	-	-	-
Husband	4	-	4	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-	-
Dismissed	45	1	42	-	2	-	-	-	1
Husband	17	1	15	-	1	-	-	-	1
Wife	28	-	27	-	1	-	-	-	-
Contested	151	11	132	1	4	3	-	-	2
Husband	37	6	29	1	1	-	-	-	2
Wife	114	5	103	-	3	3	-	-	-
Not Contested	156	31	113	2	4	6	-	-	2
Husband	46	15	30	1	-	-	-	-	2
Wife	110	16	83	1	4	6	-	-	-
DURATION OF MARRIAGE.									
Less than 6 months	4	-	4	-	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-	-
6 to 11 months	13	-	11	-	2	-	-	-	-
Husband	5	-	5	-	-	-	-	-	-
Wife	8	-	6	-	2	-	-	-	-
1 to 4 years	86	6	76	1	1	2	-	-	4
Husband	23	2	20	-	1	-	-	-	4
Wife	63	4	56	1	-	2	-	-	-
5 to 9 years	83	15	63	1	2	2	-	-	-
Husband	25	8	16	1	-	-	-	-	-
Wife	58	7	47	-	2	2	-	-	-
10 to 19 years	79	8	65	1	2	3	-	-	-
Husband	16	3	12	1	-	-	-	-	-
Wife	63	5	53	-	2	3	-	-	-
20 to 29 years	36	9	24	-	1	2	-	-	-
Husband	11	7	4	-	-	-	-	-	-
Wife	25	2	20	-	1	2	-	-	-
30 years and over	6	4	2	-	-	-	-	-	-
Husband	2	1	1	-	-	-	-	-	-
Wife	4	3	1	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.9	15.1	9.0	8.1	7.9	12.0	-	-	2.6

Number of Libels pending January 1, 1952									536
Number of Libels filed during the year 1952									451
Number of Divorces granted during the year 1952									256
Number of Divorces refused during the year 1952									6
Number of Libels contested during the year 1952									151
Number of Libels uncontested during the year 1952									156
Number of cases finally determined in 1952									390
Number of petitions for annulment in 1952									4

¹ No libels were received from the Superior Court; three hundred and ninety from the Probate Court. Eighty-three libels dismissed under Rule 43 of the Probate Court.

Table 59m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.	
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.		Imprisonment.
Suffolk County.	1,454¹	270	1,115	26	24	8	-	11	30
Husband	363	103	226	22	12	-	-	-	11
Wife	1,091	167	889	4	12	8	-	11	19
Granted	1,261	256	943	24	21	8	-	9	24
Husband	263	92	141	20	10	-	-	-	9
Wife	998	164	802	4	11	8	-	9	15
Refused	43	1	42	-	-	-	-	-	2
Husband	25	1	24	-	-	-	-	-	1
Wife	18	-	18	-	-	-	-	-	1
Dismissed	150	13	130	2	3	-	-	2	4
Husband	75	10	61	2	2	-	-	-	1
Wife	75	3	69	-	1	-	-	2	3
Contested	556	55	472	14	13	1	-	1	9
Husband	152	23	109	12	8	-	-	-	4
Wife	404	32	363	2	5	1	-	1	5
Not Contested	898	215	643	12	11	7	-	10	21
Husband	211	80	117	10	4	-	-	-	7
Wife	687	135	526	2	7	7	-	10	14
DURATION OF MARRIAGE.									
Less than 6 months	26	-	26	-	-	-	-	-	7
Husband	7	-	7	-	-	-	-	-	1
Wife	19	-	19	-	-	-	-	-	6
6 to 11 months	46	-	42	1	3	-	-	-	5
Husband	13	-	10	1	2	-	-	-	3
Wife	33	-	32	-	1	-	-	-	2
1 to 4 years	463	25	409	10	6	5	-	8	9
Husband	106	14	79	9	4	-	-	-	2
Wife	357	11	330	1	2	5	-	8	7
5 to 9 years	379	72	292	6	7	-	-	2	6
Husband	103	30	66	3	4	-	-	-	4
Wife	276	42	226	3	3	-	-	2	2
10 to 19 years	370	96	259	5	7	2	-	1	3
Husband	84	31	46	5	2	-	-	-	1
Wife	286	65	213	-	5	2	-	1	2
20 to 29 years	118	47	69	1	-	1	-	-	-
Husband	28	13	14	1	-	-	-	-	-
Wife	90	34	55	-	-	1	-	-	-
30 years and over	52	30	18	3	1	-	-	-	-
Husband	22	15	4	3	-	-	-	-	-
Wife	30	15	14	-	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.6	15.5	8.2	10.5	8.2	8.9	-	4.8	3.4
Number of Libels pending January 1, 1952									3,209
Number of Libels filed during the year 1952									2,020
Number of Divorces granted during the year 1952									1,261
Number of Divorces refused during the year 1952									43
Number of Libels contested during the year 1952									556
Number of Libels uncontested during the year 1952									898
Number of cases finally determined in 1952									1,927
Number of petitions for annulment in 1952									30

¹ No libels were received from the Superior Court; one thousand, nine hundred and twenty-seven from the Probate Court. Four hundred and seventy-three libels dismissed under Rule 43 of the Probate Court.

Table 59n

LABELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1952.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.	
	All causes.	Deser-tion.	Cruel and abusive treatment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Impo-ten-ty.		Im-prison-ment.
Worcester County.	891¹	90	756	8	22	15	-	-	19
Husband	252	47	198	3	4	-	-	-	7
Wife	639	43	558	5	18	15	-	-	12
Granted	726	87	600	6	19	14	-	-	16
Husband	175	45	125	2	3	-	-	-	5
Wife	551	42	475	4	16	14	-	-	11
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	165	3	156	2	3	1	-	-	3
Husband	77	2	73	1	1	-	-	-	2
Wife	88	1	83	1	2	1	-	-	1
Contested	367	23	329	3	8	4	-	-	3
Husband	114	14	97	1	2	-	-	-	1
Wife	253	9	232	2	6	4	-	-	2
Not Contested	524	67	427	5	14	11	-	-	16
Husband	138	33	101	2	2	-	-	-	6
Wife	386	34	326	3	12	11	-	-	10
DURATION OF MARRIAGE.									
Less than 6 months	18	-	18	-	-	-	-	-	5
Husband	8	-	8	-	-	-	-	-	1
Wife	10	-	10	-	-	-	-	-	4
6 to 11 months	38	-	34	1	2	1	-	-	3
Husband	6	-	6	-	-	-	-	-	3
Wife	32	-	28	1	2	1	-	-	-
1 to 4 years	293	7	272	2	7	5	-	-	8
Husband	79	3	74	1	1	-	-	-	2
Wife	214	4	198	1	6	5	-	-	6
5 to 9 years	212	19	182	2	6	3	-	-	3
Husband	68	12	54	1	1	-	-	-	1
Wife	144	7	128	1	5	3	-	-	2
10 to 19 years	202	24	172	1	2	3	-	-	-
Husband	45	6	38	1	-	-	-	-	-
Wife	157	18	134	-	2	3	-	-	-
20 to 29 years	92	29	56	2	3	2	-	-	-
Husband	34	18	14	-	2	-	-	-	-
Wife	58	11	42	2	1	2	-	-	-
30 years and over	36	11	22	-	2	1	-	-	-
Husband	12	8	4	-	-	-	-	-	-
Wife	24	3	18	-	2	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.8	18.0	8.8	9.3	10.1	10.9	-	-	2.1
Number of Libels pending January 1, 1952	777
Number of Libels filed during the year 1952	1,212
Number of Divorces granted during the year 1952	726
Number of Divorces refused during the year 1952	-
Number of Libels contested during the year 1952	367
Number of Libels uncontested during the year 1952	524
Number of cases finally determined in 1952	891
Number of petitions for annulment in 1952	19

¹ No libels were received from the Superior Court; eight hundred and ninety-one from the Probate Court.

Table 60		DIVORCES GRANTED: 1928 TO 1952.					
		YEARS.	Total number.	GRANTED TO HUSBAND.		GRANTED TO WIFE.	
				Number.	Per cent.	Number.	Per cent.
1928 to 1952		132,686	32,017	24.1	100,669	75.9	
1928		3,663	939	25.6	2,724	74.4	
1929		3,574	925	25.9	2,649	74.1	
1930		3,746	988	26.4	2,758	73.6	
1931		3,625	894	24.7	2,731	75.3	
1932		3,543	938	26.5	2,605	73.5	
1933		3,210	801	25.0	2,409	75.0	
1934		3,645	858	23.5	2,787	76.5	
1935		4,081	955	23.4	3,126	76.6	
1936		4,311	1,037	24.1	3,274	75.9	
1937		4,687	1,145	24.4	3,542	75.6	
1938		4,599	1,058	23.0	3,541	77.0	
1939		4,425	983	22.2	3,442	77.8	
1940		4,502	989	22.0	3,513	78.0	
1941		4,760	1,031	21.7	3,729	78.3	
1942		5,414	1,232	22.8	4,182	77.2	
1943		5,144	1,288	25.0	3,856	75.0	
1944		6,312	1,605	25.4	4,707	74.6	
1945		6,833	1,764	25.8	5,069	74.2	
1946		10,071	2,791	27.7	7,280	72.3	
1947		9,840	2,508	25.5	7,332	74.5	
1948		7,470	1,692	22.7	5,778	77.3	
1949		6,687	1,480	22.1	5,207	77.9	
1950		6,365	1,376	21.6	4,989	78.4	
1951		6,288	1,428	22.7	4,860	77.3	
1952		5,891	1,312	22.3	4,579	77.7	

Table 61		DIVORCES GRANTED: 1925 TO 1949.			
		PERIOD OF YEARS.	Total number.	INCREASE OVER PRECEDING PERIOD.	
				Number.	Per cent.
1925 to 1929		17,488	677 ¹	3.7 ¹	
1930 to 1934		17,769	281	1.6	
1935 to 1939		22,103	4,334	24.4	
1940 to 1944		26,132	4,029	18.2	
1945 to 1949		40,901	14,769	56.5	

¹ Decrease.

Table 62		COMPARISON OF INCREASE IN DIVORCE WITH INCREASE IN POPULATION: 1925 TO 1950.								
		DIVORCES.			POPULATION.			Population to one divorce.	Divorces per 100,000 population.	
		CENSUS YEARS.	Total number.	INCREASE OVER PRECEDING CENSUS YEAR.		Total.	INCREASE OVER PRECEDING CENSUS YEAR.			
				Number.	Per cent.		Number.			Per cent.
1925	3,395			252 ¹	6.9 ¹		4,144,205			291,849
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1		
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8		
1940	4,502	421	10.3	4,316,721	65,811 ¹	1.5 ¹	959	104.3		
1945	6,833	2,331	51.8	4,511,866	195,145	4.5	660	151.4		
1950	6,365	468 ¹	6.8 ¹	4,690,514	178,648	4.0	737	135.7		

¹ Decrease.

Table 63		DIVORCE RATES BASED ON TOTAL POPULATION AND ON MARRIED POPULATION: CENSUS YEARS, 1925 TO 1950.					
		POPULATION.		DIVORCE: ANNUAL AVERAGE. ¹		Married population to one divorce.	Divorces per 100,000 married population.
		Total.	Married. ²	Number.	Per 100,000 population.		
1925	4,144,205	-	3,538	83	-	-	
1930	4,249,614	1,740,235	3,630	85	479	209	
1935	4,350,910	-	3,987	92	-	-	
1940	4,316,721	1,867,437	4,741	110	394	254	
1945	4,511,866	-	7,640	169	-	-	
1950	4,690,514	2,227,463	6,540	139	341	294	

¹ For the five-year period of which the census year is the median year.

² Married population for 1925, 1935 and 1945 not available.

COUNTIES.	NUMBER.				
	1950.	1945.	1940.	1935.	1930.
	The State.	6,540	7,640	4,741	3,989
Barnstable	104	99	67	50	35
Berkshire	187	211	174	141	109
Bristol	559	738	375	299	281
Dukes	8	12	8	9	6
Essex	705	766	512	418	403
Franklin	76	83	45	40	31
Hampden	589	687	373	307	267
Hampshire	71	61	38	39	33
Middlesex	1,333	1,526	967	820	778
Nantucket	8	9	4	5	3
Norfolk	425	533	328	280	215
Plymouth	261	411	204	155	126
Suffolk	1,414	1,635	1,113	1,035	996
Worcester	800	869	533	391	348

¹ For the five-year period of which the census year is the median year.

STATUTORY CAUSES.	TOTAL.			GRANTED TO HUSBAND.			GRANTED TO WIFE.		
	Num-ber.	Per cent.	Per cent. distri-bution.	Num-ber.	Per cent.	Per cent. distri-bution.	Num-ber.	Per cent.	Per cent. distri-bution.
Cruel and abusive treatment	80,724	100.0	60.9	12,136	15.0	38.0	68,588	85.0	68.2
Desertion	39,474	100.0	29.8	15,712	39.8	49.1	23,762	60.2	23.6
Adultery	4,580	100.0	3.4	3,219	70.3	10.1	1,361	29.7	1.4
Intoxication	4,205	100.0	3.2	835	19.9	2.6	3,370	80.1	3.3
Non-support	2,804	100.0	2.1	-	-	-	2,804	100.0	2.8
Imprisonment	605	100.0	.5	19	3.1	.1	586	96.9	.6
Impotency	143	100.0	.1	47	32.9	.1	96	67.1	.1

¹ 2,773 Annulments not included.

YEARS DIVORCES WERE GRANTED.	STATUTORY CAUSES OF DIVORCE: 1928 TO 1952.								
	All causes.	Cruel and abusive treatment.	Deser-tion.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Im-prison-ment.	Impo-ten-cy.	An-nul-ment.
1928	3,663	1,463	1,625	254	146	112	17	3	43
1929	3,574	1,555	1,482	222	138	114	11	12	40
1930	3,746	1,647	1,581	235	126	100	6	10	41
1931	3,625	1,675	1,488	183	112	114	8	7	38
1932	3,543	1,686	1,421	172	131	104	19	10	56
1933	3,210	1,632	1,212	146	91	110	14	5	61
1934	3,645	1,952	1,367	105	93	105	22	1	58
1935	4,081	2,149	1,527	133	122	126	19	5	70
1936	4,311	2,321	1,575	153	134	101	23	4	79
1937	4,687	2,345	1,884	134	163	132	22	7	121
1938	4,599	2,474	1,706	123	165	109	18	4	81
1939	4,425	2,460	1,549	139	145	107	20	5	105
1940	4,502	2,531	1,488	137	179	133	29	5	93
1941	4,760	2,733	1,575	136	176	114	23	3	135
1942	5,414	3,068	1,839	141	214	116	30	6	97
1943	5,144	3,042	1,652	126	191	100	26	7	109
1944	6,312	3,835	1,925	183	224	114	26	5	118
1945	6,833	4,395	1,779	277	246	91	36	9	170
1946	10,071	6,765	2,200	556	335	174	33	8	276
1947	9,840	6,897	2,073	389	264	163	44	10	244
1948	7,470	5,421	1,463	191	223	126	41	5	183
1949	6,687	4,918	1,325	129	188	99	25	3	168
1950	6,365	4,684	1,299	115	137	91	37	2	150
1951	6,288	4,685	1,270	100	128	73	29	3	125
1952	5,891	4,391	1,169	101	134	70	27	2	112

Table 67

APPLICATIONS FOR DIVORCE: 1928 TO 1952.

YEARS OF APPLICATION.	Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
		Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.
	153,807	132,686	86.3	866	.5	20,255	13.2	48,847	31.8	104,960	68.2
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	-.1	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9
1940	4,966	4,502	90.7	2	-.1	462	9.3	1,345	27.1	3,621	72.9
1941	5,322	4,769	89.4	29	.6	533	10.0	1,536	28.9	3,786	71.1
1942	6,092	5,414	88.9	34	.5	644	10.6	1,893	31.1	4,199	68.9
1943	5,856	5,144	87.8	44	.8	668	11.4	1,927	32.9	3,929	67.1
1944	7,171	6,312	88.0	64	.9	795	11.1	2,469	34.4	4,702	65.6
1945	7,967	6,833	85.8	57	.7	1,077	13.5	2,791	35.0	5,176	65.0
1946	11,699	10,071	86.1	120	1.0	1,508	12.9	4,173	35.7	7,526	64.3
1947	11,459	9,840	85.9	59	.5	1,560	13.6	3,879	33.9	7,580	66.1
1948	8,691	7,470	85.9	24	.3	1,197	13.8	3,157	36.3	5,534	63.7
1949	7,840	6,687	85.3	27	.3	1,126	14.4	2,873	36.6	4,967	63.4
1950	7,357	6,365	86.5	80	1.1	912	12.4	2,652	36.0	4,705	64.0
1951	7,278	6,288	86.4	73	1.0	917	12.6	2,415	33.2	4,863	66.8
1952	7,003	5,891	84.1	68	1.0	1,044	14.9	2,398	34.2	4,605	65.8

¹ Less than one-tenth of one per cent.

Table 68

DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: 1952.

STATUTORY CAUSE AND PARTY TO WHICH GRANTED.	Total Number.	CASES CONTESTED.		CASES NOT CONTESTED.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	5,891	1,820	30.9	4,071	69.1
Husband	1,312	356	27.1	956	72.9
Wife	4,579	1,464	32.0	3,115	68.0
Desertion	1,169	163	13.9	1,006	86.1
Husband	465	66	14.2	399	85.8
Wife	704	97	13.8	607	86.2
Cruel and abusive treatment	4,391	1,560	35.5	2,831	64.5
Husband	747	254	34.0	493	66.0
Wife	3,644	1,306	35.8	2,338	64.2
Adultery	101	31	30.7	70	69.3
Husband	73	24	32.9	49	67.1
Wife	28	7	25.0	21	75.0
Intoxication	134	42	31.3	92	68.7
Husband	26	11	42.3	15	57.7
Wife	108	31	28.7	77	71.3
Non-support	70	20	28.6	50	71.4
Husband	-	-	-	-	-
Wife	70	20	28.6	50	71.4
Impotency	2	2	100.0	-	-
Husband	1	1	100.0	-	-
Wife	1	1	100.0	-	-
Imprisonment	24	2	8.3	22	91.7
Husband	-	-	-	-	-
Wife	24	2	8.3	22	91.7
Annulments	112	27	24.1	85	75.9
Husband	42	9	21.4	33	78.6
Wife	70	18	25.7	52	74.3

Table 69

LIBELS FOR DIVORCES GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: 1952.

PARTY TO WHICH GRANTED.	TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.
Total.	2,398	4,605	1,820	4,071	58	10	520	524
Husband	669	1,145	356	956	31	5	282	184
Wife	1,729	3,460	1,464	3,115	27	5	238	340

Table 70

NUMBER OF YEARS LIBELLANTS WERE MARRIED AT TIME OF APPLICATION FOR DIVORCE: 1928 TO 1952.

YEARS OF APPLICATION.	NUMBER OF YEARS LIBELLANTS WERE MARRIED AT TIME OF APPLICATION FOR DIVORCE: 1928 TO 1952.								
	Total. ¹	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1928	4,180	40	79	975	1,371	1,232	385	98	10.2
1929	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932	4,094	43	76	941	1,214	1,306	433	81	10.5
1933	3,731	25	66	881	1,162	1,135	383	79	10.4
1934	4,238	32	74	960	1,280	1,336	456	100	10.6
1935	4,726	52	81	1,054	1,436	1,517	478	108	10.6
1936	4,892	49	83	1,045	1,473	1,615	493	134	10.7
1937	5,216	39	92	1,113	1,528	1,758	546	140	10.7
1938	5,214	64	98	1,205	1,529	1,636	529	152	10.6
1939	4,918	47	101	1,180	1,398	1,509	558	125	10.7
1940	4,966	47	75	1,223	1,344	1,549	589	139	10.8
1941	5,322	45	87	1,286	1,508	1,631	612	153	10.8
1942	6,091	83	119	1,404	1,706	1,840	765	174	10.9
1943	5,856	78	110	1,261	1,627	1,832	765	183	11.0
1944	7,171	77	118	1,656	1,805	2,189	1,065	261	11.6
1945	7,967	100	151	2,166	1,971	2,276	1,024	279	10.6
1946	11,699	181	272	3,750	3,186	2,923	1,115	269	10.1
1947	11,459	199	333	3,362	3,252	2,887	1,124	302	9.6
1948	8,691	136	228	2,411	2,445	2,240	961	270	10.2
1949	7,840	114	194	2,312	2,051	2,084	831	254	10.1
1950	7,356	142	179	2,297	1,900	1,863	727	248	9.8
1951	7,278	107	161	2,271	1,916	1,855	738	230	9.9
1952	7,003	96	201	2,111	1,886	1,739	725	245	9.9

¹ Exclusive of those for which duration of marriage was unknown.

POPULATION STATISTICS

	PAGE
Introductory	320
Estimated population	320
Statistical tables	321, 322

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1952 in this report are based on the Federal census taken as of April 1, 1950.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,690,514 at the Federal census of 1950 (April 1), and of 4,316,721 at the Federal census of 1940 (April 1). The increase during the intercensal period (10 years) was 373,793, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4,690,514 - 4,316,721}{120} = 3,114.9$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1952 is estimated by adding to the population as it existed at the preceding census (April 1, 1950), 3,114.9 for each month intervening between the date of enumeration and the date for which the estimate is desired (July 1, 1952). There being 27 months between these dates, the calculation would be

$$4,690,514 + (27 \times 3,114.9) = 4,774,616$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1950 is shown on page 321.

MUNICIPALITIES.	CENSUS POPULATION OF MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1950: 1925 TO 1950.					
	April 1, 1950.	January 1, 1945.	April 1, 1940.	January 1, 1935.	April 1, 1930.	March 31, 1925.
The State.	4,690,514	4,493,281	4,316,721	4,350,910	4,249,614	4,144,205
CITIES OVER 100,000						
Boston	801,444	766,386	770,816	817,713	781,188	779,620
Worcester	203,486	198,741	193,694	190,471	195,311	190,757
Springfield	162,399	159,896	149,554	149,642	149,900	142,065
Cambridge	120,740	111,124	110,879	118,075	113,643	119,669
Fall River	111,963	115,062	115,428	117,414	115,274	128,993
New Bedford	109,189	110,308	110,341	110,022	112,597	119,539
Somerville	102,351	105,883	102,177	100,773	103,908	99,032
50,000 to 100,000						
Lynn	99,738	105,153	98,123	100,909	102,320	103,081
Lowell	97,249	101,229	101,389	100,114	100,234	110,296
Quincy	83,835	82,084	75,810	76,900	71,983	60,055
Newton	81,994	77,257	69,873	66,141	65,276	53,003
Lawrence	80,536	85,603	84,323	86,785	85,068	93,527
Medford	66,113	67,071	63,083	61,444	59,714	47,627
Brockton	62,860	65,202	62,343	62,407	63,797	65,343
Malden	59,804	59,567	58,010	57,277	58,036	51,789
Brookline (town)	57,589	56,940	49,786	50,319	47,490	42,681
Holyoke	54,661	53,775	53,750	56,139	56,537	60,335
Pittsfield	53,348	53,560	49,684	47,516	49,677	46,877
25,000 to 50,000						
Chicopee	49,211	44,626	41,664	41,952	43,930	41,882
Haverhill	47,280	46,162	46,752	49,516	48,710	49,232
Waltham	47,187	43,577	40,020	40,557	39,247	34,746
Everett	45,982	48,553	46,784	47,228	48,424	42,072
Arlington (town)	44,353	43,515	40,013	38,539	36,094	24,943
Fitchburg	42,691	43,770	41,824	41,700	40,692	43,609
Salem	41,880	42,833	41,213	43,472	43,353	42,821
Taunton	40,109	38,612	37,295	37,431	37,355	39,255
Chelsea	38,912	39,940	41,259	42,673	45,816	47,247
Watertown (town)	37,329	37,482	35,427	35,827	34,913	25,480
Revere	36,763	35,687	34,405	35,310	35,680	33,261
Weymouth (town)	32,690	27,957	23,868	21,748	20,882	17,253
Northampton	29,063	24,977	24,794	24,525	24,381	24,145
Beverly	28,884	26,814	25,537	25,871	25,086	22,685
Framingham (town)	28,086	25,502	23,214	22,651	22,210	21,078
Belmont (town)	27,381	28,866	26,867	24,831	21,748	15,256
Melrose	26,988	27,971	25,333	24,256	23,170	20,165
Gloucester	25,167	24,862	24,046	24,164	24,204	23,375
15,000 to 25,000						
Methuen (town)	24,477	23,160	21,880	21,073	21,069	20,606
Leominster	24,075	23,549	22,226	21,894	21,810	22,120
Attleboro	23,809	22,375	22,071	21,835	21,769	20,623
Braintree (town)	23,161	20,279	16,378	17,122	15,712	13,193
Peabody	22,645	22,303	21,711	22,082	21,345	19,870
Milton (town)	22,395	21,718	18,708	18,147	16,434	12,861
North Adams	21,567	22,230	22,213	22,085	21,621	22,717
Westfield	20,962	19,956	18,793	18,788	19,775	19,342
Wellesley (town)	20,549	17,581	15,127	13,376	11,439	9,049
Woburn	20,492	19,886	19,751	19,695	19,434	18,370
West Springfield (town)	20,438	19,453	17,135	17,118	16,684	15,326
Natick (town)	19,838	15,789	13,851	14,394	13,589	12,871
Wakefield (town)	19,633	18,677	16,223	16,494	16,318	15,711
Gardner	19,581	20,245	20,206	20,397	19,399	18,730
Winthrop (town)	19,496	18,696	16,768	17,001	16,852	16,158
Dedham (town)	18,487	16,659	15,508	15,371	15,136	13,918
Southbridge (town)	17,519	17,561	16,825	15,786	14,264	15,459
Greenfield (town)	17,349	17,020	15,672	15,993	15,500	15,246
Lexington (town)	17,335	14,452	13,187	10,813	9,467	7,785
Saugus (town)	17,162	16,662	14,825	15,076	14,700	12,743
Norwood (town)	16,636	16,508	15,383	15,574	15,049	14,151
Needham (town)	16,313	14,507	12,445	11,828	10,845	8,977
Marlborough	15,756	15,630	15,154	15,781	15,587	16,236
Danvers (town)	15,720	14,614	14,179	13,854	12,957	11,798
Winchester (town)	15,509	15,300	15,081	13,371	12,719	11,565
Milford (town)	15,442	15,801	15,388	15,008	14,741	14,781

Table 72

ESTIMATED POPULATION BY AGE AND SEX: JULY 1, 1952

AGE AND YEAR.	ESTIMATED POPULATION BY AGE AND SEX: JULY 1, 1952		
	Total Number.	Males.	Females.
1952.			
All Ages.	4,774,616	2,310,914	2,463,702
Under 1 Year	85,466	43,466	42,000
1 to 4 years	371,465	189,868	181,597
5 to 9 years	370,510	189,750	180,760
10 to 14 years	300,801	153,458	147,343
15 to 19 years	314,170	154,306	159,864
20 to 24 years	357,619	174,925	182,694
25 to 29 years	381,969	186,832	195,137
30 to 34 years	364,303	176,736	187,567
35 to 39 years	348,547	166,524	182,023
40 to 44 years	323,242	154,559	168,683
45 to 49 years	296,981	142,006	154,975
50 to 54 years	292,206	138,847	153,359
55 to 59 years	265,946	127,703	138,243
60 to 64 years	224,884	107,319	117,565
65 to 69 years	184,300	83,168	101,132
70 to 74 years	132,734	57,125	75,609
75 to 84 years	135,122	55,719	79,403
85 years and over	24,351	8,603	15,748
Unknown	-	-	-

APPENDIX

INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES,
INJURIES, AND CAUSES OF DEATH
1. DETAILED INTERNATIONAL LIST
2. ABBREVIATED LIST

INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

There are two separate and distinct classifications of causes of death embodied in the International List of Diseases, Injuries, and Causes of Death; these are the detailed and abbreviated International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abbreviated list are grouped together for presentation. The majority of the titles of the abbreviated list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, October 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the fourth revision number 214, compared with 179 in the first, 189 in the second, and 205 in the third classification. The fifth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1933. Compiled under the auspices of the World Health Organization by a group of recognized experts on health statistics, the Classification was unanimously accepted by the Sixth Decennial Revision Conference, held in Paris in April, 1948.

The following table shows each title of the Detailed International List:—

1. DETAILED INTERNATIONAL LIST.

- | | |
|---|--|
| <p>I. INFECTIVE AND PARASITIC DISEASES</p> <p>001. Respiratory tuberculosis with mention of occupational disease of lung.</p> <p>002. Pulmonary tuberculosis.</p> <p>003. Pleural tuberculosis.
(0) Pleurisy specified as tuberculous.
(1) Pleurisy with effusion without mention of cause.</p> <p>004. Primary tuberculosis complex with symptoms.</p> <p>005. Tracheobronchial glandular tuberculosis with symptoms.</p> <p>006. Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere.</p> <p>007. Other respiratory tuberculosis.</p> <p>008. Tuberculosis, unspecified site.</p> <p>010. Tuberculosis of meninges and central nervous system.</p> <p>011. Tuberculosis of intestines, peritoneum, and mesenteric glands.</p> <p>012. Tuberculosis of bones and joints, active or unspecified.
(0) Active or unspecified tuberculosis of vertebral column.
(1) Active or unspecified tuberculosis of hip.
(2) Active or unspecified tuberculosis of knee.
(3) Active or unspecified tuberculosis of other and unspecified bones and joints.</p> <p>013. Late effects of tuberculosis of bones and joints.
(0) Late effects of tuberculosis of vertebral column.
(1) Late effects of tuberculosis of hip.
(2) Late effects of tuberculosis of knee.
(3) Late effects of tuberculosis of other and unspecified bones and joints.</p> <p>014. Tuberculosis of skin and subcutaneous cellular tissue.</p> | <p>I. INFECTIVE AND PARASITIC DISEASES.—Cont</p> <p>(0) Primary tuberculosis of skin.
(1) Erythema nodosum specified as tuberculous.
(2) Lupus.
(3) Other.</p> <p>015. Tuberculosis of lymphatic system.</p> <p>016. Tuberculosis of genito-urinary system.</p> <p>017. Tuberculosis of adrenal glands.</p> <p>018. Tuberculosis of other organs.
(0) Tuberculosis of eye.
(1) Tuberculosis of ear.
(2) Other.</p> <p>019. Disseminated tuberculosis.
(0) Acute miliary tuberculosis specified as nonpulmonary.
(1) Acute miliary tuberculosis, unspecified.
(2) Other forms of disseminated tuberculosis.</p> <p>020. Congenital syphilis.
(0) Interstitial keratitis.
(1) Juvenile neurosyphilis.
(2) Other.</p> <p>021. Early syphilis.
(0) Primary syphilis, except extragenital chancre.
(1) Extragenital chancre.
(2) Secondary syphilis.
(3) Early syphilis, relapse following treatment.
(4) Early syphilis, unspecified stage.</p> <p>022. Aneurysm of aorta.</p> <p>023. Other cardiovascular syphilis.</p> <p>024. Tabes dorsalis.</p> <p>025. General paralysis of insane.</p> <p>026. Other syphilis of central nervous system.</p> <p>027. Other forms of late syphilis.</p> <p>028. Latent syphilis.
(0) Early latent.</p> |
|---|--|

DETAILED INTERNATIONAL LIST — *Continued.*

I. INFECTIVE AND PARASITIC DISEASES.

—*Cont.*

- (.1) Late latent.
 (.2) Unspecified.
029. Syphilis, unqualified.
030. Acute or unspecified gonorrhoea.
031. Chronic gonococcal infection of genito-urinary system.
032. Gonococcal infection of joint.
033. Gonococcal infection of eye.
034. Gonococcal infection of other sites.
035. Late effects of gonococcal infection.
036. Chancroid.
037. Lymphogranuloma venereum.
038. Granuloma inguinale, venereal.
039. Other and unspecified venereal diseases.
040. Typhoid fever.
041. Paratyphoid fever.
042. Other Salmonella infections.
 (.0) Without mention of food as vehicle of infection.
 (.1) With food as vehicle of infection.
043. Cholera.
044. Brucellosis (undulant fever).
045. Bacillary dysentery.
 (.0) Flexner-Boyd group.
 (.1) Schmitz.
 (.2) Shiga.
 (.3) Sonne.
 (.4) Other and unspecified.
046. Ameliasis.
 (.0) Without mention of liver abscess.
 (.1) With liver abscess.
047. Other protozoal dysentery.
048. Unspecified forms of dysentery.
049. Food poisoning (infection and intoxication).
 (.0) Staphylococcal.
 (.1) Botulism.
 (.2) Unspecified.
050. Scarlet fever.
051. Streptococcal sore throat.
052. Erysipelas.
053. Septicemia and pyemia.
 (.0) Streptococcus.
 (.1) Staphylococcus.
 (.2) Pneumococcus.
 (.3) Other specified organism.
 (.4) Organism unspecified.
054. Bacterial toxemia.
055. Diphtheria.
056. Whooping cough.
 (.0) Without mention of pneumonia.
 (.1) With pneumonia.
057. Meningococcal infections.
 (.0) Meningococcal meningitis.
 (.1) Acute and unspecified meningococemia.
 (.2) Chronic meningococemia.
 (.3) Other forms of meningococcal infection.
058. Plague.
 (.0) Bubonic.
 (.1) Pneumonic.
 (.2) Other.
059. Tularemia.
060. Leprosy.
 (.0) Lepromatous leprosy.
 (.1) Neuroleprosy.
 (.2) Mixed.
 (.3) Unspecified.
061. Tetanus.
062. Anthrax.
063. Gas gangrene.
064. Other bacterial diseases.
 (.0) Epidemic arthritic erythema.
 (.1) Rat-bite fever due to *Streptobacillus moniliformis*.
 (.2) Glanders.
 (.3) Melioidosis.
 (.4) Other.
070. Vincent's infection.
071. Relapsing fever.
 (.0) Louse-borne.
 (.1) Tick-borne.
 (.2) Unspecified.
072. Leptospirosis icterohemorrhagica (Weill's disease).
073. Yaws.

I. INFECTIVE AND PARASITIC DISEASES.

—*Cont.*

074. Other spirochetal and leptospirochetal infections.
 (.0) Rat-bite fever due to *Spirocheta morus muris* (Sodoku).
 (.1) Other.
080. Acute poliomyelitis.
 (.0) Specified as bulbar or polioencephalitis.
 (.1) With other paralysis.
 (.2) Specified as nonparalytic.
 (.3) Unspecified.
081. Late effects of acute poliomyelitis.
082. Acute infectious encephalitis.
083. Late effects of acute infectious encephalitis.
 (.0) Postencephalitic Parkinsonism.
 (.1) Postencephalitic personality and character disorders.
 (.2) Postencephalitic psychosis.
 (.3) Other postencephalitic conditions.
084. Smallpox.
085. Measles.
 (.0) Without mention of pneumonia.
 (.1) With pneumonia.
086. Rubella (German measles).
087. Chickenpox.
088. Herpes zoster.
089. Mumps.
090. Dengue.
091. Yellow fever.
092. Infectious hepatitis.
093. Glandular fever (infectious mononucleosis).
094. Rabies.
095. Trachoma.
096. Other diseases attributable to viruses.
 (.0) Herpes febrilis.
 (.1) Infectious keratoconjunctivitis.
 (.2) Psittacosis and ornithosis.
 (.3) Cowpox.
 (.4) Epidemic hemorrhagic.
 (.5) Epidemic myalgia (Bornholm disease).
 (.6) Foot and mouth disease.
 (.7) Sandfly fever.
 (.8) Rift Valley fever.
 (.9) Other.
100. Louse-borne epidemic typhus.
101. Flea-borne endemic typhus (murine).
102. Brill's disease, not specified as louse- or flea-borne typhus.
103. Tabardillo (Mexican typhus), not specified as louse- or flea-borne.
104. Tick-borne typhus.
105. Mite-borne typhus.
106. Wolynian fever (trench fever).
107. Typhus, unspecified.
108. Other rickettsial diseases.
110. Vivax malaria (benign tertian).
111. Malariae malaria (quartan).
112. Falciparum malaria (malignant tertian).
113. Ovale malaria.
114. Mixed malarial infections.
115. Blackwater fever.
116. Other and unspecified forms of malaria.
117. Recurrent induced malaria.
120. Leishmaniasis.
 (.0) Visceral (Kala-azar).
 (.1) Cutaneous (Oriental sore).
 (.2) Mucocutaneous (American).
 (.3) Unspecified.
121. Trypanosomiasis.
 (.0) African (sleeping sickness).
 (.1) South American (Chagas' disease).
 (.2) Other.
122. Other protozoal diseases.
 (.0) Coccidiosis.
 (.1) Toxoplasmosis.
 (.2) Other.
123. Schistosomiasis.
 (.0) Vesical (*S. hematobium*).
 (.1) Intestinal (*S. mansoni*).
 (.2) Pulmonary (*S. japonicum*).
 (.3) Other and unspecified.
124. Other trematode infestation.
 (.0) Clonorchiasis.
 (.1) Paragonimiasis.
 (.2) Other.
125. Hydatid disease.
126. Other cestode infestation.

DETAILED INTERNATIONAL LIST — *Continued.*I. INFECTIVE AND PARASITIC DISEASES.—*Cont.*

127. Filariasis.
 128. Trichiniasis.
 129. Ankylostomiasis.
 130. Infestation with worms of other, mixed, and unspecified type.
 (.0) Ascariasis.
 (.1) Oxyuriasis.
 (.2) Mixed intestinal helminth infestation.
 (.3) Other.
 131. Dermatophytosis.
 132. Actinomycosis.
 133. Coccidioidomycosis.
 134. Other fungus infections.
 (.0) Blastomycosis.
 (.1) Cryptococcosis (torulosis).
 (.2) Histoplasmosis.
 (.3) Moniliasis.
 (.4) Sporotrichosis.
 (.5) Other.
 135. Scabies.
 136. Pediculosis.
 137. Other arthropod infestation.
 138. Other infective and parasitic diseases.
 (.0) Sarcoid of Boeck.
 (.1) Other.

II. NEOPLASMS.

140. Malignant neoplasm of lip.
 141. Malignant neoplasm of tongue.
 142. Malignant neoplasm of salivary gland.
 (.0) Mixed salivary gland tumor.
 (.1) Other.
 143. Malignant neoplasm of floor of mouth.
 144. Malignant neoplasm of other parts of mouth and mouth unspecified.
 145. Malignant neoplasm of oral mesopharynx.
 146. Malignant neoplasm of nasopharynx.
 147. Malignant neoplasm of hypopharynx.
 148. Malignant neoplasm of pharynx, unspecified.
 150. Malignant neoplasm of esophagus.
 151. Malignant neoplasm of stomach.
 152. Malignant neoplasm of small intestine, including duodenum.
 153. Malignant neoplasm of large intestine, except rectum.
 154. Malignant neoplasm of rectum.
 155. Malignant neoplasm of biliary passages and of liver (primary).
 156. Malignant neoplasm of liver (secondary and unspecified).
 (.1) Unspecified.
 (.2) Secondary.
 157. Malignant neoplasm of pancreas.
 158. Malignant neoplasm of peritoneum.
 159. Malignant neoplasm of unspecified digestive organs.
 160. Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses.
 161. Malignant neoplasm of larynx.
 162. Malignant neoplasm of trachea, and of bronchus and lung (primary).
 163. Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary.
 164. Malignant neoplasm of mediastinum.
 165. Malignant neoplasm of thoracic organs (secondary).
 170. Malignant neoplasm of breast.
 171. Malignant neoplasm of cervix uteri.
 172. Malignant neoplasm of corpus uteri.
 173. Malignant neoplasm of other parts of uterus, including chorio-epithelioma.
 174. Malignant neoplasm of uterus, unspecified.
 175. Malignant neoplasm of ovary, Fallopian tube, and broad ligament.
 176. Malignant neoplasm of other and unspecified female genital organs.
 177. Malignant neoplasm of prostate.
 178. Malignant neoplasm of testis.
 179. Malignant neoplasm of other and unspecified male genital organs.
 180. Malignant neoplasm of kidney.
 181. Malignant neoplasm of bladder and other urinary organs.
 190. Malignant melanoma of skin.
 191. Other malignant neoplasm of skin.
 192. Malignant neoplasm of eye.

II. NEOPLASMS.—*Cont.*

193. Malignant neoplasm of brain and other parts of nervous system.
 194. Malignant neoplasm of thyroid gland.
 195. Malignant neoplasm of other endocrine glands.
 196. Malignant neoplasm of bone (including jaw bone).
 197. Malignant neoplasm of connective tissue.
 198. Secondary and unspecified malignant neoplasm of lymph nodes.
 (.1) Unspecified.
 (.2) Secondary.
 199. Malignant neoplasm of other and unspecified sites.
 (.1) Malignant neoplasm of other specified sites (primary).
 (.2) Malignant neoplasm (primary), site unspecified.
 (.3) Malignant neoplasm of small intestine, including duodenum, (secondary).
 (.4) Malignant neoplasm of large intestine, except rectum (secondary).
 (.5) Malignant neoplasm of brain and other parts of nervous system (secondary).
 (.6) Malignant neoplasm of bone (including jaw bone) (secondary).
 (.7) Malignant neoplasm of any other site except liver, thoracic organs and lymph nodes (secondary).
 (.8) Generalized and secondary malignant neoplasm of multiple specified sites, with primary site not indicated.
 (.9) Generalized or disseminated malignant neoplasm (primary) (secondary), site unspecified.
 200. Lymphosarcoma and reticulosarcoma.
 (.0) Reticulum cell sarcoma.
 (.1) Lymphosarcoma.
 (.2) Other primary malignant neoplasms of lymphoid tissue.
 201. Hodgkin's disease.
 202. Other forms of lymphoma (reticulosis).
 (.0) Giant follicular lymphoma (Brill-Symmer's disease).
 (.1) Other.
 203. Multiple myeloma (plasmocytoma).
 204. Leukemia and aleukemia.
 (.0) Lymphatic leukemia.
 (.1) Myeloid leukemia.
 (.2) Monocytic leukemia.
 (.3) Acute leukemia, unspecified type.
 (.4) Other and unspecified leukemia.
 205. Mycosis fungoides.
 210. Benign neoplasm of buccal cavity and pharynx.
 211. Benign neoplasm of other parts of digestive system.
 212. Benign neoplasm of respiratory system.
 213. Benign neoplasm of breast.
 214. Uterine fibromyoma.
 215. Other benign neoplasm of uterus.
 216. Benign neoplasm of ovary.
 217. Benign neoplasm of other female genital organs.
 218. Benign neoplasm of male genital organs.
 219. Benign neoplasm of kidney and other urinary organs.
 220. Benign melanoma of skin.
 221. Pilonidal cyst.
 222. Other benign neoplasm of skin.
 223. Benign neoplasm of brain and other parts of nervous system.
 224. Benign neoplasm of endocrine glands.
 225. Benign neoplasm of bone and cartilage.
 226. Lipoma.
 227. Other benign neoplasm of muscular and connective tissue.
 228. Hemangioma and lymphangioma.
 229. Benign neoplasm of other and unspecified organs and tissues.
 230. Neoplasm of unspecified nature of digestive organs.
 231. Neoplasm of unspecified nature of respiratory organs.
 232. Neoplasm of unspecified nature of breast.
 233. Neoplasm of unspecified nature of uterus.
 234. Neoplasm of unspecified nature of ovary.
 235. Neoplasm of unspecified nature of other female genital organs.

DETAILED INTERNATIONAL LIST — *Continued.*II. NEOPLASMS.—*Cont.*

236. Neoplasm of unspecified nature of other genito-urinary organs.
 237. Neoplasm of unspecified nature of brain and other parts of nervous system.
 238. Neoplasm of unspecified nature of skin and musculoskeletal system.
 239. Neoplasm of unspecified nature of other and unspecified organs.

III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.

240. Hay fever.
 241. Asthma.
 242. Angioneurotic edema.
 243. Urticaria.
 244. Allergic eczema.
 245. Other allergic disorders.
 250. Simple goiter.
 251. Nontoxic nodular goiter.
 252. Thyrotoxicosis with or without goiter.
 (0) Toxic diffuse goiter.
 (1) Toxic nodular goiter.
 253. Myxedema and cretinism.
 254. Other diseases of thyroid gland.
 260. Diabetes mellitus.
 270. Disorders of pancreatic internal secretion other than diabetes mellitus.
 271. Diseases of parathyroid gland.
 (0) Hyperparathyroidism.
 (1) Hypoparathyroidism.
 (2) Other and unspecified.
 272. Diseases of pituitary gland.
 273. Diseases of thymus gland.
 274. Diseases of adrenal glands.
 275. Ovarian dysfunction.
 276. Testicular dysfunction.
 277. Polyglandular dysfunction and other diseases of endocrine glands.
 280. Beriberi.
 281. Pellagra.
 282. Scurvy.
 283. Active rickets.
 284. Late effects of rickets.
 285. Osteomalacia.
 286. Other avitaminoses and nutritional deficiency states.
 (0) Steatorrhea and sprue.
 (1) Vitamin A deficiency.
 (2) Vitamin B deficiency, except beriberi and pellagra.
 (3) Vitamin C deficiency, except scurvy.
 (4) Vitamin D deficiency, except rickets and osteomalacia.
 (5) Malnutrition, unqualified.
 (6) Other and multiple deficiency states.
 287. Obesity, not specified as of endocrine origin.
 288. Gout.
 289. Other metabolic diseases.
 (0) Lipidosis (disturbance of lipid metabolism).
 (1) Amyloidosis.
 (2) Other.

IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.

290. Pernicious and other hyperchromic anemias.
 (0) Pernicious anemia.
 (1) Subacute combined degeneration of spinal cord.
 (2) Other hyperchromic anemias.
 291. Iron deficiency anemias (hypochromic anemias).
 292. Other anemias of specified type.
 (0) Familial acholuric jaundice.
 (1) Acute hemolytic anemias.
 (2) Other hemolytic anemias.
 (3) Leuko-erythroblastic anemia.
 (4) Aplastic anemia.
 (5) Nonregenerative anemia.
 (6) Sickle cell anemia.
 (7) Other specified anemias.
 293. Anemia of unspecified type.
 294. Polycythemia.
 295. Hemophilia.
 296. Purpura and other hemorrhagic conditions.

IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.—*Cont.*

297. Agranulocytosis.
 298. Diseases of spleen.
 (0) Hepatosplenic fibrosis.
 (1) Other.
 299. Other diseases of blood and blood-forming organs.

V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.

300. Schizophrenic disorders (dementia praecox).
 (0) Simple type.
 (1) Hebephrenic type.
 (2) Catatonic type.
 (3) Paranoid type.
 (4) Acute schizophrenic reaction.
 (5) Latent schizophrenia.
 (6) Schizo-affective psychosis.
 (7) Other and unspecified.
 301. Manic-depressive reaction.
 (0) Manic and circular.
 (1) Depressive.
 (2) Other.
 302. Involutional melancholia.
 303. Paranoia and paranoid states.
 304. Senile psychosis.
 305. Presenile psychosis.
 306. Psychosis with cerebral arteriosclerosis.
 307. Alcoholic psychosis.
 308. Psychosis of other demonstrable etiology.
 (0) Resulting from brain tumor.
 (1) Resulting from epilepsy and other convulsive disorders.
 (2) Other.
 309. Other and unspecified psychoses.
 310. Anxiety reaction without mention of somatic symptoms.
 311. Hysterical reaction without mention of anxiety reaction.
 312. Phobic reaction.
 313. Obsessive-compulsive reaction.
 314. Neurotic-depressive reaction.
 315. Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system.
 (0) Neurocirculatory asthenia.
 (1) Other heart manifestations specified as of psychogenic origin.
 (2) Other circulatory manifestations of psychogenic origin.
 316. Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system.
 (0) Mucous colitis specified as of psychogenic origin.
 (1) Irritability of colon specified as of psychogenic origin.
 (2) Gastric neuroses.
 (3) Other digestive manifestations specified as of psychogenic origin.
 317. Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems.
 (0) Psychogenic reactions affecting respiratory system.
 (1) Psychogenic reactions affecting genito-urinary system.
 (2) Pruritus of psychogenic origin.
 (3) Other cutaneous neuroses.
 (4) Psychogenic reactions affecting musculoskeletal system.
 (5) Psychogenic reactions affecting other systems.
 318. Psychoneurotic disorders, other, mixed, and unspecified types.
 (0) Hypochondriacal reaction.
 (1) Depersonalization.
 (2) Occupational neurosis.
 (3) Asthenic reaction.
 (4) Mixed.
 (5) Of other and unspecified types.
 320. Pathological personality.
 (0) Schizoid personality.
 (1) Paranoid personality.
 (2) Cyclothymic personality.
 (3) Inadequate personality.
 (4) Antisocial personality.

DETAILED INTERNATIONAL LIST — *Continued.*V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.—*Cont.*

- (.5) Asocial personality.
- (.6) Sexual deviation.
- (.7) Other and unspecified.
- 321. Immature personality.
 - (.0) Emotional instability.
 - (.1) Passive dependency.
 - (.2) Aggressiveness.
 - (.3) Enuresis characterizing immature personality.
 - (.4) Other symptomatic habits except speech impediments.
 - (.5) Other and unspecified.
- 322. Alcoholism.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 323. Other drug addiction.
- 324. Primary childhood behavior disorders.
- 325. Mental deficiency.
 - (.0) Idiocy.
 - (.1) Imbecility.
 - (.2) Moron.
 - (.3) Borderline intelligence.
 - (.4) Mongolism.
 - (.5) Other and unspecified types.
- 326. Other and unspecified character, behavior, and intelligence disorders.
 - (.0) Specific learning defects.
 - (.1) Stammering and stuttering of non-organic origin.
 - (.2) Other speech impediments of non-organic origin.
 - (.3) Acute situational maladjustment.
 - (.4) Other and unspecified.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.

- 330. Subarachnoid hemorrhage.
- 331. Cerebral hemorrhage.
- 332. Cerebral embolism and thrombosis.
- 333. Spasm of cerebral arteries.
- 334. Other and ill-defined vascular lesions affecting central nervous system.
- 340. Meningitis, except meningococcal and tuberculous.
 - (.0) Hemophilus influenzae.
 - (.1) Pneumococcus.
 - (.2) Due to other specified organism.
 - (.3) Unspecified cause.
- 341. Phlebitis and thrombophlebitis of intracranial venous sinuses.
- 342. Intracranial and intraspinal abscess.
- 343. Encephalitis, myelitis, and encephalomyelitis (except acute infectious).
- 344. Late effects of intracranial abscess or pyogenic infection.
- 345. Multiple sclerosis.
- 350. Paralysis agitans.
- 351. Cerebral spastic infantile paralysis.
- 352. Other cerebral paralysis.
- 353. Epilepsy.
 - (.0) Petit mal.
 - (.1) Grand mal.
 - (.2) Status epilepticus.
 - (.3) Other and unspecified.
- 354. Migraine.
- 355. Other diseases of brain.
- 356. Motor neurone disease and muscular atrophy.
 - (.0) Progressive muscular atrophy.
 - (.1) Amyotrophic lateral sclerosis.
 - (.2) Spinal type of muscular atrophy.
 - (.3) Other and unspecified manifestations.
- 357. Other diseases of spinal cord.
- 360. Facial paralysis.
- 361. Trigeminal neuralgia.
- 362. Brachial neuritis.
- 363. Sciatica.
- 364. Polyneuritis and polyradiculitis.
- 365. Erythroedema polyneuritica.
- 366. Other and unspecified forms of neuralgia and neuritis.
- 367. Other diseases of cranial nerves.
- 368. Other diseases of peripheral nerves except autonomic.
- 369. Diseases of peripheral autonomic nervous system.
- 370. Conjunctivitis and ophthalmia.
- 371. Blepharitis.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.—*Cont.*

- 372. Hordeolum (sty).
- 373. Iritis.
- 374. Keratitis.
- 375. Choroiditis.
- 376. Other inflammation of uveal tract.
- 377. Inflammation of optic nerve and retina.
- 378. Inflammation of lachrymal glands and ducts.
- 379. Other inflammatory diseases of eye.
- 380. Refractive errors.
- 381. Corneal ulcer.
- 382. Corneal opacity.
- 383. Pterygium.
- 384. Strabismus.
- 385. Cataract.
- 386. Detachment of retina.
- 387. Glaucoma.
- 388. Other diseases of eye.
- 389. Blindness.
 - (.0) Both eyes, specifically defined.
 - (.1) Both eyes, not specifically defined.
 - (.2) One eye, specifically defined.
 - (.3) One eye, not specifically defined.
- 390. Otitis externa.
- 391. Otitis media without mention of mastoiditis.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 392. Otitis media with mastoiditis.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 393. Mastoiditis without mention of otitis media.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 394. Other inflammatory diseases of ear.
- 395. Ménière's disease.
- 396. Other diseases of ear and mastoid process.
- 397. Deaf mutism.
- 398. Other deafness.
 - (.0) Deafness, both ears.
 - (.1) Deafness, one ear, and partial deafness in other.
 - (.2) Deafness, one ear.
 - (.3) Impairment of hearing, one or both ears.

VII. DISEASES OF THE CIRCULATORY SYSTEM.

- 400. Rheumatic fever without mention of heart involvement.
- 401. Rheumatic fever with heart involvement.
 - (.0) Active rheumatic pericarditis.
 - (.1) Active rheumatic endocarditis.
 - (.2) Active rheumatic myocarditis.
 - (.3) Active rheumatic fever with other and multiple types of heart involvement.
- 402. Chorea.
 - (.0) Without mention of heart involvement.
 - (.1) With heart involvement.
- 410. Diseases of mitral valve.
- 411. Diseases of aortic valve (rheumatic).
- 412. Diseases of tricuspid valve.
- 413. Diseases of pulmonary valve (rheumatic).
- 414. Other endocarditis (rheumatic).
- 415. Other myocarditis (rheumatic).
- 416. Other heart disease (rheumatic).
- 420. Arteriosclerotic heart disease, including coronary disease.
 - (.0) Arteriosclerotic heart disease so described.
 - (.1) Heart disease specified as involving coronary arteries.
 - (.2) Angina pectoris without mention of coronary disease.
- 421. Chronic endocarditis (nonrheumatic).
 - (.0) Of mitral valve (nonrheumatic).
 - (.1) Of aortic valve (nonrheumatic).
 - (.2) Of tricuspid valve (nonrheumatic).
 - (.3) Of pulmonary valve (nonrheumatic).
 - (.4) Other and ill-defined (nonrheumatic).

DETAILED INTERNATIONAL LIST — *Continued.*VII. DISEASES OF THE CIRCULATORY SYSTEM.
—*Cont.*

422. Other myocardial degeneration.
(.0) Fatty degeneration.
(.1) With arteriosclerosis.
(.2) Other.
430. Acute and subacute endocarditis.
(.0) Acute and subacute bacterial endocarditis.
(.1) Other acute endocarditis.
431. Acute myocarditis (nonrheumatic).
432. Acute pericarditis (nonrheumatic).
433. Functional disease of heart.
(.0) Heart block.
(.1) Other disorders of heart rhythm.
(.2) Other functional diseases of heart.
434. Other and unspecified diseases of heart.
(.0) Kyphoscoliotic heart disease.
(.1) Congestive heart failure.
(.2) Left ventricular failure.
(.3) Other and unspecified diseases of heart.
440. Essential benign hypertension with heart disease.
441. Essential malignant hypertension with heart disease.
442. Hypertensive heart disease with arteriolar nephrosclerosis.
443. Other and unspecified hypertensive heart disease.
444. Essential benign hypertension without mention of heart.
445. Essential malignant hypertension without mention of heart.
446. Hypertension with arteriolar nephrosclerosis without mention of heart.
447. Other hypertensive disease without mention of heart.
450. General arteriosclerosis.
(.0) Without mention of gangrene.
(.1) With gangrene.
451. Aortic aneurysm (nonsyphilitic), and dissecting aneurysm.
452. Other aneurysm, except of heart and aorta.
453. Peripheral vascular disease.
(.0) Raynaud's disease.
(.1) Thrombo-angiitis obliterans.
(.2) Chilblains.
(.3) Other.
454. Arterial embolism and thrombosis.
455. Gangrene of unspecified cause.
456. Other diseases of arteries.
460. Varicose veins of lower extremities.
461. Hemorrhoids.
462. Varicose veins of other specified sites.
(.0) Varicocele.
(.1) Varicose veins of esophagus.
(.2) Other.
463. Phlebitis and thrombophlebitis of lower extremities.
464. Phlebitis and thrombophlebitis of other sites.
465. Pulmonary embolism and infarction.
466. Other venous embolism and thrombosis.
467. Other diseases of circulatory system.
(.0) Hypotension.
(.1) Diseases of capillaries.
(.2) Other and unspecified
468. Certain diseases of lymph nodes and lymph channels.
(.0) Chronic lymphadenitis.
(.1) Nonspecific mesenteric lymphadenitis.
(.2) Lymphadenitis, unqualified.
(.3) Noninfective diseases of lymphatic channels.

VIII. DISEASES OF THE RESPIRATORY SYSTEM.

470. Acute nasopharyngitis (common cold).
471. Acute sinusitis.
472. Acute pharyngitis.
(.0) Sore throat, unqualified.
(.1) Other.
473. Acute tonsillitis.
474. Acute laryngitis and tracheitis.
475. Acute upper respiratory infection of multiple or unspecified sites.
480. Influenza with pneumonia.

VIII. DISEASES OF THE RESPIRATORY SYSTEM.
—*Cont.*

481. Influenza with other respiratory manifestations, and influenza, unqualified.
482. Influenza with digestive manifestations, but without respiratory symptoms.
483. Influenza with nervous manifestations, but without digestive or respiratory symptoms.
490. Lobar pneumonia.
491. Bronchopneumonia.
492. Primary atypical pneumonia.
493. Pneumonia, other and unspecified.
500. Acute bronchitis.
501. Bronchitis, unqualified.
502. Chronic bronchitis.
(.0) Bronchitis with emphysema.
(.1) Other.
510. Hypertrophy of tonsils and adenoids.
(.0) Without mention of tonsillectomy or adenoidectomy.
(.1) With tonsillectomy or adenoidectomy.
511. Peritonsillar abscess (quinsy).
512. Chronic pharyngitis and nasopharyngitis.
(.0) Chronic pharyngitis.
(.1) Chronic nasopharyngitis.
513. Chronic sinusitis.
514. Deflected nasal septum.
515. Nasal polyp.
516. Chronic laryngitis.
517. Other diseases of upper respiratory tract.
518. Empyema.
519. Pleurisy.
(.0) Without mention of effusion or tuberculous.
(.1) With effusion with mention of a bacterial cause other than tuberculosis.
(.2) Other specified forms of effusion, except tuberculous.
520. Spontaneous pneumothorax.
521. Abscess of lung.
522. Pulmonary congestion and hypostasis.
523. Pneumoconiosis due to silica and silicates (occupational).
(.0) Silicosis.
(.1) Anthracosilicosis.
(.2) Asbestosis.
(.3) Other, including pneumoconiosis unspecified.
524. Other specified pneumoconiosis and pulmonary fibrosis of occupational origin.
525. Other chronic interstitial pneumonia.
526. Bronchiectasis.
527. Other diseases of lung and pleural cavity.
(.0) Pulmonary collapse (1 year and over).
(.1) Emphysema without mention of bronchitis.
(.2) Other.

IX. DISEASES OF THE DIGESTIVE SYSTEM.

530. Dental caries.
(.0) Dental caries, unqualified.
(.1) With pulp exposure.
(.2) With periapical abscess.
(.3) Other.
531. Abscesses of supporting structures of teeth.
(.0) Pericoronal.
(.1) Peridontal (parietal).
(.2) Other and unspecified.
532. Other inflammatory diseases of supporting structures of teeth.
(.0) Gingivitis, except ulcerative.
(.1) Periodontitis (pyorrhoea, inflammatory).
(.2) Periodontosis (pyorrhoea, degenerative).
(.3) Other.
533. Disorders of occlusion, eruption, and tooth development.
(.0) Malocclusion.
(.1) Disorders of first dentition.
(.2) Impacted teeth.
(.3) Unerupted teeth.
(.4) Partially erupted teeth.
(.5) Congenital anomalies of teeth.
(.6) Chronic dental fluorosis.
(.7) Other.
534. Toothache from unspecified cause.

DETAILED INTERNATIONAL LIST — *Continued.*IX. DISEASES OF THE DIGESTIVE SYSTEM.—*Cont.*

535. Other diseases of teeth and supporting structures.
536. Stomatitis.
537. Diseases of salivary glands.
538. Other diseases of buccal cavity.
539. Diseases of esophagus.
(0) Functional disorders of esophagus.
(1) Other.
540. Ulcer of stomach.
(0) Without mention of perforation.
(1) With perforation.
541. Ulcer of duodenum.
(0) Without mention of perforation.
(1) With perforation.
542. Gastrojejunal ulcer.
(0) Without mention of perforation.
(1) With perforation.
543. Gastritis and duodenitis.
544. Disorders of function of stomach.
(0) Disorders of gastric secretion.
(1) Disorders of gastric motility.
(2) Other.
545. Other diseases of stomach and duodenum.
550. Acute appendicitis.
(0) Without mention of peritonitis.
(1) With peritonitis.
551. Appendicitis, unqualified.
552. Other appendicitis.
553. Other diseases of appendix.
560. Hernia of abdominal cavity without mention of obstruction.
(0) Inguinal.
(1) Femoral.
(2) Umbilical.
(3) Ventral (incisional).
(4) Other specified site.
(5) Unspecified site.
561. Hernia of abdominal cavity with obstruction.
(0) Inguinal.
(1) Femoral.
(2) Umbilical.
(3) Ventral (incisional).
(4) Other specified site.
(5) Unspecified site.
570. Intestinal obstruction without mention of hernia.
(0) Intussusception.
(1) Paralytic ileus.
(2) Mesenteric infarction.
(3) Volvulus.
(4) Impaction of intestine.
(5) Other.
571. Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.
(0) Ages between 4 weeks and 2 years.
(1) Ages 2 years and over.
572. Chronic enteritis and ulcerative colitis.
(0) Regional enteritis.
(1) Diverticulitis.
(2) Ulcerative colitis.
(3) Other.
573. Functional disorders of intestines.
(0) Constipation.
(1) Mucous colitis.
(2) Irritability of colon.
(3) Other.
574. Anal fissure and fistula.
575. Abscess of anal and rectal regions.
576. Peritonitis.
577. Peritoneal adhesion.
578. Other diseases of intestines and peritoneum.
580. Acute and subacute yellow atrophy of liver.
581. Cirrhosis of liver.
(0) Without mention of alcoholism.
(1) With alcoholism.
582. Suppurative hepatitis and liver abscess.
583. Other diseases of liver.
584. Cholelithiasis.
585. Cholecystitis without mention of calculi.
586. Other diseases of gallbladder and biliary ducts.
587. Diseases of pancreas.
(0) Acute pancreatitis.
(1) Chronic pancreatitis.
(2) Other diseases of pancreas.

X. DISEASES OF THE GENITO-URINARY SYSTEM.

590. Acute nephritis.
591. Nephritis with edema, including nephrosis.
592. Chronic nephritis.
593. Nephritis not specified as acute or chronic.
594. Other renal sclerosis.
600. Infections of kidney.
(0) Pyelitis, pyelocystitis, and pyelonephritis.
(1) Abscess of kidney and perirenal tissue.
(2) Other.
601. Hydronephrosis.
602. Calculi of kidney and ureter.
603. Other diseases of kidney and ureter.
604. Calculi of other parts of urinary system.
605. Cystitis.
606. Other diseases of bladder.
607. Urethritis (nonvenereal).
608. Stricture of urethra.
609. Other diseases of urethra.
610. Hyperplasia of prostate.
611. Prostatitis.
612. Other diseases of prostate.
613. Hydrocele.
614. Orchitis and epididymitis.
615. Redundant prepuce and phimosis.
616. Sterility, male.
617. Other diseases of male genital organs.
620. Chronic cystic disease of breast.
621. Other diseases of breast.
(0) Acute mastitis not associated with lactation.
(1) Hypertrophy of breast.
(2) Other.
622. Acute salpingitis and oophoritis.
623. Chronic salpingitis and oophoritis.
624. Salpingitis and oophoritis, unqualified.
625. Other diseases of ovary and Fallopian tube.
626. Diseases of parametrium and pelvic peritoneum (female).
630. Infective disease of uterus, vagina, and vulva.
(0) Cervicitis.
(1) Other infective diseases of uterus.
(2) Vaginitis and vulvitis.
631. Uterovaginal collapse.
632. Malposition of uterus.
633. Other diseases of uterus.
634. Disorders of menstruation.
635. Menopausal symptoms.
636. Sterility, female.
637. Other diseases of female genital organs.
(0) Leukorrhoea.
(1) Other.
- XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.
640. Pyelitis and pyelonephritis of pregnancy.
641. Other infections of genito-urinary tract during pregnancy.
642. Toxemias of pregnancy.
(0) Hypertensive disease arising during pregnancy.
(1) Renal disease arising during pregnancy.
(2) Pre-eclampsia of pregnancy.
(3) Eclampsia of pregnancy.
(4) Hyperemesis gravidarum.
(5) Other.
643. Placenta praevia.
644. Other hemorrhage of pregnancy.
645. Ectopic pregnancy.
(0) Without mention of sepsis.
(1) With sepsis.
646. Anemia of pregnancy.
647. Pregnancy with malposition of foetus in uterus.
648. Other complications arising from pregnancy.
(0) Threatened abortion.
(1) Hydatidiform mole.
(2) Placental abnormalities not classified elsewhere.
(3) Other.
649. Pregnancy associated with other conditions.
650. Abortion without mention of sepsis or toxemia.
(0) Spontaneous or unspecified.
(1) Induced for medical or legal indications.
(2) Induced for other reasons.
(3) Other.

DETAILED INTERNATIONAL LIST — *Continued.*XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.
—*Cont.*

651. Abortion with sepsis.
(0) Spontaneous or unspecified.
(1) Induced for medical or legal indications.
(2) Induced for other reasons.
(3) Other.
652. Abortion with toxemia, without mention of sepsis.
(0) Spontaneous or unspecified.
(1) Induced for medical or legal indications.
(2) Induced for other reasons.
(3) Other.
- The following subgroupings have been used as a fourth digit for all conditions included in 660-678:
(0) Spontaneous.
(1) Manipulation without instruments.
(2) Forceps (only) low and unspecified.
(3) Forceps (only) mid and high.
(4) Other surgical or instrumental, except Cesarean section.
(5) Cesarean section.
(6) Unspecified type of delivery.
(7) Delivered before admission.
660. Delivery without complication.
670. Delivery complicated by placenta praevia or antepartum hemorrhage.
671. Delivery complicated by retained placenta.
672. Delivery complicated by other postpartum hemorrhage.
673. Delivery complicated by abnormality of bony pelvis.
674. Delivery complicated by disproportion or malposition of foetus.
675. Delivery complicated by prolonged labor of other origin.
676. Delivery with laceration of perineum, without mention of other laceration.
677. Delivery with other trauma.
678. Delivery with other complications of childbirth.
680. Puerperal urinary infection without other sepsis.
681. Sepsis of childbirth and the puerperium.
682. Puerperal phlebitis and thrombosis.
683. Pyrexia of unknown origin during the puerperium.
684. Puerperal pulmonary embolism.
685. Puerperal eclampsia.
686. Other forms of puerperal toxemia.
687. Cerebral hemorrhage in the puerperium.
688. Other and unspecified complications of the puerperium.
(0) Anemia of puerperium.
(1) Puerperal psychosis.
(2) Sudden death from unknown cause in the puerperium.
(3) Other.
689. Mastitis and other disorders of lactation.

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.

690. Boil and carbuncle.
(0) Of face.
(1) Of neck.
(2) Of trunk.
(3) Of upper arm and forearm.
(4) Of hand.
(5) Of buttock.
(6) Of other parts of lower extremity.
(7) Of other and multiple sites.
(8) Of unspecified site.
691. Cellulitis of finger and toe.
692. Other cellulitis and abscess without mention of lymphangitis.
(0) Of head and neck.
(1) Of trunk.
(2) Of upper arm and forearm.
(3) Of hand, except fingers.
(4) Of leg.
(5) Of foot, except toes.
(6) Of other, multiple, and unspecified sites.

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.
—*Cont.*

693. Other cellulitis and abscess with lymphangitis
(0) Of head and neck.
(1) Of trunk.
(2) Of upper arm and forearm.
(3) Of hand, except fingers.
(4) Of leg.
(5) Of foot, except toes.
(6) Of other, multiple, and unspecified sites.
694. Acute lymphadenitis.
695. Impetigo.
696. Infectious warts.
697. Molluscum contagiosum.
698. Other local infections of skin and subcutaneous tissue.
700. Seborrheic dermatitis.
701. Eczema.
702. Occupational dermatitis.
(0) Due to plants.
(1) Due to oils and greases.
(2) Due to solvents.
(3) Due to drugs.
(4) Due to other chemicals.
(5) Due to radiation.
(6) Other.
703. Other dermatitis.
(0) Due to plants.
(1) Due to oils and greases.
(2) Due to solvents.
(3) Due to drugs.
(4) Due to other chemicals.
(5) Due to radiation.
(6) Due to other specified agents.
(7) Unqualified.
704. Pemphigus.
(0) Dermatitis herpetiformis.
(1) Other.
705. Erythematous conditions.
(0) Toxic erythema.
(1) Erythema multiforme (erythema iris).
(2) Erythema nodosum.
(3) Rosacea.
(4) Lupus erythematosus.
(5) Other and unqualified.
706. Psoriasis and similar disorders.
(0) Psoriasis.
(1) Parapsoriasis.
(2) Pityriasis rosea.
(3) Other and unspecified pityriasis.
(4) Other.
707. Lichen planus.
708. Pruritus and related conditions.
(0) Pruritus ani.
(1) Pruritus of genital organs.
(2) Prurigo.
(3) Lichenification and lichen simplex chronicus.
(4) Dermatitis factitia (artefacta).
(5) Other pruritic conditions.
709. Corns and callosities.
710. Other hypertrophic and atrophic conditions of skin.
(0) Scleroderma and dermatomyositis.
(1) Keratoderma.
(2) Hereditary edema of legs (Milroy's disease).
(3) Striae atrophicae.
(4) Keloid scar.
(5) Other hypertrophic and atrophic conditions of skin.
711. Other dermatoses.
712. Diseases of nail.
713. Diseases of hair and hair follicles.
714. Diseases of sweat and sebaceous glands.
(0) Diseases of sweat glands.
(1) Acne.
(2) Other diseases of sebaceous glands.
715. Chronic ulcer of skin.
716. Other diseases of skin.

XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.

720. Acute arthritis due to pyogenic organisms.
721. Acute nonpyogenic arthritis.

DETAILED INTERNATIONAL LIST — *Continued.*XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.—*Cont.*

722. Rheumatoid arthritis and allied conditions.
 (.0) Rheumatoid arthritis.
 (.1) Spondylitis ankylopoietica.
 (.2) Chronic rheumatoid nodular fibrositis.
723. Osteo-arthritis (arthrosis) and allied conditions.
 (.0) Osteo-arthritis (arthrosis).
 (.1) Spondylitis osteo-arthritica (spondylarthrosis).
 (.2) Adult osteochondrosis of spine.
724. Other specified forms of arthritis.
725. Arthritis, unspecified.
726. Muscular rheumatism.
 (.0) Lumbago.
 (.1) Myofibrosis of humeroscapular region.
 (.2) Torticollis not specified as congenital, psychogenic, or traumatic.
 (.3) Other muscular rheumatism, fibrositis, and myalgia.
727. Rheumatism, unspecified.
730. Osteomyelitis and periostitis.
 (.0) Acute osteomyelitis.
 (.1) Chronic osteomyelitis.
 (.2) Unspecified osteomyelitis.
 (.3) Periostitis without mention of osteomyelitis.
731. Osteitis deformans.
732. Osteochondrosis.
733. Other diseases of bone.
734. Internal derangement of knee joint.
735. Displacement of intervertebral disc.
736. Affection of sacro-iliac joint.
737. Ankylosis of joint.
 (.0) Of spine.
 (.1) Of shoulder.
 (.2) Of elbow.
 (.3) Of wrist.
 (.4) Of finger.
 (.5) Of hip.
 (.6) Of knee.
 (.7) Of ankle.
 (.8) Of other and multiple sites.
 (.9) Of unspecified site.
738. Other diseases of joint.
740. Bunion.
741. Synovitis, bursitis, and tenosynovitis without mention of occupational origin.
742. Synovitis, bursitis, and tenosynovitis of occupational origin.
743. Infective myositis and other inflammatory diseases of tendon and fascia.
744. Other diseases of muscle, tendon, and fascia.
 (.0) Myasthenia gravis.
 (.1) Inborn defect of muscle.
 (.2) Other.
745. Curvature of spine.
746. Flat foot.
747. Hallux valgus and varus.
748. Clubfoot.
749. Other deformities.

XIV. CONGENITAL MALFORMATIONS.

750. Monstrosity.
751. Spina bifida and meningocele.
752. Congenital hydrocephalus.
753. Other congenital malformations of nervous system and sense organs.
 (.0) Congenital cataract.
 (.1) Other.
754. Congenital malformations of circulatory system.
 (.0) Tetralogy of Fallot.
 (.1) Patent ductus arteriosus (Botalli).
 (.2) Interventricular septal defect.
 (.3) Interauricular septal defect.
 (.4) Other and unspecified malformations of heart.
 (.5) Coarctation of aorta.
 (.6) Other circulatory malformations.

XIV. CONGENITAL MALFORMATIONS.—*Cont.*

755. Cleft palate and harelip.
756. Congenital malformations of digestive system.
 (.0) Congenital hypertrophic pyloric stenosis.
 (.1) Imperforate anus.
 (.2) Other.
757. Congenital malformations of genito-urinary system.
 (.0) Undescended testicle.
 (.1) Polycystic disease of kidney.
 (.2) Congenital malformations of external genital organs.
 (.3) Other.
758. Congenital malformations of bone and joint.
 (.0) Congenital dislocation of hip.
 (.1) Chondrodystrophy.
 (.2) Congenital malformations of skull.
 (.3) Brittle bones.
 (.4) Cervical rib.
 (.5) Congenital abnormalities of lumbosacral region.
 (.6) Other.
759. Other and unspecified congenital malformations, not elsewhere classified.
 (.0) Of respiratory system.
 (.1) Of skin.
 (.2) Of muscle.
 (.3) Other and unspecified.

XV. CERTAIN DISEASES OF EARLY INFANCY.

760. Intracranial and spinal injury at birth.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
761. Other birth injury.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
762. Postnatal asphyxia and atelectasis.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
763. Pneumonia of newborn.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
764. Diarrhea of newborn.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
765. Ophthalmia neonatorum.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
766. Pemphigus neonatorum.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
767. Umbilical sepsis.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
768. Other sepsis of newborn.
 (.0) Without mention of immaturity.
 (.5) With immaturity.
769. Neonatal disorders arising from maternal toxemia.
 (.0) Attributed to "toxemia of pregnancy", without mention of immaturity.
 (.1) Attributed to maternal diabetes, without mention of immaturity.
 (.2) Attributed to maternal rubella, without mention of immaturity.
 (.3) Attributed to toxoplasmosis, without mention of immaturity.
 (.4) Attributed to other or unspecified maternal toxemia, without mention of immaturity.
 (.5) Attributed to "toxemia of pregnancy", with immaturity.
 (.6) Attributed to maternal diabetes, with immaturity.
 (.7) Attributed to maternal rubella, with immaturity.
 (.8) Attributed to toxoplasmosis, with immaturity.
 (.9) Attributed to other or unspecified maternal toxemia, with immaturity.

DETAILED INTERNATIONAL LIST — *Continued.*

XV. CERTAIN DISEASES OF EARLY INFANCY.

—*Cont.*

770. Hemolytic disease of newborn (erythroblastosis).
 (.0) Erythroblastosis without mention of nervous affection or immaturity.
 (1) Kernicterus, without mention of immaturity.
 (2) Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity.
 (5) Erythroblastosis, without mention of nervous affection but with immaturity.
 (6) Kernicterus with immaturity.
 (7) Erythroblastosis with disorder of liver other than icterus gravis, with immaturity.
771. Hemorrhagic disease of newborn.
 (.0) Without mention of immaturity.
 (5) With immaturity.
772. Nutritional maladjustment.
 (.0) Without mention of immaturity.
 (5) With immaturity.
773. Ill-defined diseases peculiar to early infancy.
 (.0) Without mention of immaturity.
 (5) With immaturity.
774. Immaturity with mention of any other subsidiary condition.
775. Immaturity subsidiary to some other cause.
776. Immaturity, unqualified.
- XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.
780. Certain symptoms referable to nervous system and special senses.
 (.0) Coma and stupor.
 (1) Delirium.
 (2) Convulsions.
 (3) Jacksonian epilepsy.
 (4) Abnormal involuntary movement.
 (5) Disturbance of coordination.
 (6) Vertigo.
 (7) Disturbance of sleep.
 (8) Disturbance of memory.
 (9) Meningismus.
781. Other symptoms referable to nervous system and special senses.
 (.0) Disturbance of vision except defective sight.
 (1) Oculomotor disturbance.
 (2) Photophobia.
 (3) Disturbance of hearing except deafness.
 (4) Disturbance of cranial nerves except optic, oculomotor, and auditory.
 (5) Stammering and stuttering.
 (6) Other disturbance of speech, including alexia and agraphia.
 (7) Other disturbance of sensation.
 (8) Encephalopathy.
 (9) Hallucinations.
782. Symptoms referable to cardiovascular and lymphatic system.
 (.0) Precordial pain.
 (1) Palpitation.
 (2) Tachycardia.
 (3) Pallor and cyanosis (not of newborn).
 (4) Acute heart failure, undefined.
 (5) Syncope or collapse.
 (6) Edema and dropsy (not of newborn).
 (7) Enlargement of lymph node.
 (8) Splenomegaly.
 (9) Shock without mention of trauma.
783. Symptoms referable to respiratory system.
 (.0) Epistaxis.
 (1) Hemoptysis.
 (2) Dyspnea.
 (3) Cough.
 (4) Excess of sputum.
 (5) Change in voice.
 (6) Stridor.
 (7) Pain in chest.
784. Symptoms referable to upper gastro-intestinal tract.
 (.0) Anorexia.

XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.—*Cont.*

- (1) Nausea and vomiting.
 (2) Pylorospasm.
 (3) Heartburn.
 (4) Dysphagia.
 (5) Hematemesis.
 (6) Excessive salivation.
 (7) Hiccough.
 (8) Eructation.
785. Symptoms referable to abdomen and oesophago-gastro-intestinal system.
 (.0) Abdominal swelling (not referable to any particular organ).
 (1) Hepatomegaly.
 (2) Jaundice.
 (3) Ascites.
 (4) Flatulence.
 (5) Abdominal pain.
 (6) Diarrhea, age 2 years and over.
 (7) Incontinence of feces.
 (8) Melena (age 1 year and over).
 (9) Visible peristalsis.
786. Symptoms referable to genito-urinary system.
 (.0) Pain referable to urinary system.
 (1) Retention of urine.
 (2) Incontinence of urine.
 (3) Frequency of micturition.
 (4) Polyuria.
 (5) Oliguria, anuria (not of newborn).
 (6) Priapism.
 (7) Pain referable to genital organs, including dyspareunia.
787. Symptoms referable to limbs and back.
 (.0) Transient paralysis of limb, cause unknown.
 (1) Pain in limb.
 (2) Swelling of limb.
 (3) Pain in joint.
 (4) Swelling of joint.
 (5) Pain in back.
 (6) Difficulty in walking.
 (7) Abnormality of gait.
788. Other general symptoms.
 (.0) Dehydration.
 (1) Excessive sweating.
 (2) Rash.
 (3) Subcutaneous nodules.
 (4) Loss of weight.
 (5) Tetany.
 (6) Acidosis.
 (7) Alkalosis.
 (8) Pyrexia of unknown origin.
 (9) Other specified symptoms not classifiable elsewhere.
789. Abnormal urinary constituents of unspecified cause.
 (.0) Albuminuria, unqualified.
 (1) Albuminuria, orthostatic.
 (2) Pyuria and bacteriuria.
 (3) Chyluria.
 (4) Hematuria.
 (5) Hemoglobinuria.
 (6) Glycosuria.
 (7) Acetonuria.
790. Nervousness and debility.
 (.0) Nervousness.
 (1) Debility and undue fatigue.
 (2) Depression.
791. Headache.
792. Uremia, unqualified.
793. Observation, without need for further medical care.
 (.0) Mental.
 (1) Other specified.
 (2) Unspecified.
794. Senility without mention of psychosis.
795. Ill-defined and unknown causes of mortality.
 (.0) Other ill-defined conditions.
 (1) Malingering.
 (2) Sudden death (cause unknown).
 (3) Found dead (cause unknown).
 (4) Died without sign of disease.
 (5) Other, unknown and unspecified causes.

DETAILED INTERNATIONAL LIST — *Continued.*

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.

Accidents, poisonings and violence are classified according to external cause. Therefore, it should be understood that the letter E—External Cause, precedes all of the following categories. The latter, except 960-965, include only current injuries from accidents and other violence. Late effects of injury from accident, poisoning, and other violence are brought together under 960-965. Late effects refer to the usually inactive residual effects of indefinite duration after the acute illness from the injury has terminated.

800. Railway accident involving railroad employee.
801. Railway accident involving passenger.
802. Railway accident involving other and unspecified person.

The following subrouping, indicated by addition of a fourth digit, has been used for 810-835.

- (0) Accident involving goods-transport vehicle(s), but no other motor vehicle.
(1) Accident involving goods-transport vehicle and passenger motor vehicle.
(2) Accident involving goods-transport vehicle and motor bus.
(3) Accident involving goods-transport vehicle and unspecified motor vehicle.
(4) Accident involving passenger motor vehicle(s), but no other motor vehicle.
(5) Accident involving passenger motor vehicle and motor bus.
(6) Accident involving passenger motor vehicle and unspecified motor vehicle.
(7) Accident involving motor bus(es), but no other motor vehicle.
(8) Accident involving motor bus and unspecified motor vehicle.
(9) Accident involving unspecified motor vehicles.
810. Motor-vehicle traffic accident involving collision with railway train.
811. Motor-vehicle traffic accident involving collision with streetcar.
812. Motor-vehicle traffic accident to pedestrian.
813. Motor-vehicle traffic accident to rider of bicycle.
814. Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object.
815. Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle.
816. Other motor-vehicle traffic accident involving two or more motor vehicles.
817. Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or bicycle.
818. Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle.
819. Motor-vehicle traffic accident involving collision with fixed or unspecified object.
820. Motor-vehicle traffic accident while boarding and alighting.
821. Motor-vehicle traffic accident to rider of motorcycle not involving collision.
822. Motor-vehicle traffic accident involving overturning on highway.
823. Motor-vehicle traffic accident involving running off highway.
824. Other noncollision motor-vehicle traffic accident.
825. Motor-vehicle traffic accident of unspecified nature.
830. Motor-vehicle nontraffic accident to pedestrian.
831. Motor-vehicle nontraffic accident to rider of bicycle.
832. Motor-vehicle nontraffic accident to rider or passenger of motorcycle.

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.

—*Cont.*

833. Other motor-vehicle nontraffic accident involving two or more motor vehicles.
834. Motor-vehicle nontraffic accident while boarding and alighting.
835. Motor-vehicle nontraffic accident of other and unspecified nature.
840. Streetcar accident to pedestrian.
841. Other streetcar accident, except collision with motor vehicle.
842. Accident to pedestrian caused by bicycle.
843. Accident to rider of bicycle not involving collision with motor vehicle.
844. Accident to pedestrian caused by other nonmotor road vehicle.
845. Other nonmotor road-vehicle accidents.
850. Drowning of occupant of small boat.
851. Other water-transport injury by drowning.
852. Falls on stairs and ladders in water transport.
853. Other falls from one level to another in water transport.
854. Falls on same level in water transport.
855. Unspecified falls in water transport.
856. Machinery accident in water transport.
857. Other specified accidents in water transport.
858. Water-transport accident of unspecified cause.
860. Accident to personnel in military aircraft.
861. Injury to occupant by accident to commercial "transport" aircraft.
862. Other injury in commercial "transport" aircraft.
863. Injury to occupant by accident to other aircraft.
864. Aircraft accident at airfield to person not in aircraft.
865. Aircraft accident elsewhere to person not in aircraft.
866. Other and unspecified aircraft accidents.
- The following subrouping indicated by the addition of a fourth digit has been used for nontransport accidents (870-936) to denote the place where the accident or poisoning occurred.
- (0) Home (including home premises and any noninstitutional place of residence).
(1) Farm (including buildings and land under cultivation, but excluding farm home and home premises).
(2) Mine and quarry.
(3) Industrial place and premises.
(4) Place for recreation and sport.
(5) Street and highway.
(6) Public building.
(7) Resident institution.
(8) Other specified places.
(9) Place not specified.
870. Accidental poisoning by morphine and other opium derivatives.
871. Accidental poisoning by barbituric acid and derivatives.
872. Accidental poisoning by aspirin and salicylates.
873. Accidental poisoning by bromides.
874. Accidental poisoning by other analgesic and soporific drugs.
875. Accidental poisoning by sulfonamides.
876. Accidental poisoning by strychnine.
877. Accidental poisoning by belladonna, hyoscyne, and atropine.
878. Accidental poisoning by other and unspecified drugs.
879. Accidental poisoning by noxious foodstuffs.
880. Accidental poisoning by alcohol.
881. Accidental poisoning by petroleum products.
882. Accidental poisoning by industrial solvents.
883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis.
884. Accidental poisoning by mercury and its compounds.
885. Accidental poisoning by lead and its compounds.
886. Accidental poisoning by arsenic and antimony, and their compounds.
887. Accidental poisoning by fluorides.
888. Accidental poisoning by other and unspecified solid and liquid substances.

DETAILED INTERNATIONAL LIST — *Continued.*

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.

—*Cont.*

890. Accidental poisoning by utility (illuminating) gas.
891. Accidental poisoning by motor-vehicle exhaust gas.
892. Accidental poisoning by other carbon-monoxide gas.
893. Accidental poisoning by cyanide gas.
894. Accidental poisoning by other specified gases and vapors.
895. Accidental poisoning by unspecified gases and vapors.
900. Fall on stairs.
901. Fall from ladders.
902. Other falls from one level to another.
903. Fall on same level.
904. Unspecified falls.
910. Blow from falling object.
911. Accident caused by vehicle.
912. Accident caused by machinery.
913. Accident caused by cutting and piercing instruments.
914. Accident caused by electric current.
915. Accident caused by explosion of pressure vessel.
916. Accident caused by fire and explosion of combustible material.
917. Accident caused by hot substance, corrosive liquid, and steam.
918. Accident caused by radiation.
919. Accident caused by firearms.
920. Foreign body entering eye and adnexa.
921. Inhalation and ingestion of food causing obstruction or suffocation.
922. Inhalation and ingestion of other object causing obstruction or suffocation.
923. Foreign body entering other orifice.
924. Accidental mechanical suffocation in bed and crib.
925. Accidental mechanical suffocation in other and unspecified circumstances.
926. Lack of care of infants under 1 year of age.
927. Accidents caused by bites and stings of venomous animals and insects.
928. Other accidents caused by animals.
929. Accidental drowning and submersion.
930. High and low air pressure.
931. Excessive heat and insolation.
932. Excessive cold.
933. Hunger, thirst, and exposure.
934. Cataclysm.
935. Lightning.
936. Other and unspecified accidents.
940. Generalized vaccinia following vaccination.
941. Postvaccinal encephalitis.
942. Other complications of smallpox vaccination.
943. Post-immunization jaundice and hepatitis.
944. Other complications of prophylactic inoculation.
945. Complications of anesthesia for nontherapeutic purposes.
946. Other complications due to nontherapeutic medical and surgical procedures.
950. Therapeutic misadventure in surgical treatment.
951. Therapeutic misadventure in infusion or transfusion.
952. Therapeutic misadventure in local applications.
953. Therapeutic misadventure in administration of drugs or biologicals.
954. Therapeutic misadventure in anesthesia.
955. Other and unspecified therapeutic misadventure.
956. Late complication of surgical operation.
957. Late complication of amputation stump.

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.

—*Cont.*

958. Late complication of irradiation.
959. Late complications of other forms of treatment.
960. Late effect of motor-vehicle accident.
961. Late effect of accidental poisoning.
962. Late effect of other accidental injury.
963. Late effect of self-inflicted injury.
964. Late effect of injury purposely inflicted by another person (not in war).
965. Late effects of injuries due to war operations.
970. Suicide and self-inflicted poisoning by analgesic and soporific substances.
- (1) Morphine and other opium derivatives.
- (2) Barbituric acid and derivatives.
- (3) Acetylsalicylic acid.
- (4) Methyl salicylate.
- (5) Other salicylates.
- (6) Bromides.
- (7) Antipyretic substances, not elsewhere classified.
- (8) Others.
- (9) Unspecified drugs.
971. Suicide and self-inflicted poisoning by other solid and liquid substances.
- (1) Strychnine.
- (2) Phenol compounds.
- (3) Lye and potash.
- (4) Cresol compounds.
- (5) Mercury and its compounds.
- (6) Arsenic and its compounds.
- (7) Fluorides.
- (8) Others.
972. Suicide and self-inflicted poisoning by gases in domestic use.
973. Suicide and self-inflicted poisoning by other gases.
- (1) Motor-vehicle exhaust gas.
- (2) Other motor exhaust gas.
- (3) Other carbon monoxide gas.
- (4) Other gases.
974. Suicide and self-inflicted injury by hanging and strangulation.
975. Suicide and self-inflicted injury by drowning and submersion.
976. Suicide and self-inflicted injury by firearms and explosives.
977. Suicide and self-inflicted injury by cutting and piercing instruments.
978. Suicide and self-inflicted injury by jumping from high place.
979. Suicide and self-inflicted injury by other and unspecified means.
980. Nonaccidental poisoning by another person.
981. Assault by firearms and explosives.
982. Assault by cutting and piercing instruments.
983. Assault by other means.
984. Injury by intervention of police.
985. Execution.
990. Injury due to war operations by gas and chemicals.
991. Injury due to war operations by gunshot.
992. Injury due to war operations by grenade and land mine.
993. Injury due to war operations by bomb.
994. Injury due to war operations by marine mine, depth charge, and torpedo.
995. Injury due to war operations by explosion of artillery shell.
996. Injury due to war operations by explosion of undetermined origin.
997. Injury due to war operations by aircraft destruction.
998. Injury due to war operations by other and unspecified means.
999. Injury due to war operations but occurring after cessation of hostilities.


2. ABBREVIATED LIST.

The following table shows each title of the Abbreviated List. The numbers of the titles of the Detailed International List included in each title of the abbreviated list appear in parentheses.

Abbreviated
List Number

CAUSE OF DEATH.

1. Tuberculosis of respiratory system (001-008).
2. Tuberculosis, other forms (010-019).
3. Syphilis and its sequelae (020-029).
4. Typhoid fever (040).
5. Cholera (043).
6. Dysentery, all forms (045-048).
7. Scarlet fever and streptococcal sore throat (050, 051).
8. Diphtheria (055).
9. Whooping cough (056).
10. Meningococcal infections (057).
11. Plague (058).
12. Acute poliomyelitis (080).
13. Smallpox (084).
14. Measles (085).
15. Typhus and other rickettsial diseases (100-108).
16. Malaria (110-117).
17. All other diseases classified as infective and parasitic (030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138).
18. Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205).
19. Benign and unspecified neoplasms (210-239).
20. Diabetes mellitus (260).
21. Anemias (290-293).
22. Vascular lesions affecting central nervous system (330-334).
23. Nonmeningococcal meningitis (340).
24. Rheumatic fever (400-402).
25. Chronic rheumatic heart disease (410-416).
26. Arteriosclerotic and degenerative heart disease (420-422).
27. Other diseases of heart (430-434).
28. Hypertension with heart disease (440-443).
29. Hypertension without mention of heart (444-447).
30. Influenza (480-483).
31. Pneumonia (490-493).
32. Bronchitis (500-502).
33. Ulcer of stomach and duodenum (540, 541).
34. Appendicitis (550-553).
35. Intestinal obstruction and hernia (560, 561, 570).
36. Gastritis, duodenitis, enteritis and colitis, except diarrhea of the newborn (543, 571, 572).
37. Cirrhosis of liver (581).
38. Nephritis and nephrosis (590-594).
39. Hyperplasia of prostate (610).
40. Complications of pregnancy, childbirth and the puerperium (640-652, 670-689).
41. Congenital malformations (750-759).
42. Birth injuries, postnatal asphyxia and atelectasis (760-762).
43. Infections of the newborn (763-768).
44. Other diseases peculiar to early infancy, and immaturity unqualified (769-776).
45. Senility without mention of psychosis, ill-defined and unknown causes (780-795).
46. All other diseases (240-254, 270-289, 294-326, 341-398, 450-475, 510-539, 542, 544, 545, 573-580, 582-587, 600-609, 611-637, 660, 690-749).
47. Motor-vehicle accidents (810-835).
48. All other accidents (800-802, 840-965).
49. Suicide and self-inflicted injury (970-979).
50. Homicide and operations of war (980-999).



BOSTON PUBLIC LIBRARY



3 9999 06351 662 7

MAR 29 1956

